

PUBLIC NOTICE CITY OF BEXLEY ARCHITECTURAL REVIEW BOARD BOARD OF ZONING AND PLANNING

The Bexley Architectural Review Board (ARB) will hold a Public Meeting on the following case on <u>Thursday</u>, <u>January 9</u>, <u>2020 at 6:00 PM</u>, in City Council Chambers, Bexley City Hall, 2242 East Main Street, Bexley, Ohio.

The Bexley Board of Zoning and Planning (BZAP) will hold a Public Hearing on the following case on <u>Thursday, January 23, 2020 at 6:00 PM.</u>, in City Council Chambers, Bexley City Hall, 2242 East main Street, Bexley, Ohio.

The APPLICANT or REPRESENTATIVE must be present at the Public Hearing. The Board may dismiss, without hearing, an application if the applicant or authorized representative is not in attendance. The Board may move to consider the application in those circumstances where dismissal without hearing would constitute a hardship on the adjoining property owners or other interested persons.

a. Application No.: BZAP-19-18
 Applicant: Nathan Kayes
 Owner: Nathan Kayes
 Location: 528 N. Cassady Rd.

ARB Request: The applicant is seeking architectural review and a recommendation to the Board of Zoning and Planning, to allow exterior modifications to the site and building at this location. The modifications include: parking changes, addition of a playground, landscaping and new signage for the proposed "Green Meadows Schoolhouse" day care facility.

BZAP: The applicant is seeking architectural review and approval to allow exterior modifications to the site and building at this location. The modifications include: parking changes, addition of a playground, landscaping and new signage for the proposed "Green Meadows Schoolhouse" day care facility.

The applicant is also seeking A Conditional Use in accordance with Bexley Code Section 1226.12 (a)-(h), to allow an institutional use (day car facility) in the Mixed Use Commercial (MUC) Zoning District.

A copy of this application is available for review in the Building Department office during the hours of 8:00 A.M. until 4:00 P.M. If you have any questions, please call the Bexley Building Department at 559-4240.

Mailed by: 12-26-2019

*(BZAP)Board of Zoning & Planning Application - Review of Variance requests for Residential and Commercial Development

BZAP-19-18

Status: Active

Submitted: Dec 12, 2019

Applicant

ટડ Nati

Nathan Kayes 6144044353

@

nathankayes@namkinvestments.com

Location

528 N CASSADY AV Bexley, OH 43209

A.1: Project Information

Brief Project Description - ALSO PROVIDE 2 HARD COPIES (INCLUDING PLANS) TO THE BUILDING DEPARTMENT.

Use group - child daycare: Interior renovation, outdoor playspace, exterior signage, exterior lighting, painting, windows and doors

Architecture Review Conditional Use

true true

Demolition Planned Unit Dev

--

Rezoning Variance or Special Permit

--

What requires Major Architectural Review

--

What requires Minor Architectural Review

exterior improvements (windows, siding, doors, awning, planting)

Major Architectural Review Minor Architectural Review

-- true

A.1: Attorney / Agent Information

Agent Name Agent Address

Sara Stucky Sayner 4450 Belden Village Stree NW, Suite 800

Agent EmailAgent Phonesara@stuckysayner.com330-280-2311

A.2: Fee Worksheet

Estimated Valuation of Project Minor Architectural Review

300000 true

Major Architectural Review Variance Review

-

Zoning Zoning Review Type

true Conditional Use request

Sign Review and Architectural Review for Commercial Projects

true

Special Permit, Conditional Uses and All Others

Review Type

Appeal of ARB decision to BZAP Appeal of BZAP decision to City Council

Conditional Use - Explain type of Use if being requested and fill out Conditional Use Criteria

Childcare - educational - quasi-public

B: Project Worksheet: Property Information

Occupancy Type Zoning District

Commercial MUC

Use Classification Other Classification

Other Ε

B: Project Worksheet: Lot Info

Width (ft) Depth (ft)

80 120

Total Area (SF)

9600

B: Project Worksheet: Primary Structure Info

Existing Footprint (SF) Proposed Addition (SF)

3776

Removing (SF) Type of Structure

0 IIB

Proposed New Primary Structure or Residence (SF) **Total Square Footage**

0 3776

B: Project Worksheet: Garage and/or Accessory Structure Info (Incl. Decks, Pergolas, Etc)

Existing Footprint (SF) Proposed Addition (SF)

New Structure Type Ridge Height

Is there a 2nd Floor **Proposed New Structure (SF)**

Total of all garage and accessory structures (SF) Total building lot coverage (SF)

Total building lot coverage (% of lot) Is this replacing an existing garage and/or accessory structure? --

B: Project Worksheet: Hardscape

Existing Driveway (SF) Existing Patio (SF)

175

Existing Private Sidewalk (SF) Proposed Additional Hardscape (SF)

277

Total Hardscape (SF)

5000

B: Project Worksheet: Total Coverage

Total overall lot coverage (SF)

Total overall lot coverage (% of lot)

- -

C.1 Architectural Review Worksheet: Roofing

Roofing Structure

true House or Principal Structure

Existing Roof TypeNew Roof TypeEPDM RubberTPO Rubber

New Single Manufacturer New Roof Style and Color

white

C.1 Architectural Review Worksheet: Windows

Windows Structure

true House or Principal Structure

Existing Window Type Other existing window type

Other storefront

Existing Window Materials New Window Manufacturer

Aluminum

New Window Style/Mat./Color

fixed/aluminum/black

C.1 Architectural Review Worksheet: Doors

Doors Structure

true House or Principal Structure

Existing Entrance Door Type Existing Garage Door Type

Insulated Metal

Door Finish Proposed Door Type

Painted aluminum

Proposed Door Style Proposed Door Color

black

Other

C.1 Architectural Review Worksheet: Exterior Trim

Exterior Trim Existing Door Trim true Aluminum Clad

Existing Window Trim Proposed New Door Trim

Proposed New Window Trim Other Existing Window Trim

metal

Trim Color(s) Do the proposed changes affect the overhangs?

black

C.2 Architectural Review Worksheet: Exterior Wall Finishes

Exterior Wall Finishes Existing Finishes

Wood Siding true

Existing Finishes Manufacturer, Style, Color Proposed Finishes

Wood siding, color Wood Siding

Proposed Finishes Manufacturer, Style, Color

white

metal

D: Tree & Public Gardens Commission Worksheet

Type of Landscape Project Landscape Architect/Designer

Commercial Landscape

Architect/Designer Phone Architect/Designer E-mail 330-280-2311 Sara Stucky Sayner

Project Description

Complete Interior Renovation of existing building with modification to parking lot to provide an outdoor playspace, handicap parking, and additional landscape improvements.

This project is significant to the community by providing much needed childcare to the area residents and new job opportunities. The exterior improvements will enliven the street and create a thriving business enterprise in the area. The procedures to implement plan are to bid the renovation and site work as soon as receiving approval from the Architectural Review Board and Zoning Board.

I have read and understand the above criteria

true

D: (Staff Only) Tree & Public Gardens Commission Worksheet

Design plan with elevations (electronic copy as specified in instructions plus 1 hard copy)

Design Specifications as required in item 3 in "Review Guidelines and List of Criteria" above

--

Applicant has been advised that Landscape Designer/Architect must be present at meeting

__

E.1 Variance Worksheet

Description of the Proposed Variance. Please provide a thorough description of the variance being sought and the reason why.

Conditional use permit for Childcare (child daycare) - Educational

1. Does the property in question require a variance in order to yield a reasonable return? Can there be any beneficial use of the property without the variance? Please describe.

Yes, the property requires a variance to be used by the Owners operating a childcare business. No benefit without variance.

2. Is the variance substantial? Please describe.

No, this use group will not adversely impact the permitted uses in this district

3. Would the essential character of the neighborhood be substantially altered or would adjoining properties suffer a substantial detriment as a result of the variance? Please describe.

No, the essential character of the neighborhood and adjoining propertes will be greatly improved by the proposed conditional use. The activity inside and outside the building will enliven the neighborhood.

E.2 Variance Worksheet

4. Would the variance adversely affect the delivery of governmental services (e.g. water, sewer, garbage)? Please describe.

No, there would be not adverse affect on the delivery of services due to the small occupancy and service requirements.

5. Did the property owner purchase the property with the knowledge of zoning restriction? Please describe.

Yes, they were aware and contacted the Zoning Department. They received a letter regarding the required parking for their use.

6. Can the property owner's predicament feasibly obviated through some method other than a variance? Please describe.

No, the only available course of action for the Owner is to receive a conditional use permit.

7. Is the spirit and intent behind the zoning requirement observed and is substantial justice done by granting the variance? Please describe.

Yes, the conditional use permit will allow the Owner to use the building, follow the intent behind the zoning requirement. Substantial justice is also done with this conditional use permit. The childcare use group will be an amenity to the community and the city of Bexley.

F.1 Fence Variance Worksheet

Lot Type

Interior (non-corner) lot

Narrative description of how you plan to meet the pertinent outlined variance criteria

The perimeter fencing around the playspace will be under 5'-0" tall. Wrought iron picket fence with barrier curbing separating the drive.

F.1-F.2 Fence Variance Worksheet: Side and Rear Yard Restrictions for Corner Lots

- 1. Compatibility: Describe how the proposed side yard fence or wall exceeding forty-eight inches in height and on the street side of a corner lot compatible with other properties in the neighborhood?
- 2. Height: Please verify that the maximum height of such fence or wall shall not exceed seventy-two inches as measured from the average grade, as defined in Section 1230.06. Artificially raising the height of the lot line by the use of mounding, retaining walls or similar means shall be included within the seventy-two inch maximum height.
- 3. Transparency: Fences exceeding forty-eight inches in height should include transparency in the upper 12" to 18" of the fence through the use of latticework, pickets, or other appropriate design elements. Describe how you have satisfied this requirement.
- 4. Screening: A landscaping plan must be filed with the application for a special permit, indicating how such fencing or wall is to be screened from the street side elevation. The landscape plan should be designed in such a way as to mitigate the impact of a solid fence or wall as it relates to the street and other properties. Describe how the landscape plan addresses these items.
- 5. Visibility and Safety: The installation of such fence or wall shall not create a visibility or safety concern for vehicular and/or pedestrian movement. Please describe any visibility/safety concerns with your design.
- 6. Material Compatibility: No chain link, wire mesh or other similar material shall be installed on lot lines adjacent to public rights-of-way. Please verify that your design complies with this requirement.
- 7. Finished Side: Any fence or wall erected on a lot located at the intersection of two or more streets must have the finished and not the structural side facing the adjacent property, alley or street. Please verify that your design complies with this requirement.

F.3 Fence Variance Worksheet

Front Yard Restrictions

--

Require Commercial Fences Adjacent to Residential Districts false

Fences Adjacent to Commercial Districts

false

F.3 Fence Variance Worksheet: Front Yard Restrictions

The proposed decorative landscape wall or fence is compatible with other properties in the neighborhood.

Yes

The height of the fence or wall does not exceed the size permitted as above when measured from the average grade of the yard where the fence or wall is to be installed. Artificially raising the height of the lot line by the use of mounding, retaining walls or similar means shall be included in the maximum height.

Yes

Posts, columns and finials may extend up to 6" above the maximum allowed height of the fence panels. CHAPTER 1264. FENCES AND WALLS City of Bexley Zoning Ordinance

No

The installation of such fence and/or wall shall not create a visibility or safety concern for vehicular and/or pedestrian movement.

Yes

The fence and/or wall shall have a minimum of 50% transparency.

Yes

A landscaping plan shall be filed with the application indicating how such fencing and/ or wall is to be integrated with existing front yard landscaping.

Yes

No chain link, wire mesh, concrete block or other similar type material shall be installed as a decorative landscape wall or fence.

No

That the lot exhibits unique characteristics that support the increase in fence height.

No

G. Demolition Worksheet

Is your property historically significant? Please attached supporting documentation. Recomended sources include ownership records, a letter from the Bexley Historical Society, etc.

No

Is your property architecturally significant? Please attached supporting documentation. Recomended sources include a letter of opinion from an architect or expert with historical preservation expertise.

No

If you answered "yes" to either of the above two questions, please describe any economic hardship that results from being unable to demolish the primary residence, and attach any supporting evidence.

--

If you answered "yes" to either of the above two questions, please describe any other unusual or compelling circumstances that require the demolition of the primary residence, and attach any supporting evidence.

--

I will provide a definite plan for reuse of the site, including proposed replacement structures, by completing Worksheets B & C and any other pertinent worksheets, along with required exhibits.

--

Provide a narrative time schedule for the replacement project

The project is scheduled to be completed in the spring

Please provide a narrative of what impact the proposed replacement project will have on the subject property and the neighborhood.

The interior and exterior improvements to the property will greatly improve the existing building. It is currently in poor interior condition and the interior renovation will correct this condition. The exterior improvements, especially the outdoor playspace, will be utilized everyday (weather permitting) by the staff and children. The increased activity will benefit the community and neighborhood while providing a greatly needed service.

I: Conditional Use Worksheet

The use is consistent with the goals and policies of any adopted plans of the City of Bexley, including, but not limited to, the Main Street Guidelines.

Yes

The use will not be hazardous to or have a negative impact on existing or future surrounding uses.

The use will not have a negative impact on the neighboring land uses and the larger community because of the differences between the proposed use and existing uses in the community.

Yes

Yes

The use does not create an undue burden on existing public facilities and services such as street, utilities, school or refuse

Yes

disposal.

The use is in character and keeping and compatible with the adjacent structures and uses.

Yes

The use meets or satisfies the lot/yard or height requirements in the code and other general code provisions including landscape requirements, parking standards, and storm drainage requirements as existing or as may be adopted.

Yes

The use is consistent with and/or furthers the City's economic goals and will not decrease property values or have a negative economic impact.

Yes

Any proposed construction will not result in the destruction, loss, or damage of a natural, scenic, or historic feature of major importance. Yes

Yes

Please provide a narrative for how you meet the above criteria.

Complete Interior Renovation of existing building with modification to parking lot to provide an outdoor playspace, handicap parking, and additional landscape improvements.

This project is significant to the community by providing much needed childcare to the area residents and new job opportunities. The exterior improvements will enliven the street and create a thriving business enterprise in the area. The procedures to implement plan are to bid the renovation and site work as soon as receiving approval from the Architectural Review Board and Zoning Board.

J: Home Occupation Worksheet

Business Name

--

Business Description

--

No person other than members of the family residing on the premises shall be engaged in such occupation.

--

There shall be no change in the outside appearance of the building or premises, or other visible or nuisance evidence of the conduct of such home occupation.

--

Any need for parking generated by the conduct of a home occupation shall be met off the street and other than in a required front yard. The off-street parking spaces required for the home occupation shall be maintained in addition to the space or spaces required for the residence itself.

--

Please provide a narrative for how you meet the above criteria.

The use of the dwelling unit for the home occupation shall be clearly incidental and subordinate to its use for residential purposes by its occupants, and not more than twenty-five percent of the floor area of the dwelling unit shall be used in the conduct of the home occupation.

--

There shall be no sales in connection with a home occupation.

--

No traffic shall be generated by a home occupation in greater volume than would normally be expected in a residential neighborhood.

--

Attachments (11)



pdf Architectural Plan

Dec 12, 2019

pdf Exterior Elevations

Dec 12, 2019

pdf Site Plan

Dec 12, 2019

pdf zoning letter - parking.pdf

Dec 12, 2019

pdf OPTION 1A - RENDERINGS.pdf

Dec 12, 2019

pdf OPTION 1B - EXTERIOR ELEVATIONS.pdf

Dec 12, 2019

pdf OPTION 1B - RENDERINGS.pdf

Dec 12, 2019

pdf OPTION 2 - EXTERIOR ELEVATIONS.pdf

Dec 12, 2019


pdf OPTION 2 - RENDERINGS.pdf

Dec 12, 2019

pdf OPTION 2_STREET VIEW.pdf

Dec 12, 2019

Timeline



Status: Completed December 13th 2019, 3:36 pm

Assignee: Kathy Rose

Kathy Rose December 13th 2019, 3:36:35 pm

January 9 ARB and BZAP

Kathy Rose December 13th 2019, 3:37:47 pm

| | Robin check the fees on this - it's ARB and A fee for a Conditional Use Request Thanks Jordan Cavallaro December 16th 2019, 9:18:59 am |
|---|---|
| | @Robin Shetler |
| | Payment |
| | Status: Paid December 16th 2019, 9:35 am |
| | Design Planning Consultant |
| | Status: In Progress |
| | Assignee: Karen Bokor |
| | Architectural Review Board |
| | Status: In Progress |
| | Board of Zoning and Planning |
| | Status: In Progress |
| | City Council |
| | Status: In Progress |
| | Tree Commission |
| | Status: In Progress |
| | Arborist |
| ш | Status: In Progress |



EXISTING WEST ELEVATION (FACING CASSADY AVENUE)




FABRIC AWNING



EXISTING NORTH ELEVATION (SIDE)



EXISTING WEST ELEVATION (REAR)



PAINT COLOR WOOD SIDING


PAINT COLOR DOOR, WINDOW AND AWNING





EXTERIOR PERSPECTIVE






playspace





#S1-37852: FLUSH MOUNTED PVC LOGO AND LETTERS SCALE: 1/2'' = 1'-0''

- LOGO: 1/2" THICK WHITE PVC WITH DIGITALLY PRINTED VINYL OVERLAY.
- LETTERING: 1/2" THICK WHITE PVC PAINTED PMS 281 BLUE.



4'-0"


SIDE VIEW

36'-6"

SCALE: 1/4'' = 1'-0''

- AWNING: 1" X 1" X 1/8" WALL ALUMINUM TUBE FRAMEWORK COVERED WITH SUNBRELLA FABRIC - ERIN GREEN 4600

#S1-37852: NEW NON-ILLUMINATED AWNING



DaNite Sign Co.

Proudly Serving Central Ohio Since 1954

1640 Harmon Ave Columbus, Ohio, 43223 (614) 444-3333 (FAX) 444-3026 www.danitesign.com

UL LISTED via STANDARD UL48 FILE NO:E60042 DaNITE SIGN CO.

For electrical illuminated signs. For non-illuminated signs, UL does not appl

COLORS

- **DIGITALLY PRINTED VINYL**
- PMS 281 BLUE
- SUNBRELLA FABRIC: ERIN GREEN 4600

APPROVED-CUSTOMER

DATE

WSA








GREEN MEADOWS SCHOOLHOUSE #S1-37852 STREET 528 NORTH CASSADY AVE.

CITY, STATE BEXLEY, OH

SIGN TYPE PVC LETTERS AND NEW AWNING

12/20/19 REV. DATE: GREEN MEADOWS SCHOOLHOUSE.CDR

DIRECTORY THAD > 2019 > G





Mr. Nathan Kayes 250 Ashbourne Road Bexley, OH 43209

Re: 528 N. Cassady Avenue

Dear Mr. Kayes:

You have requested an interpretation of the Bexley Code to determine the parking requirements for a child day-care facility proposed in the existing building at 528 N. Cassady Avenue, which is located in the Mixed Use Commercial (MUC) District.

There is no specific provision in the Bexley Codified Ordinances relating to the parking requirements for a child care facility. Bexley Code Section 1230.43 identifies 'child care' as an institutional use. Educational uses are also identified as institutional uses and as quasi-public uses, which also include preschools. Bexley Code Section 1230.69. The Bexley Code does identify parking requirements for quasi-public uses in Section 1262.02(g).

As Zoning Officer for the City of Bexley, I have determined that the most similar use to a child day care facility for the purposes the parking calculations is a quasi-public use. The parking calculations that apply to such uses are provided in Bexley Code Section 1262.02(g) and are 1 space per 400 square feet of net floor area if no assembly area exists.

Mayor Ben Kessler

City Council:

Please let me know if you have any questions.

Lori Ann Feibel - President

Mary Gottesman

Best Regards,

Steve Keyes Monique Lampke Tim Madison

Tim Madison Troy Markham Richard Sharp

Kathy Rose

City of Bexley Ohio Director of Building & Zoning

2242 East Main Street Bexley, Ohio 43209 Zoning Officer City of Bexley

(614) 559-4200











Commercial Grade Iron Fence







AVAILABLE PICKET FINIALS:



9-Y

656-Y

AVAILABLE POST TOPS:




NEWELL






BALL-TOP

Commercial Grade Iron Fence





MATERIALS:

- 2" SQUARE POSTS
- 3/4" VERTICAL PICKETS
- 1" X 2" HORIZONTAL CHANNELS
- POWDER COATED BLACK

OPTIONS:

AVAILABLE 32" TO 72" TALL MATCHING WALK GATE \$500.00 EA. INSTALLATION MINIMUM \$300.00





944 W.5TH AVE COLUMBUS, OH (614) 291-4342



WWW.FORTINIRONWORKS.COM

Do Lible Lock Box Add \$150.™ to Standard





Prices Do Not In

Our Mission

Fortin Ironworks builds quality and value into every gate we fabricate. Our complete line of gates are constructed with quality materials and skilled craftsmanship to fit any budget. We weld all gate components to the gate frame rather than using fasteners that eventually loosen. We also employ stylish hand forged embellishments for an old world look of quality. When purchasing a **Fortin Ironworks** gate, you can be confident that you are making a sound investment for your home or business.



This literature is designed to be a guide to help you decide what gate style and design options best fit your needs. Every gate is based on a layout, as noted on each individual gate style. Gate styles shown are 3 feet wide by 4 feet tall for single leaf gates and 5 feet wide by 4 feet tall for double leaf gates. Single leaf and double leaf gates use a heavy gauge (3/16") 2" square tubing post. Every gate is welded together at every joint allowing for a stronger durability. Gates are primed and painted black. An upgrade of premium finishes will include a sandblasted preparation and a custom colored powder coat finish with multiple coats. Gate styles and prices may vary as length and height ratios change. Custom gate panels are available to improve layout spacing as necessary. Due to the nature of custom iron products, the prices detailed in this literature may change according to your specifications. For exact prices, please fax, mail, or bring a gate estimator your layout drawing with dimensions.

Fortin Ironworks walk gate size standards:

up to 48 square foot

Single Leaf Gate - 4' wide x 6' tall

up to 24 square foot Double Leaf Gate - 8' wide x 6' tall Prices shown include:
• 2 posts - hinge post & latch post

• hinge bar & surface mounted catch

spring latch or slide bolt



WG-F5


Side Bars: ½"x1" Solid Horizontals: ½"x1" Channel Verticals: ½" Square Solid Hinges: ½" Adjustable

Up To 6' Tall x 4' Wide: \$600.00



Side Bars: ½"x1" Solid Horizontals: ½"x1" Channel Verticals: ½" Square Solid Hinges: ½" Adjustable Finials: Cast Iron (L9-X)

Up To 6' Tall x 4' Wide: \$650.00





WG-502

Side Bars: ½"x1" Solid Horizontals: ½"x1" Channel Verticals: ½" Square Solid Hinges: ½" Adjustable Scrolls: Hand Forged Iron

Up To 6' Tall x 4' Wide: \$850.00


Prices Do Not Include Installation

Single Leaf Gate Styles

3

Introduction

2







FOREVERLAWN 8007 BEESON ST. LOUISVILLE, OH 44641

TOLL FREE: 1-866-992-7876 PHONE: (866) 992-7876 FAX: (866) 212-1925 www.foreverlawn.com

NON-ABRASIVE,
NON-VISIBLE RUBBER INFILL
(OPTIONAL WITH SOME
TURF STYLES)

UNIQUE MULTI-LAYERED
BACKING WITH MICRO-MECHANICAL
SEAMING TECHNOLOGY

FALL ZONE 4" DEPTH
(3/8") RUBBER NUGGETS

CRUSHED AGGREGATE
(MINIMUM 2")

EDGE DETAIL - CROSS SECTION (4" RUBBER MULCH)

NOTES:

- 1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
- 2. DO NOT SCALE DRAWING.
- 3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
- CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info AND ENTER REFERENCE NUMBER 1148-001



1148-001 REVISION DATE 11/04/2019