

## WINDOW & DOOR SCHEDULE

## 2700 Sherwood Road

New Construction Windows to be Jeldwen V-4500 vinyl windows (with grilles). New Construction Door to be steel; paint in field.

Glass: LoE-272 with Argon. Exterior Color: Almond (verify). Interior Color: White.

#	NOMENCLATURE	OPERATION	NOTES
01	Double (Frame Size 2'-0" x 4'-0")	Double hung	North/South
02	Double (Frame Size 2'-0" x 3'-4")	Double hung	East/West
11)	Swing Door (2'-8" x 6'-8")	Swing Door	6-panel steel Tempered, labeled glass

## **CODED NOTES**

HardiLap siding, smooth, 5" exposure. Paint in field with (1)coat primer + (2)coats high-quality acrylic.

Trim to consist of:

Corner Trim: Smart Trim 3-1/2". Casings: Smart Trim 3-1/2". Frieze Board Trim: 3-1/2".

- 5" aluminum ogee gutter & 3" downspouts on 1x6 aluminum-wrapped wood fascia.
- Soffit to consist of Smart Trim soffit (vented at eaves; solid at gables).
- (4) Roofing: Asphalt shingle, GAF Slateline, color "English Gray".
- Concrete masonry unit foundation wall (buff-colored split face above grade) or cast-in-place concrete foundation wall.
- New overhead sectional garage door 10' wide x 8' height.
  Clopay Coachman Series 1, Design 11, Windows REC14,
  Frosted Glass, Color Sandtone (verify), No Hardware. Provide optional price for Clopay Canyon Ridge (same design as above) in Cypress Walnut Finish.
- HardiShingle siding, smooth, staggered edge. Paint in field with (1)coat primer + (2)coats high-quality acrylic.

Trim to consist of:

Corner Trim: Smart Trim 3-1/2".

Casings: Smart Trim 3-1/2".

Frieze Board Trim: 3-1/2".

- Custom overhang with standing seam metal roofing; paint all. Smart Trim soffit at ceiling.
- 3-Coat stucco system on water-resistant barrier on air barrier (Tyvek) with lathing per stucco manufacturer's installation recommendations.
- Cultured stone (Dutch Quality, Limestone, Ohio Tan); install per manufacturer's installation instructions.
- Standing seam metal roofing (dark bronze).

Architect: Brenda Parker 614-586-5514



NEW DETACHED GARAGE 2700 SHERWOOD ROAD BEXLEY, OHIO 43209

Permit	Set
--------	-----

SCALE:

As Noted PROJECT NO.:

GE ELEVATIONS

DATE: Feb 10, 2020

SHEET NO.

A2.4