



- 1. New unfinished crawlspace.
- 2. New access point through existing foundation wall to new crawlspace.

Wilson Residence

2321 Bexley Park Road, Bexley, Ohio 43209



264 South Third Street Columbus, Ohio 43215


| A1.0

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com

RKA Project # 20001.00

07.10.20

Bexley ARB/BZA







- . New concrete stair and covered stoop.
- 2. Rebuilt pantry with new shelving,
- 3. Relocated door from sunroom entry into existing residence.
- Demolish existing sunroom, create new mudroom, new tile floors in mudroom.
- New closet rod and shelf.
- 6. Demolish existing portion of office wall, window, add new addition, window, match existing wood floor shape, style, and finish.
- 7. New custom iron rails, both sides of new exterior stair.


Wilson Residence

2321 Bexley Park Road, Bexley, Ohio 43209



264 South Third Street Columbus, Ohio 43215 07.10.20
Bexley ARB/BZA

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com



Proposed Second Floor Plan

1/8" = 1'-0"



○ CODED NOTES

- New low sloped roof.
- 2. New custom iron rail
- 3. New gutters and downspouts to match style of existing downspouts and gutters, to be painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 4. New custom tile shower.
- 5. New tile floors in new master bath with under floor heating system.
- New vanity with double bowl lavatory arrangement, lavatory bowls to be centered on either side of new window.
- 7. New closet rod and shelf.
- 8. New custom built in bench/storage unit under new window.
- 9. New wood closet divider panel, to match finish of existing trim.
- 10. New wood floors to match finish, style, and size of existing wood floors.
- 11. Remove existing window, prepare for installation of new wall.
- 12. New tile floors in new laundry room.
- 13. Demolish existing master bathroom, prepare for new laundry room.
- 14. New countertop over relocated dryer.
- 15. Existing access panel to remain, patch and repair walls in new laundry room after demolishing existing bath fixtures and tile.
- 16. New custom built in linen closet.
- 17. New pocket door, to match style and finish of existing doors.
- 18. Patch and repair wood floor to match style, size, and finish of existing wood floor at location of demolished existing closet.
- 19. Patch and repair drywall on walls and ceiling at location of demolished existing closet, walls and ceiling to be painted.
- 20. New custom wood pivot hinged doors at all new openings in new closet, to match style and finish of existing doors.


Wilson Residence

2321 Bexley Park Road, Bexley, Ohio 43209



264 South Third Street Columbus, Ohio 43215 07.10.20
Bexley ARB/BZA

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com







- 1. New low sloped roof.
- New custom iron rail
- New gutters and downspouts to match style of existing downspouts and gutters, to be painted Sherwin Williams SW 7004 Snowbound, flat finish.

 4. New low sloped roof, trop of slope directly under the bottom edge of the existing
- slate tile roof.

Wilson Residence


2321 Bexley Park Road, Bexley, Ohio 43209



264 South Third Street Columbus, Ohio 43215

07.10.20

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com



Proposed West Elevation 1/8" = 1'-0"

○ CODED NOTES

- 1. New custom fascia and soffit to match size and style of existing fascia/soffit, to be painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 2. New custom iron rail.
- 3. New aluminum gutters and downspouts to match style, size of existing downspout/gutter, painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 4. New HardieTrim boards, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 5. New HardiePlank Lap Siding, 5" exposure, smooth, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 6. New HadiePanel Vertical Siding Boards and HardieTrim Batten Boards, smooth, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 7. New flashing.
- 8. New stone wall around new addition, style, height to be a continuation of existing stone wall.
- 9. New Pella Architect Series aluminum clad wood windows with HardieTrim, smooth, painted, to match style, shape, finish of existing window trim, painted Sherwin Williams SW7004 Snowbound, flat finish.
- 10. New trim around existing window, trim to match style, shape, finish of existing trim, painted Sherwin Williams SW7004 Snowbound, flat finish.
- 11. Paint existing trim Sherwin Williams SW 7004 Snowbound, flat finish.

Wilson Residence

2321 Bexley Park Road, Bexley, Ohio 43209




264 South Third Street Columbus, Ohio 43215

A2.0


07.10.20

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com

- New custom fascia and soffit to match size and style of existing fascia/soffit, to be painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 2. New custom iron rail
- 3. New aluminum gutters and downspouts to match style, size of existing downspouts/gutters, painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 4. New HardieTrim boards, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- New HardiePlank Lap Siding, 5" exposure, smooth, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 6. New HadiePanel Vertical Siding Boards and HardieTrim Batten Boards, smooth, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 7. New flashing.
- New stone wall around new addition, style, height to be a continuation of existing
- 9. New Pella Architect Series aluminum clad wood windows with HardieTrim, smooth, painted Sherwin Williams SW7004 Snowbound, flat finish, to match style, shape,
- 12. Paint existing trim Sherwin Williams SW 7004 Snowbound, flat finish.



Existing Residence



Proposed Addition

Renovated Existing Study

Wilson Residence

2321 Bexley Park Road, Bexley, Ohio 43209




264 South Third Street Columbus, Ohio 43215

07.10.20 Bexley ARB/BZA

RKA Project # 20001.00

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com

copyright 2001- 2020 Rogers Krajnak Architects, Inc. and may not be used on any project for any purpose, nor may the same be copied (except by those governmental agencies required by law), or disclosed without written consent of Rogers Krajnak Architects, Inc.



Proposed East Elevation

1/8" = 1'-0"

○ CODED NOTES

- 1. New custom fascia and soffit to match size and style of existing fascia/soffit, to be painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 2. New custom iron rail.
- 3. New aluminum gutters and downspouts to match size and style of existing downspouts and gutters, painted Sherwin Williams SW 7004 Snowbound, flat finish.
- 4. New HardieTrim boards, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 5. New HardiePlank Lap Siding, 5" exposure, smooth, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 6. New HadiePanel Vertical Siding Boards and HardieTrim Batten Boards, smooth, painted Sherwin Williams SW7031 Mega Greige, flat finish.
- 7. New CMU foundation wall.
- 8. New stone wall around new addition, style, height to be a continuation of existing stone wall.
- Relocated existing wood door with new screen door, painted Sherwin Williams SW 7069 Iron Ore, flat finish.
- 10. New concrete step
- 11. New custom iron handrail.
- 12. Paint existing trim Sherwin Williams SW 7004 Snowbound, flat finish.
- 13. Paint existing door and screen door Sherwin Williams SW 7069 Iron Ore, flat finish.


Wilson Residence


2321 Bexley Park Road, Bexley, Ohio 43209



264 South Third Street Columbus, Ohio 43215 07.10.20 Bexley ARB/BZA

telephone (614) 461.0243 facsimile (614) 461.6243 www.rogerskrajnak.com





1 PLANTING PLAN SCALE: 1" = 20'- 0" NORTH

7/10/20

PLANT MATERIALS LIST NOTE: CONTRACTOR RESPONSIBLE FOR PLANT QUANTITIES SHOWN ON PLAN.

QTY.	COMMON NAME	BOTANICAL NAME	SIZE	ROOT	REMARKS
αι τ.		DO LONIONE IMPLE	SIZE	ROOT	NEITHNIS
<u> </u>	TREES		41.01=		
	AUTUMN BRILLIANCE SERVICEBERRY	Amelanchier x grandiflora 'Autumn Brilliance'	6'-8' HGT	B≰B	MULTI-STEM
	WHITE SPIRE BIRCH	Betula populifolia 'Whitespire'	8'-10'	B¢B	MULTI-STEM
	EASTERN REDBUD	Cercis canadensis	2.5" Cal.	B≰B	SPECIMEN
	HINOKI FALSE CYPRESS	Chamaecyparis obtusa 'Gracilis'	6'-8' HGT	B≰B	
	HETZI COLUMNAR JUNIPER	Juniper 'Hetztii'	6'-8' HGT	B≰B	
	SHRUBS				
	DWARF SLENDER DEUTZIA	Deutiza gracilis 'Nikko'	3 GAL.,24" HGT.	CONT.	
	MINTER GEM BOXWOOD	Buxus microphylla var. japonica 'Winter Gem'	5 GAL.30" HGT.	CONT.	
	INCREDIBALL HYDRANGEA	Hydrangea arborescens 'Incrediball'	3 GAL.,24" HGT.	CONT.	
	BOBO HYDRANGEA	Hydrangea paniculata 'BOBO'	3 GAL,36" HGT.	CONT.	
	LITTLE LIME HYDRANGEA	Hydrangea paniculata 'Little Lime'	3 GAL,36" HGT.	CONT.	
	SNOW QUEEN HYDRANGEA	Hydrangea quercifolia 'Snow Queen'	3 GAL.,36" HGT.	CONT.	
	BLUE PRINCESS HOLLY	llex x merserveae 'Blue Princess'	3 GAL.,36" HGT.	CONT.	
	HENRY GARNET'S SWEETSPIRE	ltea virginica 'Henry's Garnet'	3 GAL.,24" HGT.	CONT.	
	ELITE PJM RHODODENDRON	Rhododendron 'P.J.M. Elite'	3 GAL.,24" HGT.	CONT.	
	BLOOMERANG LILAC	Syringa 'Bloomerang'	3 GAL,24" HGT.	CONT.	
	EVERLOW YEM	Taxus x media 'Everlow'	3 GAL.,48" HGT.	CONT.	
	HICKS YEM	Taxus x media 'Hicksii'	3 GAL.,48" HGT.	CONT.	
	KOREAN SPICE VIBURNUM	Viburnum carlesii	3 GAL.,24" HGT.	CONT.	
	PRAGUE VIBURNUM	Viburnum 'Pragense'	3 GAL.,24" HGT.	CONT.	
	PERENNIALS / GROUND COVER/VINES				
	PENNSYLVANIA SEDGE	Carex pennsylvanica	2.25 P.P.	CONT.	12" O.C.
	JACKMANII CLEMATIS	Clematis 'Jackmanii'	I GAL.	CONT.	TRAIN ON TRELLIS
	PURPLE CONEFLOWER	Echinacea purpurea	I GAL.	CONT.	12" O.C.
	SWEET WOODRUFF	Gallum oderatum	2.25 P.P.	CONT.	12" O.C.
	CASCADE BLUSH LENTON ROSE	Hellabors monobyrni 'Cascade'	I GAL.	CONT.	12" O.C.
	HOSTA	Hosta sp.	I GAL.	CONT.	12" O.C.
	BIG BLUE LILYTURF	Liriope muscari 'Big Blue'	I GAL.	CONT.	12" O.C.
	WALKER'S LOW CATMINT	Nepeta' Walker's Low	I GAL.	CONT.	12" O.C.
	JAPANESE PACHYSANDRA	Pachysandra terminalis	2.25 P.P.	CONT.	9" O.C.
	CHRISTMAS FERN	Polystichum acrostichoides	2.25 P.P.	CONT.	12" O.C.
	LITTLE SPIRE RUSSIAN SAGE	Perovskia atriciplifolia 'Little Spire'	I GAL.	CONT.	12" O.C.
	CREEPING PHLOX	Phlox subulata	I GAL.	CONT.	12" O.C.
$\overline{}$					L



2 FENCE 6'-0" OR 3'-6"



3 FENCE 6'-0" OR 3'-6"

