



EXISTING RESIDENCE

NEW PORCH ROOF TO RUSH BELOW  
EXISTING CORBELLED BRICK CORNING  
AT SECOND FLOOR WINDOWS

PORCH RENOVATION  
Wilson Residence  
2404 Bexley Park  
Franklin County Bexley, Ohio

KEVIN S

HOFFMAN S

architect

Post Office Box 894  
New Albany, OH 43054  
Tel: 614.554.2111  
kshoffman13@gmail.com

MODIFY EXISTING DOWNSPOUT TO  
DRAIN ONTO NEW EPOCH ROOF

ROUGH SAUN WOOD TRIM  
(PAINT - COLOR SELECTED BY OWNER)

PENDANT LIGHT FIXTURE (SELECTED BY OWNER)  
BOTTOM OF 6" X 12" TIBBER BEAM  
(COORDINATE WITH DOOR HEAD TRIM)

ELEVATION

SECTION

- SLATE ROOFING SYSTEM (MATCH) ON  
SLOPED ICE DIRT PROTECTION
- CORNER STRIP & WALL FLASHING
- RAFTERS: 1" X 10" ROUGH SAUN FROM ROOF  
STARTED ON THREADED INSULATION (MIN 1/2" PER FT)
- 1" X 10" ROUGH SAUN FREEZE TRIM (TYP)
- (PAINT - COLOR SELECTED BY OWNER)
- HALF ROUND GUTTER (MATCH EXISTING SIZE)  
(PAINT - COLOR SELECTED BY OWNER)
- 3" X 10" SHOODH FINISH OUTRIGGER  
(PAINT - COLOR SELECTED BY OWNER)
- 6" X 12" ROUGH TIBBER BEAM (TYP)
- 1" X 10" SHOODH SAUN FROM ROOF  
(STAIN - COLOR SELECTED BY OWNER)
- 2" X 8" SHOODH SAUN/CEILING PLANK & FLAT ROOF  
W/ 1/2" ROOF SHEATHING (STAIN - COLOR BY OWNER)
- HORIZONTAL STONE PORCH STOOP -  
COORDINATE FINISH MATERIAL WITH OWNER
- 3" ROUND DOWNSPOUT (TYP) - MATCH  
EXIST. AND TIE TO UNDERGROUND STORM
- 6" X 6" ROUGH TIBBER POST W/ CONCEALED  
SHROUD ANCHOR (HOLD UP 1/2" - CALK)
- 4" CONC. THICKENED MID SLAB WITH 5 REINFS  
& 1/2" OC. (ON GRAVEL BLACKHILL)
- PORCH STOOP
- (MATCH EXISTING THRESHOLD)
- BRICK VENEER (MATCH EXISTING)
- 9" ALVAGE WHERE POSSIBLE
- 5 REINFS AT 12" OC.
- PROVIDE MIN 1" LAP SPlice
- 12" CONCRETE MASONRY FOUNDATION  
WALL - GROUT SOLID
- 8" X 24" CONT. CONC. FOOTING W/  
5 HOOK REINFS @ 12" OC.

REVISIONS

SECTIONS,  
NOTES

1 PORCH SECTION  
3/4" x 1'-0"

240 Bexley Park, Columbus, OH 43220  
Tel: 614.554.2111  
kshoffman13@gmail.com

COPYRIGHT 2020

PREP: JH/AVR  
DATE: 03/23/20  
CONSTRUCTION

SHEET NO.  
A501

PROJECT NO. 20KSH405