
MATERIAL SPECIFICATIONS:

EXTERIOR:
WOOD I: VERTICAL, TONGUE AND GROOVE, IX4 CEDAR WITH OPAQUE STAIN
WOOD 2: HORIZONTAL, IX6 IPE
WOOD 3: HORIZONTAL, TONGUE AND GROOVE, IX4 CEDAR WITH OPAQUE STAIN
BRICK I: SALVAGED BRICK FROM GARAGE DEMOLITION
VIROC I: BLACK VIROC PANELS
ALTERNATE OPTION: WOOD I
BLUESTONE: 8"X8" PATIO PAVERS, HONED OR GAUGED FINISH
STONE PAVERS: 36"X36" BLUESTONE, HONED OR GAUGED FINISH.
METAL I: CONTINUOUS FLASHING WITH NO HORIZONTAL JOINTS
SOFFIT: IX4 CEDAR STAINED WITH SIKKENS, COLOR TBD
DOORS: ALUMINUM CLAD, FINISH TBD
WINDOWS: ALUMINUM CLAD, FINISH TBD
ROOFING: 60 MIL SINGLE-PLY EPDM BY FIRESTONE OR APPROVED EQUAL
FIREPLACE INSERT: STUV 16-58

INTERIOR:
FLOOR FINISH I: TILE TBD
FLOOR FINISH 2: 4" SELECT GRADE WHITE OAK, LINSEED OIL FINISH
DRYWALL:
WALLS: SMOOTH LEVEL 4 FINISH ON 1/2" DRYWALL
CEILINGS: SMOOTH LEVEL 4 FINISH ON 5/8" GWB
BATHROOMS: 1/2" DUROCK ON WALLS, 5/8" MOISTURE ROCK ON
CEILINGS AND DUROCK ON AREAS TO BE TILED
NOTE: DRYWALL RETURNS ON ALL WINDOWS
WALL TILE: TILE TBD
COUNTERTOPS: SQUARE EDGE STONE
GLASS PANELS/SHOWER DOORS: TEMPERED GLASS WITH BEVELED EDGES
MILLWORK: REFER TO INTERIOR ELEVATIONS FOR DIMENSIONS
INTERIOR TRIM: 1X4 SQUARE EDGE POPLAR
DOORS: PAINTED FLUSH BIRCH VENEER, SOLID CORE I 3/4", HUNG ON CLEAR PINE
JAMBS
PAINT: GWB SHALL BE PRIMED AND PAINTED WITH TWO COATS OF TOP COAT,
SHERWIN WILLIAMS OR APPROVED EQUAL.
HVAC: WALL-MOUNTED SPLIT SYSTEM UNIT IN STUDIO (RM #208), DUCTED SPLIT



BEXLEY HOUSE 269 SOUTH ARDMORE ROAD COLUMBUS, OH 43209

Studio MM
ARCHITECT

Marica McKeel
15 broad st. #3324
new york, ny 10005
P: 212. 480. 9168
architect@
maricamckeel.com

PRELIMINARY
NOT FOR CONSTRUCTION
FOR BIDDING PURPOSES ONLY

3/16" = 1'-0"

3/16" = 1'-0"

DATE

02.24.2021

PROJECT NUMBER
096_BEXLEY HOUSE

A101

PLAN - 1ST FLOOR

DRAWING NUMBER

PLAN - IST FLOOR

LEGEND:

EXISTING TO REMAIN

NEW WOOD BENCH/DECK/STEPS

NOTE: DOORS AND WINDOWS WITH TAGS ARE NEW U.N.O. ALL OTHERS ARE EXISTING.

____NEW WALLS

NEW PAVERS

EXISTING FRAMING, NEW CLADDING

MATERIAL SPECIFICATIONS:

EXTERIOR:

WOOD I: VERTICAL, TONGUE AND GROOVE, IX4 CEDAR WITH OPAQUE STAIN

WOOD 2: HORIZONTAL, IX6 IPE

WOOD 3: HORIZONTAL, TONGUE AND GROOVE, IX4 CEDAR WITH OPAQUE STAIN

BRICK I: SALVAGED BRICK FROM GARAGE DEMOLITION

VIROC I: BLACK VIROC PANELS

ALTERNATE OPTION: WOOD I

BLUESTONE: 8"X8" PATIO PAVERS, HONED OR GAUGED FINISH

STONE PAVERS: 36"X36" BLUESTONE, HONED OR GAUGED FINISH.

METAL I: CONTINUOUS FLASHING WITH NO HORIZONTAL JOINTS

SOFFIT: IX4 CEDAR STAINED WITH SIKKENS, COLOR TBD


DOORS: ALUMINUM CLAD, FINISH TBD

WINDOWS: ALUMINUM CLAD, FINISH TBD

ROOFING: 60 MIL SINGLE-PLY EPDM BY FIRESTONE OR APPROVED EQUAL

FIREPLACE INSERT: STUV 16-58

INTERIOR:
FLOOR FINISH I: TILE TBD
FLOOR FINISH 2: 4" SELECT GRADE WHITE OAK, LINSEED OIL FINISH
DRYWALL:
WALLS: SMOOTH LEVEL 4 FINISH ON 1/2" DRYWALL
CEILINGS: SMOOTH LEVEL 4 FINISH ON 5/8" GWB
BATHROOMS: 1/2" DUROCK ON WALLS, 5/8" MOISTURE ROCK ON
CEILINGS AND DUROCK ON AREAS TO BE TILED
NOTE: DRYWALL RETURNS ON ALL WINDOWS
WALL TILE: TILE TBD
COUNTERTOPS: SQUARE EDGE STONE
GLASS PANELS/SHOWER DOORS: TEMPERED GLASS WITH BEVELED EDGES
MILLWORK: REFER TO INTERIOR ELEVATIONS FOR DIMENSIONS
INTERIOR TRIM: 1X4 SQUARE EDGE POPLAR
DOORS: PAINTED FLUSH BIRCH VENEER, SOLID CORE I 3/4", HUNG ON CLEAR PINE
JAMBS
PAINT: GWB SHALL BE PRIMED AND PAINTED WITH TWO COATS OF TOP COAT,
SHERWIN WILLIAMS OR APPROVED EQUAL.
HVAC: WALL-MOUNTED SPLIT SYSTEM UNIT IN STUDIO (RM #208), DUCTED SPLIT



BEXLEY HOUSE 269 SOUTH ARDMORE ROAD COLUMBUS, OH 43209

Studio MM
ARCHITECT

Marica McKeel
15 broad st. #3324
new york, ny 10005
P: 212. 480. 9168
architect@
maricamckeel.com

EXISTING TO REMAIN

EXISTING FRAMING, NEW CLADDING

NEW WALLS

NEW PAVERS

NEW WOOD BENCH/DECK/STEPS

NOTE: DOORS AND WINDOWS WITH TAGS ARE NEW U.N.O. ALL OTHERS ARE EXISTING.

SCALE

3/16" = 1'-0"

DATE

02.24.2021

PROJECT NUMBER

PRELIMINARY NOT FOR CONSTRUCTION

FOR BIDDING PURPOSES ONLY

096_BEXLEY HOUSE

PLAN - 2ND FLOOR

DRAWING NUMBER


A102

MATERIAL SPECIFICATIONS:

EXTERIOR:

WOOD I: VERTICAL, TONGUE AND GROOVE, IX4 CEDAR WITH OPAQUE STAIN
WOOD 2: HORIZONTAL, IX6 IPE
WOOD 3: HORIZONTAL, TONGUE AND GROOVE, IX4 CEDAR WITH OPAQUE STAIN
BRICK I: SALVAGED BRICK FROM GARAGE DEMOLITION
VIROC I: BLACK VIROC PANELS
ALTERNATE OPTION: WOOD I
BLUESTONE: 8"X8" PATIO PAVERS, HONED OR GAUGED FINISH
STONE PAVERS: 36"X36" BLUESTONE, HONED OR GAUGED FINISH.
METAL I: CONTINUOUS FLASHING WITH NO HORIZONTAL JOINTS
SOFFIT: IX4 CEDAR STAINED WITH SIKKENS, COLOR TBD
DOORS: ALUMINUM CLAD, FINISH TBD
WINDOWS: ALUMINUM CLAD, FINISH TBD
ROOFING: 60 MIL SINGLE-PLY EPDM BY FIRESTONE OR APPROVED EQUAL
FIREPLACE INSERT: STUV 16-58

INTERIOR:
FLOOR FINISH I: TILE TBD
FLOOR FINISH 2: 4" SELECT GRADE WHITE OAK, LINSEED OIL FINISH
DRYWALL:
WALLS: SMOOTH LEVEL 4 FINISH ON 1/2" DRYWALL
CEILINGS: SMOOTH LEVEL 4 FINISH ON 5/8" GWB
BATHROOMS: 1/2" DUROCK ON WALLS, 5/8" MOISTURE ROCK ON
CEILINGS AND DUROCK ON AREAS TO BE TILED
NOTE: DRYWALL RETURNS ON ALL WINDOWS
WALL TILE: TILE TBD
COUNTERTOPS: SQUARE EDGE STONE
GLASS PANELS/SHOWER DOORS: TEMPERED GLASS WITH BEVELED EDGES
MILLWORK: REFER TO INTERIOR ELEVATIONS FOR DIMENSIONS
INTERIOR TRIM: IX4 SQUARE EDGE POPLAR
DOORS: PAINTED FLUSH BIRCH VENEER, SOLID CORE I 3/4", HUNG ON CLEAR PINE
JAMBS DAMBS
PAINT: GWB SHALL BE PRIMED AND PAINTED WITH TWO COATS OF TOP COAT,
SHERWIN WILLIAMS OR APPROVED EQUAL.
HVAC: WALL-MOUNTED SPLIT SYSTEM UNIT IN STUDIO (RM #208), DUCTED SPLIT
SYSTEM UNIT IN CLOSET I (RM #204)



BEXLEY HOUSE 269 SOUTH ARDMORE ROAD COLUMBUS, OH 43209

> **ARCHITECT** Marica McKeel 15 broad st. #3324 new york, ny 10005 P: 212.480.9168 architect@ maricamckeel.com

PRELIMINARY NOT FOR CONSTRUCTION FOR BIDDING PURPOSES ONLY

1/4" = 1'-0"

02.24.2021 PROJECT NUMBER

DRAWING NUMBER

096_BEXLEY HOUSE

ROOF PLAN

A103