

ASTM E1527-13

Phase I Assessment Report

**Bexley Ferndale-Mayfield Properties
Ferndale Place & Mayfield Place
Bexley, Ohio 43209**

Prepared by:

PANDEY Environmental, LLC
4100 Horizons Drive, Suite 205
Columbus, OH 43220
Phone: 614-444-8078
www.pandeyenvironmental.com

Prepared for:

Ben Kessler
The City of Bexley
2242 East Main Street
Bexley, Ohio 43209

Date of Preparation:

September 17, 2018

PANDEY
ENVIRONMENTAL, LLC

TABLE OF CONTENTS

1.0 INTRODUCTION	5
1.1 <i>General and Purpose</i>	5
1.2 <i>Scope of Services</i>	6
1.4 <i>Definitions</i>	9
1.5 <i>Contributing Professionals</i>	13
2.0 SITE IDENTIFICATION	14
3.0 USER OR CLIENT PROVIDED INFORMATION	15
3.1 <i>User Requirements</i>	15
3.2 <i>Reason for Performing Phase I ESA</i>	15
3.3 <i>Prior Reports</i>	16
3.4 <i>Other</i>	16
4.0 RECORDS REVIEW	17
4.1 <i>Physical Setting</i>	17
4.1.1 <i>Topography</i>	17
4.1.2 <i>Other</i>	17
4.2 <i>Historical Use Information</i>	18
4.2.1 <i>Aerial Photographs</i>	18
4.2.2 <i>USGS Topographical Maps</i>	21
4.2.3 <i>City Directories</i>	22
4.2.4 <i>Sanborn Fire Insurance Maps</i>	23
4.2.5 <i>County Records</i>	23
4.2.6 <i>Other</i>	33
4.3 <i>Environmental Database Review</i>	33
4.4 <i>Regulatory Agency Review</i>	42
4.4.1 <i>Columbus Fire Department</i>	42
4.4.2 <i>Local Emergency Planning Committee (LEPC)</i>	42
4.4.3 <i>Columbus Department of Public Health</i>	42

4.4.4	Ohio EPA – Central District Office	43
4.4.5	Other	43
5.0	SITE RECONNAISSANCE	44
5.1	<i>Current Property Use</i>	44
5.2	<i>Adjoining Property Uses</i>	45
5.3	<i>On-Site Structures & Improvements</i>	45
5.4	<i>Interior Observations</i>	45
5.5	<i>Exterior Observations</i>	46
5.6	<i>Non-Scope Services</i>	47
6.0	INTERVIEWS.....	48
6.1	<i>Key Site Manager</i>	48
6.2	<i>Interviews with Others</i>	48
7.0	FINDINGS & CONCLUSIONS.....	49
7.1	<i>On-Site Environmental Conditions</i>	49
7.1.1	Controlled REC.....	49
7.1.2	Historical REC	49
7.1.3	REC.....	49
7.2	<i>Off-Property Environmental Conditions</i>	50
7.3	<i>De minimis Conditions</i>	52
7.4	<i>Non-Scope Conditions</i>	52
7.5	<i>Recommendations</i>	52
8.0	REPORT LIMITATIONS	53
8.1	<i>Data Gaps</i>	54
9.0	REFERENCES.....	56
	SIGNATURE PAGE.....	57

LIST OF TABLES

Table 1. Summary of Subject Property’s Regulatory Status on Environmental Databases..... 34

LIST OF FIGURES

Figure 1 Property Location Map
Figure 1B Property Parcels Map
Figure 2 Property Layout Map
Figure 3 Recognized Environmental Conditions Map

LIST OF APPENDICES

APPENDIX A PHYSICAL SETTING DOCUMENTATION
APPENDIX B CLIENT SUPPLIED MATERIALS
APPENDIX C AERIAL PHOTOGRAPHS
APPENDIX D USGS TOPOGRAPHICAL MAPS
APPENDIX E USDA SOILS REPORT
APPENDIX F SANBORN FIRE INSURANCE MAPS
APPENDIX G COUNTY RECORDS
APPENDIX H ENVIRONMENTAL DATABASE REPORT
APPENDIX I FREEDOM OF INFORMATION ACT LETTERS & RESPONSES
APPENDIX J SITE PHOTOGRAPHS
APPENDIX K RESUMES OF KEY PROJECT PERSONNEL

LIST OF ACRONYMS

AAI.....	All Appropriate Inquiries
ACM.....	Asbestos Containing Material
AST.....	Aboveground Storage Tank
ASTM.....	American Society for Testing and Materials
AUL.....	Activity and Use Limitation
BUSTR.....	Ohio’s Bureau of Underground Storage Tank Regulations
CERLA.....	Comprehensive Environmental Response, Compensation and Liability Act
CFR.....	Code of Federal Regulations
CREC.....	Controlled Recognized Environmental Condition
EC.....	Engineering Control
EDR.....	Environmental Data Resources, Inc.
EPA.....	Environmental Protection Agency
ESA.....	Environmental Site Assessment
FOIA.....	Freedom of Information Act
HREC.....	Historical Recognized Environmental Condition
IC.....	Institutional Control
LUST.....	Leaking Underground Storage Tank
NPL.....	National Priority List
OAC.....	Ohio Administrative Code
ODNR.....	Ohio Department of Natural Resources
PANDEY.....	PANDEY Environmental, LLC
PCB.....	Poly-chlorinated Biphenyl
RCRA.....	Resource Conservation and Recovery Act
REC.....	Recognized Environmental Condition
TPH.....	Total Petroleum Hydrocarbon
USGS.....	United States Geological Survey
UST.....	Underground Storage Tank
USC.....	United States Code

1.0 INTRODUCTION

PANDEY Environmental, LLC (PANDEY) performed a Phase I Environmental Site Assessment (ESA) following American Society for Testing and Materials (ASTM) standard E1527-13, which fulfills the requirements of 40 CFR Part 312 “All Appropriate Inquiries (AAI)”, for the properties located along Mayfield Place and Ferndale Place in Bexley, Ohio 43209 (hereafter referred to as the subject property). This assessment was performed for and on behalf of the City of Bexley.

1.1 General and Purpose

PANDEY Environmental, LLC (PANDEY) was retained by the City of Bexley to perform a Phase I Property Assessment following the American Society for Testing and Materials (ASTM) standard E1527-13 for the properties located along Mayfield Place and Ferndale Place in Bexley, Ohio 43209. Refer to Figures 1 and 1B for the precise location and boundaries of the subject property. This report has been prepared pursuant to the American Society for Testing and Materials (ASTM) standard E1527-13.

The purpose of this Phase I Property Assessment is to evaluate the subject property to determine if releases of hazardous substances and/or petroleum have occurred, are underlying, or are emanating from the property.

This Phase I Property Assessment report is not intended to wholly eliminate uncertainty regarding the potential for recognized environmental conditions or identified areas at the property. It is, instead, intended to provide a duly diligent inquiry that reduces uncertainty regarding the potential for recognized environmental conditions or identified areas at the subject property. The purpose of this Phase I Property Assessment is to evaluate the subject property for environmental conditions that would indicate a known or potential release of hazardous substances and/or petroleum. The conclusions of this report are based on reasonably ascertainable data in the public and/or private domain and are intended to present a general summary of environmental conditions that could affect the subject property.

The subject property for the purposes of the Phase I Property Assessment is defined as follows. It consists of nineteen (19) distinct parcels. Figures 1, 2 and 3 depict the subject property of this Phase I Property Assessment. In addition, property records for the subject property are included in Appendix G. The table below summarizes the nineteen (19) parcels which comprise the subject property.

Parcel I.D.	Acreage	Current Owner	Street Address (Per Auditor’s Records)
020-004517	0.14	Bexley CIC	925 Ferndale Place
020-004514	0.15	Bexley CIC	941-945 Ferndale Place
020-003815	1.42	KEG Bexley Rentals LLC	909-925 Mayfield Place
020-003814	0.13	KEG Bexley Rentals LLC	0 Mayfield Place
020-003813	0.12	KEG Bexley Rentals LLC	0 Mayfield Place
020-003812	0.12	KEG Bexley Rentals LLC	0 Mayfield Place
020-003811	0.12	KEG Bexley Rentals LLC	0 Mayfield Place
020-003810	0.12	KEG Bexley Rentals LLC	0 Mayfield Place
020-003809	0.11	KEG Bexley Rentals LLC	0 Mayfield Place
020-004518	0.13	Edris, Tigist	914 Mayfield Place
020-004519	0.14	Patel, Hetal	924 Mayfield Place
020-004520	0.13	WWSD Borrower II LLC	930 Mayfield Place
020-004521	0.13	Badgeley, Marcus	940 Mayfield Place
020-004522	0.13	Panko, Matthew	946 Mayfield Place
020-004523	0.13	Two Doubles LLC	952 Mayfield Place
020-004516	0.14	Mendes, Godfrey	929 Ferndale Place
020-004515	0.14	Haynes, Richards	937 Ferndale Place
020-003789	0.12	Hart, Robert	949 Ferndale Place
020-003788	0.13	Hart, Robert	953-955 Ferndale Place

1.2 Scope of Services

An environmental property assessment is a comprehensive approach to investigating site conditions and identifying existing and potential environmental issues. This assessment identifies the environmental

condition of the subject property through background research, physical observation, interviews, and review of regulatory compliance. Every property does not warrant the same level of assessment. The appropriate level of inquiry undertaken by the environmental professional is guided by the type of property, judgment of the environmental professional, information developed during the assessment and client requirements.

This Phase I Property Assessment was performed in conformance with ASTM standards for Phase I Property Assessments as presented in ASTM Standard E1527-13/AAI guidelines and included the following specific activities within the scope of services:

- Conducted a visual reconnaissance of the subject property and observation of adjoining parcels to visually ascertain the risk or likelihood of environmental contamination of the site soils or groundwater. The reconnaissance also included visual observations to evaluate whether Underground Storage Tanks (USTs), Aboveground Storage Tanks (ASTs) and transformers containing Polychlorinated Biphenyls (PCBs) existed on the subject property.
- Conducted a review of available geologic and hydrogeologic information for the subject property and its immediate vicinity.
- Conducted a site history review including reviewing the current and historical USGS topographic maps, historical aerial photographs, reasonably ascertainable property tax information from the County Auditor's office, available Sanborn Fire Insurance Maps, historic city directories and performed interviews with representatives of the current property owner or others knowledgeable about site operations.
- Conducted a review of reasonably ascertainable local, state, and federal databases for sites of known and suspected environmental contamination. This included a review of databases associated with registered USTs, Leaking Underground Storage Tank (LUST) sites, Resource Conservation and Recovery Information System (RCRIS), National Priority Lists (NPL) sites, Comprehensive Environmental Response Compensation and Liability System (CERCLIS) sites, No Further Remedial Action Plan (NFRAP) sites, Solid Waste Facilities, Emergency Response Notification System (ERNS) sites, and Spills sites.

- Inquired at the local Health Department, the Local Emergency Planning Committee (LEPC), the Ohio EPA, and/or the local Fire Department to identify whether the subject property or adjoining parcels have had past spills and/or releases of hazardous substances and/or petroleum. This inquiry also included investigation into whether USTs are currently present at the subject property or adjoining parcels and to identify whether these tanks, if any, have been reported as leaking.
- Prepared a summary report documenting our assessment, our assessment findings and our evaluation of the risk for environmental contamination.

The following services are specifically excluded from the scope of services performed for this Phase I Property Assessment:

- Sampling and analysis of environmental media including soil, water, groundwater, waste materials, or biological pollutants.
- Indoor testing for radon gas or testing for indoor air quality.
- Testing for lead based paint or lead in drinking water.
- Sampling or testing of building materials.
- Measurement of quantities of waste, if any, at the subject property.
- Compliance audit of former or existing businesses at the subject property.
- Survey of property for the presence of jurisdictional wetlands, although a cursory examination during site reconnaissance may be performed.
- Check for oil/gas well records or mineral rights records.
- Industrial hygiene or health and safety audit at the property.
- Sampling and testing of asbestos containing materials, although a cursory visual examination of building materials for the presence of asbestos may be conducted during the site reconnaissance by the environmental professional.

1.3 Phase I Property Assessment Procedures

The procedures used in performing this Phase I Property Assessment are based on the requirements in the ASTM Standards on Environmental Site Assessments for Commercial Real Estate (E1527-13). They include:

- Acquisition and review of state and federal databases and records regarding the property ownership, use, and environmental compliance;
- Property inspection;
- Review of adjoining property's records and cursory inspection of these properties;
- Review of previous environmental assessment studies;
- Interviews with current and former occupants of the subject property;
- Review of geologic and hydrologic data from prior property investigations and public records.

1.4 Definitions

The following terms are used throughout this report and, for the purpose of clarity, corresponding definitions are provided. The terms are fully defined in ASTM E1527-13.

Activity and use limitations (AULs) – legal or physical restrictions or limitations on the use of, or access to, a site or facility: 1) to reduce or eliminate potential exposure to hazardous substances or petroleum products in the soil, soil vapor, groundwater and/or surface water on the property, or (2) to prevent activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment. These legal or physical restrictions, which may include institutional and/or engineering controls, are intended to prevent adverse impacts to individuals or populations that may be exposed to hazardous substances and petroleum products in the soil, soil vapor, groundwater and/or surface water on the property.

Adjacent properties – any real property border of which is contiguous or partially contiguous with that of the subject property, or that would be contiguous or partially contiguous with that of the subject property but for a street, road or other public thoroughfare separating them.

Controlled recognized environmental condition – a recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (i.e. property use restriction, activity and use limitation, institutional control or engineering control).

Data gap – a lack or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information.

De minimis condition – a condition that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis conditions are not recognized environmental conditions or controlled recognized environmental conditions.

Due diligence – the process of inquiring into the environmental characteristics of a parcel of commercial real estate or other conditions, usually in connection with a commercial real estate transaction.

Engineering controls – physical modifications to a site or facility (i.e. capping, slurry walls) to reduce or eliminate the potential for exposure to hazardous substances or petroleum products in the soil or groundwater on the property. Engineering controls are a type of AUL.

Environmental lien – a charge, security or encumbrance upon title to a property to secure payment of a cost, damage, debt, obligation or duty arising out of response actions, cleanup or other remediation of hazardous substances or petroleum products upon a property.

Environmental professional – a person meeting the education, training and experience requirements as set forth in 40 CFR §312.10(b).

Environmental Site Assessment (ESA) – the process by which a person or entity seeks to determine if a particular parcel of real property (including improvements) is subject to recognized environmental conditions.

Good faith – the absence of any intention to seek an unfair advantage to defraud another party; an honest and sincere intention to fulfill one’s obligation in the conduct or transaction concerned.

Hazardous substance – a substance defined as a hazardous substance pursuant to CERCLA 42 USC§9601(14), as interpreted by EPA regulations and the courts: “(A) any substance designated pursuant to section 1321(b)(2)(A) of Title 33, (B) any element, compound, mixture, solution, or substance designated pursuant to section 9602 of this title, (C) any hazardous waste having the characteristics identified under or listed pursuant to section 3001 of the Resource Conservation and Recovery Act of 1976 (RCRA), as amended, (42 USC §6901) (but not including any waste the regulation of which under RCRA (42 USC §§6901 *et seq.*) has been suspended by Act of Congress), (D) any toxic pollutant listed under section 1317(a) of Title 33, (E) any hazardous air pollutant listed under section 112 of the Clean Air Act (42 USC §7412), and (F) any imminently hazardous chemical substance or mixture with respect to which the Administrator (of EPA) has taken action pursuant to section 2606 of Title 15. The term does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a hazardous substance under subparagraphs (A) through (F) of this paragraph, and the term does not include natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas).”

Hazardous Waste – any hazardous waste having the characteristics identified under or listed pursuant to section 3001 of RCRA, as amended, (42 USC §6921) (but not including any waste the regulation of which under RCRA (42 USC §§6901-6992k) has been suspended by Act of Congress). RCRA is sometimes also identified as the Solid Waste Disposal Act. RCRA defines a hazardous waste, at 42 USC §6903, as “a solid waste, or combination of solid wastes, which because of its quantity, concentration, or

physical, chemical, or infectious characteristics may – (A) cause, or significantly contribute to an increase in mortality or an increase in serious irreversible, or incapacitating reversible illness; or (B) pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, or disposed or, or otherwise managed.”

Historical recognized environmental condition – a past release of any hazardous substance or petroleum products that has occurred in connection with the subject property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls. Before calling the past release a historical recognized environmental condition, the environmental professional must determine whether the past release is a recognized environmental condition at the time the Phase I Environmental Site Assessment is conducted. If the environmental professional considers the past release to be a recognized environmental condition at the time of the Phase I assessment, the condition shall be included in the report as a recognized environmental condition.

Institutional Controls – a legal or administrative restriction (i.e. deed restriction) on the use of, or access to, a site or facility to (1) reduce or eliminate the potential exposure to hazardous substances or petroleum products in the soil or groundwater on the property, or (2) to prevent activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment.

Material Threat – a physically observable or obvious threat which is reasonably likely to lead to a release that, in the opinion of the environmental professional, is threatening and might result in impact to public health or the environment.

Petroleum exclusion – the exclusion from CERCLA liability provided in 42 USC §9601(14), as interpreted by the courts and EPA: “The term (hazardous substance) does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a hazardous substance.” See hazardous substance definition.

Petroleum products – those substances included within the meaning of the petroleum exclusions to CERCLA, 42 USC §9601(14), as interpreted by the courts and EPA.

Reasonably ascertainable – information that is publicly available, obtainable from its source within reasonable time and cost restraints, and practically renewable.

Recognized environmental condition – the presence or likely presence of any hazardous substance or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment.

1.5 Contributing Professionals

PANDEY personnel contributing to the preparation of this Phase I report include the following:

PANDEY Personnel	
Atul Pandey, P.E.	Senior Engineer
Nick Vallera	Environmental Scientist

PANDEY resumes are presented in Appendix K of this report.

2.0 SITE IDENTIFICATION

The subject property is situated in a commercial and residential area located on the west side of Bexley, Ohio. Located along Mayfield Place & Ferndale Place, the subject property is comprised of nineteen (19) parcels totaling approximately 3.75 acres. The addresses comprising the subject property (provided in Section 1.1) are not contiguous, but are being assessed together in this Phase I Assessment Report. The subject property was developed for residential use and has served as the location of apartments and multi-family housing for approximately 60 years. According to historical aerials, it appears that the subject property may have been the location of a landfill prior to being developed for residential use between 1957 and 1964. Owned by multiple entities including rentals agencies and individuals, the subject property is currently the location of twelve (12) multi-family residential homes, and two (2) apartment buildings.

The property is developed with a complex of multi-family residences which are situated along Ferndale Place. Each residence contains a small driveway area for parking 2 cars. Small grass yards surround each residential building. The on-site buildings located along the west side of Ferndale Place and along the east side of Mayfield Place are two (2) stories in height and include a total of two (2) in-home units, a basement / garden unit, and a 2nd story unit. These buildings are in decent to slightly poor condition. Cracks along the foundations are observed running across and up the buildings. The terrain surrounding each residential building is uneven and random, which indicates evidence of movement in the ground /foundation beneath the structures. Overhead powerlines and poles are located in the central grassy yard that is shared by the complexes. Additionally, the western portion of the subject property located on the west side of Mayfield Place contains two (2) multi-story apartment buildings and an associated parking lot. The two (2) apartment buildings, identified as the Bexley Court Apartments, are three (3) stories in height and are identical in construction. An asphalt parking lot is situated between the two (2) apartment buildings located along the northwestern side of Mayfield Place, across the street from the multi-family residences described above. Alum Creek is located directly west of the subject property.

Please refer to the figures and site photographs for the location and site characteristics of the subject property. Section 5.0 of the report also contains information observed during the site reconnaissance.

3.0 USER OR CLIENT PROVIDED INFORMATION

3.1 User Requirements

ASTM E1527-13 expects the user to provide information or knowledge of the following:

- Environmental cleanup liens that are filed or recorded against the subject property.
- Activity and land use limitations that are in place on the subject property or that have been filed or recorded against the subject property.
- Specialized knowledge or experience of the person seeking to qualify for the Landowner Liability Protections.
- Relationship of the purchase price to the fair market value of the subject property if it were not contaminated.
- Commonly known or reasonably ascertainable information about the subject property.
- The degree of obviousness of the presence or likely presence of contamination at the subject property, and the ability to detect the contamination by appropriate investigation.

Since the subject property is not owned by a single entity but rather is owned by a combination of rental companies, and individual home owners, no User Questionnaire could be completed. This limitation is further described in Section 8.1 of this report. It should be noted that this limitation is not anticipated to impact the findings of the ASTM Phase I conclusions discussed in Section 7.0.

3.2 Reason for Performing Phase I ESA

This Phase I ESA is prepared at the request of the City of Bexley. The purpose of the assessment is to identify any potential sources of environmental risk or liability on the subject property.

3.3 Prior Reports

No previous reports have been completed for the subject property as defined for the purpose of this ASTM Phase I Assessment. However, multiple investigations were performed on limited sections of the subject property and on the surrounding area to the north. These investigations include the following:

- Limited Phase II Property Assessment prepared by PANDEY, dated September 12, 2018
- Limited Phase II Property Assessment prepared by PANDEY, dated May 23, 2018;
- Ohio EPA VAP Phase I Assessment prepared by PANDEY, dated March 9, 2018;
- Phase II Site Investigation prepared by Geotechnical Consultants Inc. (GCI), dated December 27, 2017;
- Limited Phase II Site Investigation prepared by Burgess & Niple (B&N), dated September 26, 2016;
- Phase I & Phase II Environmental Site Assessments prepared by Stone Environmental Inc. (Stone), dated May, 2007;
- Phase I Environmental Site Assessment prepared by H.C. Nutting Co. (HCN), dated February, 2003;
- Geotechnical Study prepared by HCN, dated January, 2003.

All of the above reports have been provided under separate cover to the City of Bexley.

3.4 Other

No other sources of information were made available to PANDEY for review during the preparation of this Phase I ESA.

4.0 RECORDS REVIEW

4.1 Physical Setting

PANDEY researched the following sources of information to provide additional details regarding the subject property.

4.1.1 Topography

According to USGS topographic maps, the subject property is located approximately 755 to 759 feet above mean sea level. Elevations dip and are uneven across the eastern half of the subject property. The dips and inconsistent elevation changes observed across the site are evidence of subsurface settling and movement. However, elevations across the western portion of the site in the area of the two (2) apartment buildings do not vary significantly. The nearest surface water feature is Alum Creek, located approximately 175 feet west of the subject property. Groundwater flow is expected to be to the west / southwest, towards Alum Creek, based on the topography. However, variations in groundwater flow directions are expected seasonally and at varying depths. Copies of the topographic maps are included in Appendix D of this report.

4.1.2 Other

Soil at the subject property is classified by the USDA as being urban land complex and silt loam. Specifically, 54.3% of the subject property is Cardington-Urban Land Complex, 3.2% and approximately 3.2% is Bennington-Urban Land Complex. The remaining 42.5% of the site is classified as being Eel silt loam. The silt loam is concentrated to the greenspace located between the residential buildings. However, the soil map indicates that over half of the whole property's predominant soil type has been disturbed and covered with an impervious layer consisting of buildings, streets, sidewalks and other structures. A copy of the USDA Report is provided in Appendix E of this report.

4.2 Historical Use Information

The earliest available record concerning the subject property is an aerial photograph from 1938. At that time, the subject property appeared to be the location of a landfill or dumping site based on the photograph. No structures were observed on the property and the streets (Ferndale Place along with the Mayfield Place) which occupy the subject property did not exist prior to the late 1950s to early 1960s. The earliest record showing structures on the subject property is from an aerial photograph taken in 1964, which shows multi-family residences developed in their current configuration on the eastern portion of the site, and two (2) apartment buildings developed in their current configuration on the western portion of the property. The property since then has appeared to contain the same multi-family residences in a row along Ferndale Place, and the same two (2) apartment complexes along Mayfield Place. According to historical records, between 1964 and 2011, the subject property has remained the location of multi-family residences and apartments throughout the history of the site. Adjacent north of the subject property is the Bexley Community Garden and newly developed recreational soccer fields along with an associated parking lot. Beyond the recreational area is an apartment complex along Charles Street. Adjacent east of the property is a residential neighborhood, directly west of the property is Alum Creek, and to the south are multiple commercial businesses which are situated along E. Livingston Avenue.

The following sources of information were used to establish the history of the subject property.

4.2.1 Aerial Photographs

Available historical aerial photographs for the years 1938, 1950, 1957, 1964, 1972, 1983, 1988, 1994, 2000, 2006, and 2011 were reviewed as provided by EDR. Aerial photographs for the years 2015 and 2017 were obtained by PANDEY from Google Earth Pro. The aerial photographs are included in Appendix C of this report.

1938 Photograph

The 1938 photograph shows the subject property as heavily disturbed. A road enters the subject property from the north side of E. Livingston Avenue which then branches off into multiple access routes. Each access route appears to lead to a large overarching area of disturbed land. This disturbance and the pattern of access roads is consistent with historical areas of dumping or landfills. Adjacent east of the subject property area are residential homes, and to the north is farmland and vacant fields. A disturbance of a large area of land, similar to that observed on the subject property, is seen on the south side of E. Livingston Avenue as well.

1950 Aerial Photograph

The 1950 photograph shows the subject property as a vacant area covered with trees and vegetation. The land disturbance observed in the previous aerial is now covered up and has grown over with grass and trees. No structures are located on the subject property. Surrounding sites appear to be the same as observed in the 1938 aerial. It should be noted that the large disturbed area south of E. Livingston Avenue (south of the property) is also overgrown and similar in its appearance to the subject property. It appears that whatever operations or disturbance occurred at the property were also occurring south of E. Livingston Avenue based on the 1938 and 1950 aerial photograph.

1957 Aerial Photograph

The subject property appears similar to the 1950 aerial, although it is more overgrown with trees and vegetation on the eastern half of the site. The western portion of the site appears to be greenspace, but has been graded. Alum Creek is located directly west of the property. Immediately south of the property, development has begun to occupy E. Livingston Avenue. Adjacent east of the property are residential homes, and to the north are vacant fields.

1964 Aerial Photograph

The subject property is developed in this aerial photograph. The eastern portion of the property appears to be a complex of uniformly constructed multi-family residences while the western portion of the site includes two (2) larger apartment buildings. Ferndale Place and Mayfield Place are both developed and form a loop that intersects with E. Livingston Avenue. The complexes of multi-family residences / apartments occupy the entire loop around Ferndale Place and Mayfield Place. The apartment complexes are located on the western side of Mayfield Place with Alum Creek located beyond. To the south along E. Livingston Avenue are commercial facilities, to the east are still single-family residential homes, and to the north is a vacant field area.

1972 Aerial Photograph

The 1972 photograph shows no significant changes from the 1964 photograph.

1983 Aerial Photograph

The 1983 photograph shows no significant changes from the 1972 photograph with the exception of the area north of the subject property. This area still contains a vacant, grassy field. However, immediately north of this field is now an apartment complex and associated parking lot.

1988 Aerial Photograph

The 1988 photograph shows no significant changes from the 1983 photograph. The subject property still contains the same multi-family residences on the eastern half of the site and two (2) apartment buildings on the western half of the site. Adjacent west is Alum Creek. To the north is still a vacant, overgrown field, to the east are residences, and to the south along E. Livingston Avenue, are commercial facilities.

1994 Aerial Photograph

In the 1994 photograph, there is no significant change to the subject property or adjacent sites compared to the 1988 photograph.

2000 Aerial Photograph

The 2000 photograph shows no significant changes from the 1994 photograph.

2006 Aerial Photograph

The 2006 photograph shows no significant changes from the 2000 photograph.

2011 Aerial Photograph

The 2011 photograph shows no significant change from the 2006 photograph. However, the eastern half of the vacant, grassy field adjacently north appears to be actively utilized as a garden based on symmetrical rows of planting beds observed in the aerial.

In addition, Google Earth™ satellite imagery for 1994, 2002, 2003, 2004, 2005, 2006, 2007, 2009, 2010, 2011, 2014, 2015, 2016 and 2018 was reviewed. No significant changes to the property were observed other than the preceding discussion with the exception of the site located adjacently north of the subject property which in the 2018 aerial was noted as being under development / graded for the installation of recreational soccer fields and an associated parking area.

4.2.2 USGS Topographical Maps

Available USGS Topographic Maps for the Columbus, Ohio quadrangle for the years 1900, 1912, 1925, 1940, 1943, 1955, 1964, 1973, 1985, 1994, and 2013 were reviewed as provided by Environmental Data Resources, Inc. (EDR). The subject property is shown as being located within an area that is shaded red

on maps from 1964 through 1994 which represents urban development and high density areas. However, the maps from 1900 to 1955 show no signs of development at the subject property. Alum Creek is observed directly west of the subject property. No individual buildings or structures are shown on the 2013 map.

Copies of the topographic maps are included in Appendix D of this report.

4.2.3 City Directories

The scope of services for this Phase I Environmental Site Assessment included obtaining and reviewing copies of available City Directories for the subject property and surrounding area. Haines directories from 2002; Ohio Bell directories from 1985 and 1992; EDR Digital Archive directories from 2005, 2010 and 2014; and R.L. Polk & Co. directories from 1923, 1927, 1932, 1937, 1942, 1947, 1952, 1956, 1957, 1960, 1962, 1965, 1971, 1976, and 1981 were reviewed as provided by EDR.

According to county auditor records, the subject property maintains the addresses of 921-925, 929, 937, 947-949, 953-955 & 941-945 Ferndale Place, and 909, 914, 924, 930, 940, 946 and 952 Mayfield Place, although some variation in street addresses is present in the directories.

A summary of city directory findings regarding the subject property are as follows:

921 Ferndale Place

- 2002: A Bonilla, Came & Nickerson, Cory
- 1992: Johnson, Sharon & Martin, Wm J.
- 1985: Jobin, Daniel

925 Ferndale Place

- 2002: Schwarz, Henry

941 Ferndale Place

- 2002: Schwarz, Henry

945 Ferndale Place

- 2002: XXX
- 1985: Lesimer, Joe & Leisring, Joseph & Liggins, T.

According to the city directories reviewed, the subject property appears to have been solely used for residences since its development.

Adjacent property concerns identified in the city directories include Bexley Car Care, Tuffy Auto Services, Haynes Towing and Make It Do, Inc. (Auto Repair).

A summary of available city directories is provided in Appendix E.

4.2.4 Sanborn Fire Insurance Maps

The scope of services for this Phase I Environmental Site Assessment included obtaining and reviewing copies of available Sanborn Fire Insurance Maps for the subject property and surrounding area. These maps are generally available for industrial and heavily developed commercial areas and document any building structures present. In addition, they record underground and aboveground storage tank locations and a name or description of property tenants. However, EDR's search of the subject property did not identify any Sanborn Fire Insurance Maps in the area of the subject property. Therefore, no Sanborn maps were made available to review. A copy of the No Coverage letter is provided in Appendix D.

4.2.5 County Records

Review of the available deed records provided online by the Franklin County Recorder indicates that the subject property is owned by numerous individuals including: Bexley CIC (The City of Bexley), KEG

Bexley Rentals LLC, Two Doubles LLC, WWSD Borrowers II LLC as well as other individual property owners and rental entities.

Deeds and titles identified are listed in the table below.

Owner	Year Purchased
Parcel 020-004517 (925 Ferndale Place)	
BCIC	January 2018
Thomas L Quentus, Deborah Aubert-Thomas	July 2013
Parkway Horizons, Inc.	January 2008
Bernard and Shari Nutter	October 2006
Henry Schwarz	July 1988
Gary Peterson	February 1988
Diane and Gary Peterson	December 1986
Ron Hanson	March 1983
Thomas Binns	February 1981
Paul Bowser	November 1980
John Garprell	August 1977
Max Hahn	December 1976
Thomas and Elizabeth Minch	December 1975
Harold and Regene Schottenstein	December 1965
Friedman, Deems & Associates & Irving Baker	April 1963
Friedman, Deems & Associates & Irving Baker	July 1962
Friedman, Deems & Associates, Inc.	July 1962
Jospeh Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004514 (941-945 Ferndale Place)	
BCIC	January 2018

Thomas L Quentus, Deborah Aubert-Thomas	July 2013
Parkway Horizons, Inc.	January 2008
Bernard and Shari Nutter	October 2006
Henry Schwarz	July 1988
Henry and Candis Schwarz	March 1987
Steven Smith	May 1979
James and Dorothy Torrence	April 1979
Max Hahn	August 1977
John Gartrell	August 1977
Max Hahn	December 1976
Thomas and Elizabeth Minch	December 1975
Harold and Regene Schottenstein	December 1965
Friedman, Deems & Associates, Irving Baker	April 1963
Friedman, Deems & Associates, Irving Baker	July 1962
Friedman and Deems & Associates, Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004516 (929 Ferndale Place)	
Mendes, Godfrey & Mitali	December 2015
RCT Properties, LLC	January 2005
Trees, Brad & Campbell, Craig	December 2004
Levitskiy, Greg & Irina	February 2000
Tenenbaum, Douglas	March 1999
Rosenthal, Wesley	December 1983
James, Dale & Mary	March 1978
Hahn, Max	August 1977
Gartrell, John	August 1977
Max Hahn	December 1976

Thomas and Elizabeth Minch	December 1975
Harold and Regene Schottenstein	December 1965
Friedman, Deems & Associates, Irving Baker	April 1963
Friedman, Deems & Associates, Irving Baker	July 1962
Friedman and Deems & Associates, Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004515 (937 Ferndale Place)	
Richard Haynes	December 1991
Michael Weisz	December 1984
Diane Datish	November 1980
Chris Early	September 1977
Hahn, Max	August 1977
Gartrell, John	August 1977
Max Hahn	December 1976
Thomas and Elizabeth Minch	December 1975
Harold and Regene Schottenstein	December 1965
Friedman, Deems & Associates, Irving Baker	April 1963
Friedman, Deems & Associates, Irving Baker	July 1962
Friedman and Deems & Associates, Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-003789 (947-949 Ferndale Place)	
Robert & Richard Hart	October 2003
Hart Brothers Equities	October 2002
Keith Smith, Robert & Richard Hart	December 2001
HHS Equities Ltd.	October 2001

Republic Savings Bank	October 2001
Vicki Yeager	December 1997
ABC Rentals Ltd.	December 1994
George Ankney Trust	October 1994
Doris Ankney	October 1994
George & Doris Ankney	May 1984
Reva Levy	October 1969
Mildred Weiner	March 1965
Diane & Phyllis Witt	May 1958
Joseph Eisenberg	June 1956
Joseph Schlitt	May 1940
Emma Schlitt	July 1946
Minrad Holtzman	April 1923

Owner	Year Purchased
Parcels 020-003788 (953-955 Ferndale Place)	
Robert & Richard Hart	October 2003
Hart Brothers Equities	October 2002
Keith Smith, Robert & Richard Hart	December 2001
HHS Equities Ltd.	October 2001
Republic Savings Bank	October 2001
Vicki Yeager	December 1997
ABC Rentals Ltd.	December 1994
George Ankney Trust	October 1994
Doris Ankney	October 1994
George & Doris Ankney	May 1984
Reva Levy	October 1969
Mildred Weiner	March 1965
Diane & Phyllis Witt	May 1958

Joseph Eisenberg	June 1956
Joseph Schlitt	May 1940
Emma Schlitt	July 1946
Minrad Holtzman	April 1923

Owner	Year Purchased
Parcels 020-004523 (952 Mayfield Place)	
Two Doubles LLC	August 2018
Derek & Melinda Haggerty	January 2013
Mark Pratt	October 2012
Lyn Williams	September 2011
Patrick Williams	August 1995
Patrick Williams	September 1990
Solaiman	March 1986
George & Velma George	June 1975
Richard Graf	November 1972
Harold Schottenstein	December 1965
Friedman-Deems & Associates Inc. & Irving Baker	July 1963
Friedman-Deems & Associates Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004522 (946 Mayfield Place)	
Matthew & Nicole Panko	April 2009
US Bank National	July 2008
Deborah Parks-Dodge	July 2006
Pullolockal & Mary Thomas	May 2004
Yefim Shusterman	December 2003
David Glaze	July 2001

Patrick Williams	August 1995
Patrick Williams	September 1990
Solaiman	March 1986
George & Velma George	June 1975
Richard Graf	November 1972
Harold Schottenstein	December 1965
Friedman-Deems & Associates Inc. & Irving Baker	July 1963
Friedman-Deems & Associates Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004521 (940 Mayfield Place)	
Marcus & Mark Badgeley	January 2013
Mark Pratt and Todd Espenschied	October 2012
Lyn Williams	September 2011
Patrick Williams	August 1995
Patrick Williams	September 1990
Solaiman	March 1986
George & Velma George	June 1975
Richard Graf	November 1972
Harold Schottenstein	December 1965
Friedman-Deems & Associates Inc. & Irving Baker	July 1963
Friedman-Deems & Associates Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004520 (930 Mayfield Place)	
WWSD Borrower II LLC	May 2016

WWSD LLC	April 2015
Deutsche Bank National	December 2014
Harry Smallwood	November 1989
Solaiman	March 1986
George & Velma George	June 1975
Richard Graf	November 1972
Harold Schottenstein	December 1965
Friedman-Deems & Associates Inc. & Irving Baker	July 1963
Friedman-Deems & Associates Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004519 (924 Mayfield Place)	
Hetal Patel	December 2015
Calloway Properties LLC	December 2015
Harry Smallwood	November 1989
Solaiman	March 1986
George & Velma George	June 1975
Richard Graf	November 1972
Harold Schottenstein	December 1965
Friedman-Deems & Associates Inc. & Irving Baker	July 1963
Friedman-Deems & Associates Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-004518 (914 Mayfield Place)	
Tigist Edris	July 2015
Shiv Ganesh	November 2013
Grigoriy & Sergey Levitskiy	March 2013

Deutsche Bank National	December 2012
Harry Smallwood	November 1989
Solaiman	March 1986
George & Velma George	June 1975
Richard Graf	November 1972
Harold Schottenstein	December 1965
Friedman-Deems & Associates Inc. & Irving Baker	July 1963
Friedman-Deems & Associates Inc.	July 1962
Joseph Eisenberg	July 1958

Owner	Year Purchased
Parcels 020-003814, 020-003813, 020-003812, 020-003811, 020-003810 & 020-003809 (0 Mayfield Place)	
KEG Bexley Rentals LLC	July 2012
Bexley Mayfield Place LLC	May 2011
Bexley Court Apartments	July 2006
Bexley Court Ltd.	January 2000
Hammar Ltd.	April 1996
Bexley Terrace, Inc.	September 1988
Dean Fried	September 1988
Scott Beaver & Dean Fried	September 1988
Beavenfried Properties	December 1984
David Fisher & Arnold Lock	December 1984
Dyche Real Estate Funs, Ltd.	May 1973
Bexley Terrace Apartments Inc.	October 1962
Louis Levin	December 1962
Miracle Drive-Ins Inc.	September 1961
Diane Glassman & Phyllis Fox	January 1955
Diane Glassman & Phyllis Fox	March 1952

Suburban Home Mortgage Co.	May 1948
Hopewood Realty Inc.	July 1940
Menerva Hopewood	July 1938
Suburban Home Mortgage Co.	January 1935
Minard Holtzman	April 1923

Owner	Year Purchased
Parcels 020-003815 (909-925 Mayfield Place)	
KEG Bexley Rentals LLC	July 2012
Bexley Mayfield Place LLC	May 2011
Bexley Court Apartments	July 2006
Bexley Court Ltd.	January 2000
Hammar Ltd.	April 1996
Bexley Terrace, Inc.	September 1988
Dean Fried	September 1988
Scott Beaver & Dean Fried	September 1988
Beavenfried Properties	December 1984
David Fisher & Arnold Lock	December 1984
Dyche Real Estate Funs, Ltd.	May 1973
Bexley Terrace Apartments Inc.	October 1962
Louis Levin	December 1962
Miracle Drive-Ins Inc.	September 1961
Diane Glassman & Phyllis Fox	January 1955
Diane Glassman & Phyllis Fox	March 1952
Suburban Home Mortgage Co.	May 1948
Hopewood Realty Inc.	July 1940
Menerva Hopewood	July 1938
Suburban Home Mortgage Co.	January 1935
Minard Holtzman	April 1923

No easements, right of ways or other environmental entries/restrictions associated with the subject property were identified, although a full title review was not performed.

The subject property is zoned for commercial and residential use by Franklin County.

Copies of available property records are provided in Appendix G of this report.

4.2.6 Other

No other sources were used to establish the history of the subject property.

4.3 Environmental Database Review

A search of available environmental regulatory databases was conducted utilizing Environmental Data Resources, Inc. (EDR, 6 Armstrong Road, 4th Floor, Shelton, CT 06484, 1-800-352-0050, www.edrnet.com) to identify properties of known and/or suspected environmental contamination within the appropriate ASTM search radii for each database. The EDR report contains data from the United States Environmental Protection Agency, the Ohio Environmental Protection Agency, and other sources. A copy of the EDR database search results is presented in Appendix H of this report. Table 1 lists the subject property's listing, if any, on different environmental databases.

**Table 1
 Summary of the Subject Property’s
 Regulatory Status on Different Environmental Databases**

Record/Database Searched*		Is Property Identified/Listed In the Record/Database
1.0	U.S. EPA Data NPL Delisted NPL CERCLIS ERNS CORRACTS RCRIS TSD RCRIS-SQG RCRIS-LQG MLTS PADS FINDS TRIS DERR	NO NO NO NO NO NO NO NO NO NO NO NO NO
2.0	Ohio EPA and Department of Commerce Databases UST LUST SHWS SWF/LF SPILLS NPDES	NO NO NO NO NO NO

U.S. EPA Databases	
NPL	National Priority List
Delisted NPL	Delisted NPL Sites
CERCLIS	Comprehensive Environmental Response, Compensation and Liability Information System
ERNS	Emergency Response Notification System
CORRACTS	Corrective Action Report System
RCRIS-TSD	Resource Conservation and Recovery Information System for Treatment, Storage and Disposal Facilities
RCRIS-SQG	RCRIS - Small Quantity Generator
RCRIS-LQG	RCRIS - Large Quantity Generator
MLTS	Material Licensing Tracking System
PADS	PCB Activity Database
FINDS	Facility Index System/Facility Registry System
TRIS	Toxic Chemical Release Inventory System

Ohio EPA and Department of Commerce Databases	
UST	Underground Storage Tank File
LUST	Leaking UST File
SHWS	Master Sites List
SWF/LF	Licensed Solid Waste Facilities
SPILLS	Emergency Response Database (Reported incidents, spills or releases to the environment)
NPDES	National Pollution Discharge Elimination System

Subject Property Listings

The subject property was not listed on any of the searched databases. However, evidence of the site being part of a former landfill / dumping operation was observed in the 1938 aerial map, and is supported by previous environmental investigations of adjacent properties described in Section 4.1.

NPL Sites

The National Priorities List (NPL) is an EPA produced database of CERCLA sites that have been assessed as sufficiently harmful to human health and/or the environment to warrant clean-up under the superfund program. No sites were identified in the NPL database within one (1) mile of the subject property.

CERCLIS Sites

The U.S. EPA provides a database of potentially hazardous waste sites known as the Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) database. This database is a compiled list of the EPA and the State of Ohio potential uncontrolled waste sites which may pose a threat to human health and the environment. No sites were identified in the CERCLIS database within 0.5 miles of the subject property.

CERC-NFRAP Sites

The No Further Remedial Action Plan (NFRAP) list contains information pertaining to sites which have been removed from the Federal EPA's CERCLIS database. NFRAP sites may be sites where following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. No sites were identified in the CERCLIS-NFRAP database within 0.5 miles of the subject property.

RCRIS-TSD Facilities

The Resource Conservation and Recovery Information System (RCRIS) Treatment, Storage and Disposal (TSD) facilities report refers to facilities which treat, store, or dispose of EPA regulated hazardous waste. No sites were identified in the RCRIS-TSD database within 0.5 miles of the subject property.

RCRA-LQG Facilities

A RCRA-LQG is defined as a facility which has produced or is currently producing over 1,000 kilograms per month of hazardous waste. The RCRA database is a listing of all facilities that are required to register their hazardous waste activity for tracking purposes and are not necessarily sites with reported violations. No sites were identified in the RCRA-LQG database within ¼ miles of the subject property.

RCRA-SQG Facilities

A RCRA-SQG is defined as a facility which has produced or is currently producing less than 1,000 kilograms per month of hazardous waste. The RCRA database is a listing of all facilities that are required to register their hazardous waste activity for tracking purposes and are not necessarily sites with reported violations. No RCRA-SQG sites were identified within ¼ mile of the subject property.

RCRA-CESQG

Conditionally exempt small quantity generators generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Six (6) sites were identified in this database within 0.5 miles of the subject property. BP Oil Co. and Starvin Marvin #5194 are the nearest sites located approximately 0.084 miles southwest and 0.1 miles southeast of the subject property, respectively. Both sites are located along E. Livingston Avenue. The other sites are greater than 0.1 miles from the subject property in all directions, and located on the other side of Alum Creek. Alum Creek acts as a topographical low point where groundwater in the area flows towards and enters. Once entering Alum Creek, water flows towards the Scioto River which Alum Creek is a tributary of. Thus, Alum Creek acts as a hydrogeological barrier for sites located on the west side of the creek relative to the subject property. Based on the significant distance between these sites and the subject property, Alum Creek acting as a hydrogeological barrier, and the anticipated groundwater flow direction towards the west / southwest, none of these RCRA-CESQG sites are anticipated to impact the subject property.

RCRA-NONGEN Facilities

Non-Generators do not presently generate hazardous waste. The RCRA database is a listing of all facilities that are required to register their hazardous waste activity for tracking purposes and are not necessarily sites with reported violations. One (1) RCRA site was identified within ¼ mile of the subject property. The Rich Oil No. 3752 site located at 1001 Alum Creek Drive, due west of the subject property. This site located approximately 1,000 west of the subject property on the opposite side of Alum Creek. This site is a sufficient distance from the subject property and, therefore, is not anticipated to impact the subject property.

Federal Institutional and Engineering Controls Registries

The engineering controls sites list (US ENG CONTROLS) is a listing maintained by US EPA of sites with engineering controls in place. The institutional controls sites list (US INST CONTROL) is a listing

maintained by US EPA of sites with institutional controls in place. No sites were identified in these databases within 0.5 miles of the subject property.

RCRIS Corrective Action Sites

The RCRIS Corrective Action Sites List (CORRACTS) identifies hazardous waste treatment, storage, and disposal facilities which have conducted or are currently conducting a corrective action as regulated under the Resource Conservation and Recovery Act. No sites were identified in the CORRACTS database within one (1) mile of the subject property.

DERR Sites

The DERR database is an index of sites for which Ohio EPA maintains files. It includes sites with known or suspected contamination, but a site's inclusion in the database does not mean that it is now or has ever been contaminated. Three (3) DERR sites were located within approximately one (1) mile of the subject property. The nearest DERR site identified is the Alum Creek GI site located 0.2 miles northwest of the subject property along the banks of Alum Creek. The other two (2) listings are located greater than 0.25 miles west of the subject property, across Alum Creek. Based on the groundwater flow direction, distance relative to the subject property, and proximity to Alum Creek which acts as a hydrogeological barrier between some of the listings, none of the above listings are anticipated to impact the subject property.

ERNS Sites

The Emergency Response Notification System (ERNS) is a national computer database system that is used to store information on the sudden and/or accidental releases of hazardous substances and/or petroleum into the environment. The ERNS reporting system contains preliminary information on specific releases, including the spill location, the substance released, and the party responsible. Two (2) site was identified in the ERNS database within approximately 0.5 mile of the subject property. Both ERNS listings were located at a distance of approximately 0.4 miles from the subject property to the

northwest and southwest. Both listings were also located on the opposite side of Alum Creek relative to the subject property. Therefore, based on the sufficient distance from the site, and Alum Creek acting as a hydrogeological barrier, neither of these sites is anticipated to impact the subject property.

LUST Sites

The Bureau of Underground Storage Tank Regulations (BUSTR) Ohio Department of Commerce provides a list containing an inventory of reported Leaking Underground Storage Tank (LUST) incidents within the State of Ohio. Review of the EDR report identified twelve (12) LUST listings within approximately 0.5 miles of the subject property. All twelve (12) sites identified have a NFA status. The closest site listed includes the Livingston Ave BP station located approximately 200 feet south of the western portion of the subject property which was granted NFA status in 2016. However, given that all identified facilities are noted as having a NFA status and removal of tanks, none of the listed sites are anticipated to impact the subject property.

Registered UST Sites

The Bureau of Underground Storage Tank Regulations (BUSTR), Ohio Department of Commerce provides a list of registered USTs located within the State of Ohio. Thirteen (13) sites are located within 0.5 miles of the subject property. The nearest registered UST site is Muffler King Inc. located adjacently south of the subject property. This site is noted as having one (1) UST, which was removed in 1992. Four (4) of the thirteen (13) listed sites have had their USTs removed or closed in place. Other sites, including the gas station listings along E. Livingston Avenue are noted as still having tanks in use. However, the tanks are fiberglass reinforced plastic USTs, which are considered modern and reliable tanks. Based on the removal of USTs from some of the surrounding sites, the distance of ten (10) of the thirteen (13) sites being greater than 0.1 miles away from the subject property, and all listings being located in the anticipated downgradient groundwater flow direction of the subject property, none of the sites listed as having their USTs are anticipated to impact the subject property.

Archived UST Sites

The Bureau of Underground Storage Tank Regulations (BUSTR), Ohio Department of Commerce provides a list of USTs located within the State of Ohio that have been removed from the Underground Storage Tank (UST) database. Twelve (12) archived UST sites were identified within 0.5 miles of the subject property. All twelve (12) sites listed are exactly the same as the sites listed under the UST database discussed previously in this section. Based on this information, none of the listed sites are anticipated to impact the subject property. The closest listing to the subject property is the Muffler Kind, Inc. property which is noted as having its UST removed in 1992.

Solid Waste Facilities/Landfill Sites

The Ohio EPA provides a list of solid waste facilities/landfill sites. These records contain an inventory of solid waste disposal facilities or landfills in the State of Ohio. No sites were identified in these databases within 0.5 miles of the subject property. However, historical records described in Section 3.0 of this report and previous environmental investigation described in Section 4.1 of this report provide evidence that the subject property and immediately surrounding properties to the north, south and east were part of a landfill / dump site prior to the 1950s. It appears that this landfill was an unlicensed and unpermitted landfill.

Ohio Spills

The Ohio EPA provides a list of spills, incidents, or releases to the environment from the emergency response database. Review of the EDR report identified thirty-five (35) sites within 0.5 miles of the subject property. The nearest listing is the Muffler King, Inc. site, Sevrance Town Center Site, and MS Tina Swanger site which are all located adjacently to the south of the subject property along E. Livingston Avenue. The sites are listed as having a spill of motor oil and fuel oil #2, although no further details or amount are provided. Due to the nature of the spills recorded throughout all the listings, along with the distance of most listings relative to the subject property, none of the spill listings are expected to impact the subject property.

EDR Historical Cleaners

EDR searched national business directories and compiled a listing of potential dry cleaning sites. Four (4) historical dry cleaning sites were identified within 0.5 miles of the subject property. Scott Shirt Laundry and Mayfield Coin Operated Dry Cleaners were located along E. Livingstone Avenue approximately 0.05 miles southwest of the subject property. These are the closest listings to the subject property. The sites are noted as being utilized as dry cleaners from the late 1950's through the early 1970's. These sites are located approximately 260 feet south of the subject property. However, they are located at a lower elevation and anticipated downgradient of groundwater flow from the subject property. Therefore, neither of these sites is anticipated to impact the subject property.

EDR Historical Auto Station

EDR searched national business directories and compiled a listing of potential gas/service station sites. Twenty-four (24) historical auto stations sites were identified within 0.5 miles of the subject property. Getreu Texaco Service, Webster Milo D and Burnside Sunoco Service Station are the closest historical sites to the subject property, all being located adjacently south of the subject property along E. Livingston Avenue. These sites are identified as being a historical auto repair and gas stations existing from the 1940s through present day. These sites are located south of the subject property, downgradient of the anticipated groundwater flow. However, due to the historical auto sites, specifically the Getreu Texaco Service Station (present-day location of Bexley Car Care) being located immediately south of the eastern portion of the subject property there is a potential that the historical presence of this auto station could have environmentally impacted the subject property. The other twenty-one (21) historical sites identified are located a sufficient distance away from the subject property or downgradient of the property as to not impact the subject property.

Unmapped Sites

EDR did not identify any sites that were unable to be located due to poor or inadequate address information.

4.4 Regulatory Agency Review

An inquiry of federal and state regulatory agencies concerning current and past environmental compliance histories of the subject property was performed. Appendix I contains copies of these requests and any responses received. If additional responses are received following the date of this report, any environmentally significant information which impacts the report's findings will be forwarded to the Client.

4.4.1 Columbus Fire Department

A Freedom of Information Act (FOIA) request was made to the Columbus Fire Department on September 13, 2018. The request focused on records that may contain information indicating current and/or historical usage or storage of hazardous materials, as well as the presence of underground storage tanks. At the time of issuance of this report, no response has been received from the local fire department. Any responses, when received and if considered pertinent to the findings and conclusions of this report, shall be forwarded to the client under separate cover.

4.4.2 Local Emergency Planning Committee (LEPC)

A FOIA request was made via email to the Franklin County LEPC on September 13, 2018. The request focused on records that may contain information indicating current and/or historical usage or storage of hazardous materials, as well as the presence of underground storage tanks. At the time of issuance of this report, no response has been received from the Franklin County LEPC. Any responses, when received and if considered pertinent to the findings and conclusions of this report, shall be forwarded to the client under separate cover.

4.4.3 Columbus Department of Public Health

A FOIA request was made via email to the Columbus Department of Public Health on September 12, 2018. The request focused on records that may contain information indicating current and/or historical

usage or storage of hazardous materials, as well as the presence of underground storage tanks. A response was received from the Columbus Department of Public Health on September 17, 2018. The response indicated that no records were found for the addresses on file for the subject property with the exception of a single complaint. The complaint investigation form was filed for Mr. James Baits at the address of 909 Mayfield Blvd. and was related to complaint of a dog bite by a USPS worker. A copy of the public health department response and complaint document is provided in Appendix I.

4.4.4 Ohio EPA – Central District Office

A FOIA request was made via email to the Ohio EPA – Central District Office (CDO) on September 13, 2018. The request focused on records that may contain information indicating current and/or historical usage or storage of hazardous materials, as well as any operations records on file. At the time of issuance of this report, no response has been received from the Ohio EPA-CDO. Any responses, when received and if considered pertinent to the findings and conclusions of this report, shall be forwarded to the client under separate cover

4.4.5 Other

No other information requests for the subject property were submitted during the preparation of this Phase I ESA.

5.0 SITE RECONNAISSANCE

A visual site inspection of the subject property was conducted by Mr. Nick Vallera of PANDEY on September 13, 2018.

The purpose of this site inspection was to visually ascertain the risk or likelihood of environmental contamination at the site. The site reconnaissance also included visual observations to evaluate whether Underground Storage Tanks (USTs), Aboveground Storage Tanks (ASTs) and transformers containing Polychlorinated Biphenyls (PCBs) exist on the subject property. The following is a summary of observations made during this site inspection.

Photographs from site reconnaissance are included in Appendix J of this report.

5.1 Current Property Use

Currently the eastern portion of the subject property is occupied by multiple stand-alone multi-family residences as well as a few single-family homes near the southeast corner of the site along Ferndale Place. The multi-family units are identical in construction and design including two (2) units, a 2nd story unit and a basement / garden unit. The houses line the west and east sides of Ferndale Place and line the east side of Mayfield place as well. There are a total of approximately twelve (12) stand-alone multi-family residences.

The western portion of the subject property includes two (2) apartment buildings, identified as the Bexley Court Apartments. Each apartment building is three (3) stories in height and identical in design. A shared, asphalt parking is situated between the two apartment buildings which are located on the northwestern side of Mayfield Place, across the street from the multi-family residences discussed above.

As reported in Section 4.3 of this Report, the subject property was not identified in the regulatory database search. However, according to historical documents discussed in Section 4.2, the subject

property is believed to be situated on a historical landfill / unlicensed dumping area. Additional details are provided in Sections 4.2 and 4.3.

5.2 Adjoining Property Uses

The subject property is located within a mixed residential and commercial neighborhood on the west side of Bexley, Ohio. During the site reconnaissance, the following properties in the immediate vicinity of the subject property were observed: Moo Moo Car Wash, Tim Hortons, Katz Tires, Bexley Car Care, Bexley Village Apartments, and the Bexley Community Garden.

According to the review of historical documents discussed in Section 4.2 and 4.3 of this Report, the subject property was the location of a former landfill / unlicensed dumping area. Additionally, the area immediately south of the subject property has historically been utilized for commercial businesses which included the use of hazardous and petroleum substances (auto garages, etc.).

Adjacent properties identified in the regulatory database report were discussed in Section 4.3 of this report.

5.3 On-Site Structures & Improvements

The subject property was improved with two (2), 3-story apartment buildings on the western half of the subject property, and approximately twelve (12) multi-family residences located on the eastern portion of the site.

5.4 Interior Observations

Due to the subject property having multiple owners including rental companies and individual home owners, access to the insides of each residential structure across the subject property could not be obtained (as referenced in Section 8.1 of this Report). However, the doorways to the on-site apartment buildings and a limited amount of the multi-family residences were open during the site reconnaissance

and, thus a limited observation of the interior of the on-site structures was made. The two (2) apartment buildings located on the western side of the subject property include three stories of apartment units. There is a shared stairwell and shared hallway on each story of the apartment buildings which lead to the apartments.

The multi-family residences located on the eastern portion of the site around Ferndale Place and Mayfield Place include a staircase in each home which could either be taken to the 2nd story unit or down to the basement unit. A small landing and closet / storage area was located on the basement floor of each building, adjacent to the Unit A (garden unit) entryways. Each residential unit contained wood panel and laminate flooring. The units appeared to be in somewhat poor condition. Staining, cracks around the floor trim / paneling and patched cracks in the walls were observed.

5.5 Exterior Observations

The exterior portions of the subject property were observed by walking the perimeter of the property boundary and traversing open areas.

The multi-family units on the eastern portion of the property are identical in construction and design. Each residence includes two (2) units, a 2nd story unit and a basement / garden unit. The houses line the west and east sides of Ferndale Place and the east side of Mayfield place as well. The backyards of the multi-family residences and homes include a shared greenspace which contains overhead electric lines leading to E. Livingston Avenue, located south of the property. The shared greenspace has uneven terrain and sloping consistent with settlement often observed at former landfill sites. Additionally, the homes around Ferndale Place and Mayfield Place had cracks in the foundations, cracks in the exterior walls, uneven walkways and noticeable evidence of shifting in the structures. Refer to Figures 1 and 2 for the property location and layout.

The western portion of the property includes two (2) apartment buildings. Each apartment building is three stories in height and are identical in design. A shared asphalt parking lot is situated between the two (2) apartment buildings which are located on the west side of Mayfield Place, across the street from the

multi-family residences described above. The apartment complexes include three (3) dumpsters situated on the western side of the parking lot and some benches on the northwestern side of the buildings. Immediately west of the subject property is a tree line which then leads down to Alum Creek. Directly north of the apartment buildings on the western side of the subject property is greenspace which is in the process of being developed into community soccer fields. Additionally, a new asphalt parking lot has been developed at the end of Mayfield Place located between the subject property and Charles Street, located to the north. Adjacent east of this parking lot is the Bexley Community Garden and additional greenspace which is the area of an anticipated future park / playground. Further north of the subject property is Charles Street and an apartment complex. East of the subject property across Ferndale Place are additional multi-family residences and residential homes followed by a residential neighborhood. Adjacent south of the property are commercial properties located along E. Livingston Avenue which include: Moo Moo Car Wash, Tim Hortons, Katz Tires, and Bexley Car Care (auto shop).

No strong, pungent or noxious odors were evident during the site reconnaissance.

Sanitary discharges on the subject property were directed into the municipal sanitary sewer system. No wastewater treatment facilities or septic systems were observed at the subject property.

5.6 Non-Scope Services

No non-scope items were observed during the site reconnaissance.

6.0 INTERVIEWS

Interviews with those familiar with the subject property could not be conducted due to the fact that the subject property has multiple owners including rental companies and individual property owners. Additionally, none of the owners of the nineteen (19) parcels have owned the property since its original development which means that their knowledge of the site would be limited. Thus, no key site manager exists and no such interview was performed. However, an interview was performed with the Client who is familiar with the subject property. The following is a summary of the conducted interviews.

6.1 Key Site Manager

The original developer and owners of the subject property are no longer present and, thus, no key site personnel were available for interviews.

6.2 Interviews with Others

Mr. Ben Kessler, Mayor of the City of Bexley, is familiar with the subject property and area of the neighborhood. To his knowledge the subject property was originally developed for residential use somewhere in the early 1960's, and the property has solely been used as homes, multi-family units and apartments since their development.

7.0 FINDINGS & CONCLUSIONS

PANDEY has performed a Phase I Property Assessment in conformance with the scope and limitations of ASTM Standard E1527-13 for the properties located along Mayfield Place and Ferndale Place in Bexley, Ohio 43209. Refer to Figures 1 and 1B for the precise location and boundaries of the subject property. Any exceptions to, or deletions from, this practice are described in the appropriate sections of this report.

7.1 On-Site Environmental Conditions

The following is a summary of recognized environmental conditions (RECs) concerning the subject property:

7.1.1 Controlled REC

This assessment has revealed no evidence of controlled recognized environmental conditions in connection with the subject property. Furthermore, no institutional or engineering controls are known to exist at the subject property with regard to environmental contamination.

7.1.2 Historical REC

This assessment has revealed no evidence of historical recognized environmental conditions in connection with the subject property.

7.1.3 REC

This assessment has revealed the following recognized environmental conditions in connection with the subject property:

- REC-1: Although no permits, records or licenses were found, historical aerial photographs and previous environmental subsurface investigation on and around the subject property has revealed that the property is situated on a former landfill / dumping area. This landfill was never licensed or permitted to operate either through the Ohio EPA or the local health department. According to previous environmental investigation, soils on portions of the subject property itself as well as the surrounding properties to the north, contain fill material including: glass, slag, wood, roots, concrete, asphalt fragments and other solid debris. Visual evidence gathered during PANDEY's September 13, 2018 site reconnaissance included observations of cracking foundations, shifting sidewalks, uneven terrain, dipping landscapes, cracked building walls and leaning power lines. All of these observations are evidence of subsurface settlement / movement which are consistent with past use of the subject property as a landfill. Based on historical documents, landfill operations occurred for an unknown number of years prior to the 1950's. Landfill sites also often produce harmful vapors such as hydrogen sulfide, methane and volatiles which can intrude into the on-site residential structures. Chemicals of concern include RCRA 8 Metals (Lead, Arsenic, Barium, Chromium, Cadmium, Selenium, Silver and Mercury), Semi-Volatile Organic Compounds (SVOCs) and Volatile Organic Compounds (VOCs).
- REC-2: The groundwater at the subject property is considered to be a REC as well. The subject property is the location of a former landfill from the 1930's. Based on previous assessment reports for immediately adjacent properties and portions of the subject property itself, solid debris, including a large volume of glass fragments, brick fragments, slag, etc. is buried in the shallow subsurface soils. Contamination from the waste materials may have migrated to the groundwater media. Chemicals of concern in the groundwater media include RCRA 8 Metals, VOCs and SVOCs.

7.2 Off-Property Environmental Conditions

Based on the information gathered and the observation made during the course of this Phase I Site Assessment, the following off-property environmental condition has the potential to impact the subject property:

-
- REC-3: The site adjacently north of the subject property is the location of the Bexley Community Garden, newly developed recreational soccer fields and associated asphalt parking lot, and a vacant space that is anticipated to be a future playground / park. Previous environmental investigations of these properties are summarized in Section 3.3 of this report. Environmental Phase I and II investigations, including drilling, soil and groundwater sampling were performed at these sites. All of the previous investigations concluded that these parcels, located north of the subject property, were part of a former landfill / dump area for residential waste. Additionally, it should be noted that the area of the newly developed soccer fields to the north of the subject property underwent remedial activities which included the installation of a two (2) foot soil cap in recent years prior to development of the recreational area. It was also noted in previous reports that during the construction of the residences along Ferndale Place and Mayfield Place, the construction crews ran into a large volume of glass bottles and solid debris. Soil sampling performed at these sites also detected multiple chemicals of concern, including Arsenic, Lead and Benzo(a)pyrene in exceedance of their respective VAP direct contact soil standards for residential land use. It was also noted that these chemicals likely leached to the groundwater media. Based on historical documents, it appears that the surrounding sites to the north of the subject property were situated on the same former landfill that the subject property was developed on. Due to the surrounding sites close proximity to the subject property and previous investigations detecting exceedances of chemicals of concern in the soil and groundwater media, the former landfill area which includes the recreational and garden area adjacently north of the subject property has the potential to impact the subject property. Chemicals of concern include volatile organic compounds (VOCs), Semi-Volatile Organic Compounds (SVOCs) and RCRA Metals.
 - REC-4: The site adjacently south of the eastern portion of the subject property is the location of the Bexley Car Care auto service station. Additionally, this location was previously the site of a former Texaco Auto Service Station (as described in Section 4.3). According to historical aerial photographs, this site has been utilized as an auto station since the late 1940's-1950's and has served as the location of auto stations since its development along E. Livingstone Avenue. Due to the historical use of this site as an auto station and the site being situated immediately south of the eastern portion of the subject property, it presents a potential concern that hazardous substances or petroleum products utilized at the auto stations could have impacted the subject property.

Chemicals of concern include volatile organic compounds (VOCs), and Semi-Volatile Organic Compounds (SVOCs).

7.3 De minimis Conditions

This assessment has revealed no evidence of *de minimis conditions* in connection with the subject property.

7.4 Non-Scope Conditions

No non-scope conditions were noted during this Phase I assessment.

7.5 Recommendations

On the basis of the observations made and the information reviewed during the course of this Phase I Property Assessment, it is recommended that a Phase II Property Assessment be conducted at the subject property to investigate impacts to soil, soil-gas and/or groundwater from the releases of hazardous substances and/or petroleum and former landfill operations. These releases should be quantified in terms of level and extent of contamination before recommendations for future actions can be made.

8.0 REPORT LIMITATIONS

This report is based on data, records, and information gathered in regard to the history and the current status of the subject property and its environmental history. In addition, data gathered during interviews of site representatives and property inspections were used in this report. Due diligence was employed throughout the Phase I Property Assessment process. The information gathered was reviewed, checked, evaluated and summarized in this report.

The subject property has been examined based on best professional judgment and current Phase I Property Assessment evaluation methods. These methods include requirements of Ohio's Voluntary Action Program, ASTM Standard E1527-13, and other professional site assessment guidelines. The evaluations, assessments, and conclusions stated in this report represent judgment and/or opinions which are based solely upon visual and analytical observations made during the site inspection and public record search including information from previous environmental investigations.

Any reuse of this information, assessment, or conclusions contained herein by parties other than those mentioned in Section 1.0 of this report, their partners and lenders, shall be at the sole risk or liability of the party undertaking the reuse of this information.

This report should not be construed as verification of compliance by the present owner or operators of the subject property with federal, state, or local laws and regulations.

Information provided by others was used in assessing these site conditions. The accuracy of the conclusions made from this information is inherently based on the accuracy of the information provided. This evaluation did not include sampling or analytical testing.

PANDEY is responsible to perform their services in a professional manner, consistent with the typical industry practice. The conclusions drawn as a result of this evaluation are deemed appropriate by PANDEY in the exercise of professional judgment. While nothing was observed that would indicate

conditions existing beyond those discussed, it is possible that limitations of a Phase I scope precluded recognition of additional contamination or potential for contamination present at the site.

This report should not be considered as a recommendation to purchase, sell, or develop the subject parcel and opinions contained herein are not legal opinions. To evaluate the information contained in this report, the reader must understand the limitations associated with this assessment.

8.1 Data Gaps

A discussion of nonresponsive government agencies are provided in appropriate sections of this report.

A key assumption in identifying *current* or *historical* recognized environmental conditions is that groundwater is expected to flow west / southwest, towards lower terrain leading to Alum Creek. However, variations could be expected locally and at varying depths changing potential environmental concerns at the subject property.

Additionally, it should be noted that no key site manager could be contacted due to the subject property being comprised of multiple multi-family residences and apartment complexes. The subject property is comprised of properties owned by multiple entities including rental companies and individual owners. As a result, a User Questionnaire could not be provided to a specific person in charge of managing the entire subject property, and no interviews could be conducted. It should also be noted that none of the current owners of the on-site parcels were present during the original development of the site or prior to the subject property's development in the early 1960's. Therefore, although no key site manager could be identified for an interview and no User Questionnaire could be completed, this limitation is not considered to be a significant data gap as that term is defined in the ASTM E1527-13 standard.

Furthermore, the interiors of all on-site structures could not be accessed due to the subject property containing approximately twelve (12) individually owned multi-family residential structures and two (2) apartment complexes. However, the shared portions of the apartment complexes as well as the shared interior portion of a limited number of the multi-family residences as discussed in Section 5.4 were

walked by PANDEY. Additionally, each of the multi-family residences located on the eastern portion of the subject property are nearly identical in design and construction, and the two (2) apartment buildings located on the western side of the subject property are identical in construction as well. Therefore, the interior of these units do not vary significantly. The limited access to the interior of the on-site structures across the subject property is not considered to be a significant data gap as that term is defined in ASTM E1527-13.

At this time, no other data gaps pertinent to the potential presence or absence of RECs or identified areas have been identified for the subject property.


9.0 REFERENCES

- H.C. Nutting Company, *Geotechnical Study*, dated January, 2003.
- H.C. Nutting Company, *Phase I Environmental Site Assessment*, dated February 7, 2003.
- Stone Environmental, *Phase I & II Environmental Site Investigation*, dated May, 2007.
- Burgess & Niple, *Limited Phase II Property Assessment and Recreational Standard Calculation*, dated September 26, 2016.
- Geotechnical Consultants, Inc., *Phase II Environmental Assessment Services Report*, dated December 27, 2017.
- PANDEY Environmental, LLC., *Ohio EPA VAP Phase I Property Assessment Report*, dated March 9, 2018.
- PANDEY Environmental, LLC., *Limited Phase II Property Assessment Report*, dated May 23, 2018.
- PANDEY Environmental, LLC., *Limited Phase II Property Assessment Report*, dated September 12, 2018.
- Environmental Data Resources, Inc. (EDR), *EDR-Radius Map™ Report*; Inquiry No. 5196641.2s dated February 22, 2018.
- Environmental Data Resources, Inc. (EDR), *Certified Sanborn Report*; Inquiry No. 5196641.3, dated February 22, 2018.
- Environmental Data Resources, Inc. (EDR), *Historical Topo Map Report*; Inquiry No. 5196641.4, United States Geological Society (USGS), 7.5 (15 and 30) Minute Topographic Map Series. Southwest Columbus Quadrangle, dated 1900, 1912, 1925, 1940, 1943, 1955, 1964, 1973, 1985, 1994, and 2013.
- Environmental Data Resources, Inc. (EDR), *EDR Aerial Photo Decade Report*; Inquiry No. 5196641.9, dated 1938, 1950, 1957, 1964, 1972, 1983, 1988, 1994, 2000, 2006, and 2011.
- Environmental Data Resources, Inc. (EDR), *City Directory Abstract*, R.L. Polk & Co., published 1923, 1927, 1932, 1937, 1942, 1947, 1952, 1956, 1957, 1960, 1962, 1965, 1971, 1976 and 1981; Ohio Bell directories, published 1985 and 1992; Haines & Company, published 2002; and EDR Digital Archive directories, published 2005, 2010 and 2014.
- Franklin County Auditor, property records accessed via the internet website:
http://property.franklincountyauditor.com/_web/search/commonsearch.aspx?mode=owner

SIGNATURE PAGE

We are pleased to have had this opportunity to be of service to you. Please call the undersigned if you have any questions.

Prepared By:



Nick Vallera, Environmental Scientist

Date: 9/17/2018

“I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in 40 CFR 312.10. I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312”.



Atul Pandey, P.E., M.S.

Senior Engineer

Date: 9/17/2018

Type of Report: Phase I Property Assessment

Address: Ferndale Place & Mayfield Place Properties, Bexley, Ohio 43209

Date: 9/17/2018


FIGURES

FIGURE 1: PROPERTY LOCATION MAP

FIGURE 1B: PROPERTY PARCEL MAP

FIGURE 2: PROPERTY LAYOUT MAP

FIGURE 3: RECOGNIZED ENVIRONMENTAL CONDITIONS
MAP




Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

Subject Property

- KEG Bexley Rental LLC Properties
- Individually Owned Rental Buildings

Note: Area includes a total of 19 Parcels



<p>ASTM Phase I Mayfield Pl. & Ferndale Pl. Sites Bexley, Ohio 43209</p> <p>Figure 1 Property Location Map</p>	<p>PANDEY ENVIRONMENTAL, LLC</p> <p>4100 Horizons Drive, Suite 205 Hamilton, Ohio 45011 (614) 444-8078 www.pandeyenvironmental.com</p>
--	--




Parcel

- KEG Bexley Rental LLC Properties
- Individually Owned Rental Buildings
- Parcel

0 0.0125 0.025 0.05 Miles

Note: Area includes a total of 19 Parcels


<p>ASTM Phase I Mayfield Pl. & Ferndale Pl. Sites Bexley, Ohio 43209</p> <p>Figure 1B Property Parcels Map</p>	<p>PANDEY ENVIRONMENTAL, LLC</p> <p>4100 Horizons Drive, Suite 205 Hamilton, Ohio 45011 (614) 444-8078 www.pandeyenvironmental.com</p>
--	--



Parcel




- KEG Bexley Rental LLC Properties
- Individually Owned Rental Buildings

Note: Area includes a total of 19 Parcels





<p>ASTM Phase I Mayfield Pl. & Ferndale Pl. Sites Bexley, Ohio 43209</p>	<p>PANDEY ENVIRONMENTAL, LLC</p>
<p>Figure 2 Property Layout Map</p>	<p>4100 Horizons Drive, Suite 205 Hamilton, Ohio 45011 (614) 444-8078 www.pandeyenvironmental.com</p>




-  REC 1: Former Landfill / Dumping Area
-  REC 3: Former Landfill / Dumping Area
-  REC 4: Historical Auto Station

Subject Property

-  KEG Bexley Rental LLC Properties
-  Individually Owned Rental Buildings

REC-2: Site Groundwater includes the entirety of the Property Boundaries outlined in Blue and Green

Note: Subject Property includes a total of 19 Parcels



<p>ASTM Phase I Mayfield Pl. & Ferndale Pl. Sites Bexley, Ohio 43209</p> <p>Figure 3 REC Map</p>	<p>PANDEY ENVIRONMENTAL, LLC</p> <p>4100 Horizons Drive, Suite 205 Hamilton, Ohio 45011 (614) 444-8078 www.pandeyenvironmental.com</p>
--	--

APPENDIX A
PHYSICAL SETTING DOCUMENTATION

REFER TO APPENDIX D FOR USGS TOPOGRAPHICAL MAPS

APPENDIX B
CLIENT SUPPLIED MATERIALS

No User Questionnaire was completed for the subject property as no Key Site Manager or Personnel could be identified. A copy of the blank User Questionnaire is provided for information.

USER QUESTIONNAIRE for PHASE I ESAs

As required by ASTM Standard E1527-13

Site Name: Ferndale - Mayfield Properties

Address: Ferndale Place & Mayfield Place
Bexley, Ohio 43209

The person who will use the Phase I Environmental Site Assessment (ESA) should provide the following information. Please fill in this form to the best of your ability, providing any additional information as applicable. Without these answers, our report may have to note that the Phase I is incomplete, and your Landowner Liability Protections could be at risk.

1. **Environmental Cleanup Liens.** ASTM requires the User to check for environmental liens that may be filed or recorded against the subject property under federal, tribal, state or local law. Failure to check for these liens could put your Landowner Liability Protections at risk.

Have you checked for these environmental cleanup liens? Yes No
Are you aware of any such liens against the subject property? Yes No

Comments: _____

2. **Activity and Use Limitations (AULs).** These include engineering controls (e.g., slurry walls, caps) and land use restrictions or institutional controls (e.g., deed restrictions, covenants) that may be in place at the site or filed under federal, tribal, state or local law. Are you aware of any possible AULs involving the subject site?
 Yes No

Comments: _____

3. **Specialized Knowledge.** This involves personal knowledge or experience related to the subject property or nearby properties. For example, if you are involved in the same line of business as the current or former occupants of the property or an adjoining property, you would probably know of any chemicals, oil, degreasers, gasoline, or other hazardous substances commonly used in that type of business.

Do you have any specialized knowledge that might indicate the past or present use of such substances on the subject or nearby properties? Yes No

Comments: _____

4. **Fair Market Value (FMV).** A purchase price significantly below FMV may indicate an environmental problem. Please note that this question does not require an appraisal of the property. If the price is significantly below FMV, the User should consider whether it might be because contamination may be present at the property.

Is the purchase price significantly below fair market value? Yes No

Comments: _____

5. **Obvious Indicators.** This involves past or present spills, stains, releases, cleanups, etc. on or near the site.
Do you know of any obvious indicators of possible contamination on or near the site? Yes No

Comments: _____

6. **Common Knowledge.** Please use a separate sheet if necessary.

a. Describe the past uses of the property: _____

b. Describe any specific chemicals that may have been present at the property: _____

c. Describe any other information that may help us identify possible contamination: _____

d. Are you aware of any previous environmental investigations at the Property?: _____

e. Are you aware of any underground storage tanks at the Property?: _____

f. Are you aware of any heating oil, septic system or groundwater well use at the Property?: _____

g. Are you aware of any asbestos, lead-based paint, or PCBs at the subject property?: _____

h. Are you aware of any indoor firing range or roof-top utility (tower, dish, antennae) at the subject property?: _____

Your Signature

Date

Printed Name

Title

Association with Property: _____

of separate sheets attached: ____
Explain answers on a separate sheet, if necessary.

APPENDIX C
AERIAL PHOTOGRAPHS

2018 Aerial Map

Legend




925 Ferndale Pl



2015 Aerial Map

Legend



925 Ferndale Pl

Google earth



400 ft



Bexley Ferndale

921 Ferndale Place

Columbus, OH 43209

Inquiry Number: 5196641.9

February 22, 2018

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

02/22/18

Site Name:

Bexley Ferndale
921 Ferndale Place
Columbus, OH 43209
EDR Inquiry # 5196641.9

Client Name:

Pandey Environmental, LLC
4100 Horizons Drive
Columbus, OH 43220-0000
Contact: Nick Vallera



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2011	1"=500'	Flight Year: 2011	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
2000	1"=500'	Flight Date: October 11, 2000	USGS
1994	1"=500'	Acquisition Date: March 23, 1994	USGS/DOQQ
1988	1"=500'	Flight Date: April 09, 1988	USGS
1983	1"=500'	Flight Date: April 26, 1983	USGS
1972	1"=500'	Flight Date: April 18, 1972	USDA
1964	1"=500'	Flight Date: June 11, 1964	USDA
1957	1"=500'	Flight Date: June 21, 1957	USDA
1950	1"=500'	Flight Date: August 14, 1950	USDA
1938	1"=500'	Flight Date: June 14, 1938	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 5196641.9

YEAR: 2011

— = 500'






INQUIRY #: 5196641.9

YEAR: 2006

— = 500'





INQUIRY #: 5196641.9

YEAR: 2000

— = 500'





INQUIRY #: 5196641.9

YEAR: 1994

— = 500'





INQUIRY #: 5196641.9

YEAR: 1988

— = 500'





INQUIRY #: 5196641.9

YEAR: 1983

— = 500'





INQUIRY #: 5196641.9

YEAR: 1972

— = 500'





INQUIRY #: 5196641.9

YEAR: 1964

— = 500'





INQUIRY #: 5196641.9

YEAR: 1957

— = 500'





INQUIRY # 5196641.9

YEAR: 1950

— = 500'





INQUIRY #: 5196641.9

YEAR: 1938

— = 500'



APPENDIX D
USGS TOPOGRAPHICAL MAPS

Bexley Ferndale
921 Ferndale Place
Columbus, OH 43209

Inquiry Number: 5196641.4
February 22, 2018

EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

02/22/18

Site Name:

Bexley Ferndale
921 Ferndale Place
Columbus, OH 43209
EDR Inquiry # 5196641.4

Client Name:

Pandey Environmental, LLC
4100 Horizons Drive
Columbus, OH 43220-0000
Contact: Nick Vallera



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Pandey Environmental, LLC were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:**Coordinates:**

P.O.#	NA	Latitude:	39.94929 39° 56' 57" North
Project:	Bexley Ferndale Place	Longitude:	-82.940317 -82° 56' 25" West
		UTM Zone:	Zone 17 North
		UTM X Meters:	334247.05
		UTM Y Meters:	4423931.45
		Elevation:	759.24' above sea level

Maps Provided:

2013	1925
1994	1912
1985	1900
1973	
1964	
1955	
1943	
1940	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2013 Source Sheets



Southeast Columbus
2013
7.5-minute, 24000

1994 Source Sheets



Southeast Columbus
1994
7.5-minute, 24000
Aerial Photo Revised 1992

1985 Source Sheets



Southeast Columbus
1985
7.5-minute, 24000
Aerial Photo Revised 1983

1973 Source Sheets




Southeast Columbus
1973
7.5-minute, 24000
Aerial Photo Revised 1973

Topo Sheet Key


This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1964 Source Sheets



Southeast Columbus
1964
7.5-minute, 24000
Aerial Photo Revised 1954

1955 Source Sheets




Southeast Columbus
1955
7.5-minute, 24000
Aerial Photo Revised 1954

1943 Source Sheets



East Columbus
1943
15-minute, 62500
Aerial Photo Revised 1940

1940 Source Sheets



EAST COLUMBUS
1940
15-minute, 62500

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1925 Source Sheets



East Columbus
1925
15-minute, 62500

1912 Source Sheets




COLUMBUS
1912
30-minute, 125000

1900 Source Sheets



EAST COLUMBUS
1900
15-minute, 62500




This report includes information from the following map sheet(s).



TP, Southeast Columbus, 2013, 7.5-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC






This report includes information from the following map sheet(s).



TP, Southeast Columbus, 1994, 7.5-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC






This report includes information from the following map sheet(s).



TP, Southeast Columbus, 1985, 7.5-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC






This report includes information from the following map sheet(s).



TP, Southeast Columbus, 1973, 7.5-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC






This report includes information from the following map sheet(s).



TP, Southeast Columbus, 1964, 7.5-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC





This report includes information from the following map sheet(s).



TP, Southeast Columbus, 1955, 7.5-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC





This report includes information from the following map sheet(s).



TP, East Columbus, 1943, 15-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC






This report includes information from the following map sheet(s).




TP, EAST COLUMBUS, 1940, 15-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC





This report includes information from the following map sheet(s).




TP, East Columbus, 1925, 15-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC






This report includes information from the following map sheet(s).




TP, COLUMBUS, 1912, 30-minute

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC





This report includes information from the following map sheet(s).



SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus, OH 43209
 CLIENT: Pandey Environmental, LLC



APPENDIX E
USDA SOILS REPORT



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for Franklin County, Ohio



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	5
Soil Map	8
Soil Map.....	9
Legend.....	10
Map Unit Legend.....	11
Map Unit Descriptions.....	11
Franklin County, Ohio.....	13
BfB—Bennington-Urban land complex, 0 to 6 percent slopes.....	13
CbC—Cardington-Urban land complex, 6 to 12 percent slopes.....	14
Ee—Eel silt loam, occasionally flooded.....	15
References	17

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.


Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report Soil Map




Map Scale: 1:1,170 if printed on A landscape (11" x 8.5") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
 Web Soil Survey URL:
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Franklin County, Ohio
 Survey Area Data: Version 15, Oct 5, 2017

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Aug 4, 2014—Aug 27, 2014

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BfB	Bennington-Urban land complex, 0 to 6 percent slopes	0.1	3.2%
CbC	Cardington-Urban land complex, 6 to 12 percent slopes	2.2	54.3%
Ee	Eel silt loam, occasionally flooded	1.7	42.5%
Totals for Area of Interest		4.0	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate

Custom Soil Resource Report

pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Franklin County, Ohio

BfB—Bennington-Urban land complex, 0 to 6 percent slopes

Map Unit Setting

National map unit symbol: 2t6ml
Elevation: 800 to 1,120 feet
Mean annual precipitation: 34 to 42 inches
Mean annual air temperature: 48 to 54 degrees F
Frost-free period: 145 to 180 days
Farmland classification: Not prime farmland

Map Unit Composition

Bennington and similar soils: 50 percent
Urban land: 35 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Bennington

Setting

Landform: End moraines, ground moraines
Landform position (two-dimensional): Footslope, backslope, summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Concave, linear
Across-slope shape: Linear
Parent material: Wisconsin loamy till derived from sandstone and shale

Typical profile

A - 0 to 9 inches: silt loam
Bt - 9 to 29 inches: silty clay loam
BCt - 29 to 40 inches: silty clay loam
C - 40 to 79 inches: clay loam

Properties and qualities

Slope: 2 to 6 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Somewhat poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: About 6 to 12 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 22 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Available water storage in profile: Moderate (about 8.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 2e
Hydrologic Soil Group: C/D
Hydric soil rating: No

Description of Urban Land

Setting

Landform: Till plains

Minor Components

Aeric epiaquents, till substratum

Percent of map unit: 9 percent

Landform: Moraines

Landform position (two-dimensional): Backslope, footslope

Landform position (three-dimensional): Interfluve

Down-slope shape: Concave

Across-slope shape: Linear

Hydric soil rating: No

Typic endoaquents, till substratum

Percent of map unit: 6 percent

Landform: Moraines

Landform position (two-dimensional): Toeslope

Landform position (three-dimensional): Base slope

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

CbC—Cardington-Urban land complex, 6 to 12 percent slopes

Map Unit Setting

National map unit symbol: 5mpj

Elevation: 800 to 1,200 feet

Mean annual precipitation: 31 to 45 inches

Mean annual air temperature: 48 to 55 degrees F

Frost-free period: 145 to 180 days

Farmland classification: Not prime farmland

Map Unit Composition

Cardington and similar soils: 45 percent

Urban land: 30 percent

Minor components: 25 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cardington

Setting

Landform: End moraines, ground moraines

Landform position (two-dimensional): Summit, shoulder, backslope

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Loamy till

Custom Soil Resource Report

Typical profile

H1 - 0 to 6 inches: silt loam
H2 - 6 to 34 inches: silty clay loam
H3 - 34 to 70 inches: clay loam

Properties and qualities

Slope: 6 to 12 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Moderately well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20 to 0.60 in/hr)
Depth to water table: About 24 to 36 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 20 percent
Available water storage in profile: Moderate (about 7.7 inches)

Minor Components

Areas altered by cutting and filling

Percent of map unit: 10 percent

Pewamo

Percent of map unit: 5 percent
Landform: Depressions
Hydric soil rating: Yes

Bennington

Percent of map unit: 5 percent
Landform: Flats on ground moraines, flats on end moraines, rises on ground moraines, rises on end moraines
Landform position (two-dimensional): Summit, shoulder
Down-slope shape: Linear
Across-slope shape: Linear

Slopes of 12 to 18 percent

Percent of map unit: 5 percent

Ee—Eel silt loam, occasionally flooded

Map Unit Setting

National map unit symbol: 5mpy
Elevation: 340 to 1,000 feet
Mean annual precipitation: 32 to 45 inches
Mean annual air temperature: 46 to 55 degrees F
Frost-free period: 120 to 200 days
Farmland classification: All areas are prime farmland

Map Unit Composition

Eel and similar soils: 85 percent

Custom Soil Resource Report

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Eel

Setting

Landform: Flood plains

Parent material: Loamy alluvium

Typical profile

H1 - 0 to 8 inches: silt loam

H2 - 8 to 42 inches: silt loam

H3 - 42 to 70 inches: stratified sandy loam to silty clay loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Moderately well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: About 36 to 72 inches

Frequency of flooding: Occasional

Frequency of ponding: None

Calcium carbonate, maximum in profile: 35 percent

Available water storage in profile: Very high (about 12.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: B

Hydric soil rating: No

Minor Components

Sloan

Percent of map unit: 5 percent

Landform: Depressions

Hydric soil rating: Yes

Genesee

Percent of map unit: 5 percent

Landform: Flood plains

Shoals

Percent of map unit: 5 percent

Landform: Flood plains

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>


Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

APPENDIX F
SANBORN FIRE INSURANCE MAPS



Bexley Ferndale
921 Ferndale Place
Columbus, OH 43209

Inquiry Number: 5196641.3

February 22, 2018

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

02/22/18

Site Name:

Bexley Ferndale
921 Ferndale Place
Columbus, OH 43209
EDR Inquiry # 5196641.3

Client Name:

Pandey Environmental, LLC
4100 Horizons Drive
Columbus, OH 43220-0000
Contact: Nick Vallera



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Pandey Environmental, LLC were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 3129-48AD-817A
PO # NA
Project Bexley Ferndale Place

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 3129-48AD-817A

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Pandey Environmental, LLC (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

APPENDIX G
COUNTY RECORDS

Owner Name	KEG BEXLEY RENTALS LLC	Prop. Class	C - Commercial
		Land Use	403 - APARTMENTS 40+ FAMILY
Site Address	909 925 MAYFIELD PL	Tax District	020 - CITY OF BEXLEY
		Sch. District	2501 - BEXLEY CSD
		App Nbrhd	X6103
		Tax Lein	No
Legal Descriptions	925 MAYFIELD PL MAYFIELD PL LOT 51	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
Mailing Address	7686 FISHEL DR NORTH STE B DUBLIN OH 43016	Rental Registration	Yes
		Board of Revision	No
		Zip Code	43209
Transfer Date	07/20/2012	Annual Taxes	48,965.18
Transfer Price	755,000.00	Taxes Paid	48,965.18
Instrument Type	GW	Calculated Acreage	1.42
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$168,000	\$1,420,400	\$1,588,400	\$58,800	\$497,140	\$555,940
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$168,000	\$1,420,400	\$1,588,400	\$58,800	\$497,140	\$555,940
CAUV	\$0					

Building Data

Land Use	403-APARTMENTS 40+ FAMILY
Year Built	1963
Total Sq Ft	27810
Stories	03
Grade	AVERAGE QUALITY

Sketch Legend

- 1 A0 - 011: APARTMENT 9270 Sq. Ft.
- 2 - 011: APARTMENT 9270 Sq. Ft.
- 3 - 011: APARTMENT 9270 Sq. Ft.
- 1 PAVING ASP - PA1: PAVING ASPHALT 20700 Sq. Ft.
- 1 - EL4: ELEVATOR HYDRAULIC PASNGR



Owner Name	HART ROBERT J HART RICHARD A	Prop. Class	R - Residential
Site Address	953 955 FERNDALE PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	953 FERNDALE PL LOT 24 MAYFIELD PL	Tax District	020 - CITY OF BEXLEY
Mailing Address		Sch. District	2501 - BEXLEY CSD
Transfer Date	10/08/2003	App Nbrhd	06103
Transfer Price	.00	Tax Lein	No
Instrument Type	GE	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	No
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	2,804.54
		Taxes Paid	2,854.54
		Calculated Acreage	.13
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$27,500	\$103,800	\$131,300	\$9,630	\$36,330	\$45,960
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$27,500	\$103,800	\$131,300	\$9,630	\$36,330	\$45,960
CAUV	\$0					

Building Data

Year Built	1966	Full Baths	2
Finished Area	2013	Half Bath	2
Rooms	10	Heat/AC	1
Bedrms	6	Wood Fire	/
Dining Rooms	0	Stories	2

Sketch Legend

- 0 2s FR/B 990 Sq. Ft.
- 1 WDDK - 38:WOOD DECK 80 Sq. Ft.
- 2 MS - 43:MASONRY STOOP 16 Sq. Ft.
- 3 MS - 43:MASONRY STOOP 16 Sq. Ft.
- 4 OH - 19:FRAME OVERHANG 33 Sq. Ft.
- 5 WDDK - 38:WOOD DECK 69 Sq. Ft.



Owner Name HART ROBERT J
HART RICHARD A

Site Address 947 949 FERNDALE PL

Legal Descriptions 949 FERNDALE PL
MAYFIELD PLACE 25

Mailing Address

Transfer Date 10/08/2003

Transfer Price .00

Instrument Type GE

Prop. Class R - Residential

Land Use 520 - TWO-FAMILY DWLG ON PLATTED L

Tax District 020 - CITY OF BEXLEY

Sch. District 2501 - BEXLEY CSD

App Nbrhd 06103

Tax Ltn No

CAUV Property No

Owner Occ. Credit 2017: No 2018: No

Homestead Credit 2017: No 2018: No

Rental Registration No

Board of Revision No

Zip Code 43209

Annual Taxes 2,949.78

Taxes Paid 2,999.78

Calculated Acreage .12

Legal Acreage .00

	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$27,500	\$110,600	\$138,100	\$9,630	\$38,710	\$48,340
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$27,500	\$110,600	\$138,100	\$9,630	\$38,710	\$48,340
CAUV	\$0					

Building Data

Year Built 1966

Finished Area 2013

Rooms 10

Bedrms 6

Dining Rooms 0

Full Baths 2

Half Bath 2


Heat/AC 1

Wood Fire /

Stories 2

Sketch Legend

- 0 2s FR & MAS/B 990 Sq. Ft.
- 1 WDDK - 38:WOOD DECK 80 Sq. Ft.
- 2 MS - 43:MASONRY STOOP 16 Sq. Ft.
- 3 MS - 43:MASONRY STOOP 16 Sq. Ft.
- 4 OH - 19:FRAME OVERHANG 33 Sq. Ft.
- 5 WDDK - 38:WOOD DECK 69 Sq. Ft.
- 6 RAMP - 72:RAMP



Owner Name	BCIC PHOENIX I	Prop. Class	R - Residential
Site Address	941 945 FERNDALE PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	941 FERNDALE PL MAYFIELD PLACE AMD 26	Tax District	020 - CITY OF BEXLEY
Mailing Address	2242 E MAIN ST BEXLEY OH 43209	Sch. District	2501 - BEXLEY CSD
Transfer Date	01/05/2018	App Nbrhd	06103
Transfer Price	184,500.00	Tax Lein	No
Instrument Type	GW	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	No
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	2,983.96
		Taxes Paid	1,491.98
		Calculated Acreage	.15
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$63,700	\$76,000	\$139,700	\$22,300	\$26,600	\$48,900
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$63,700	\$76,000	\$139,700	\$22,300	\$26,600	\$48,900
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	1
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.
1 MS - 43: MASONRY STOOP 9 Sq. Ft.



Owner Name	HAYNES RICHARD R	Prop. Class	R - Residential
Site Address	937 FERNDALE PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	937 FERNDALE PL MAYFIELD PLACE AMD 27	Tax District	020 - CITY OF BEXLEY
Mailing Address		Sch. District	2501 - BEXLEY CSD
Transfer Date	12/16/1991	App Nbrhd	06103
Transfer Price	44,000.00	Tax Lein	No
Instrument Type		CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	Yes
		Board of Revision	Yes
		Zip Code	43209
		Annual Taxes	1,762.30
		Taxes Paid	1,762.30
		Calculated Acreage	.14
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$25,900	\$56,600	\$82,500	\$9,070	\$19,810	\$28,880
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$25,900	\$56,600	\$82,500	\$9,070	\$19,810	\$28,880
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	1
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.
1 MS - 43: MASONRY STOOP 9 Sq. Ft.



Owner Name	MENDES GODFREY F MENDES MITALI	Prop. Class	R - Residential
Site Address	929 FERNDALE PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	929 FERNDALE PL MAYFIELD PLACE AMD 28	Tax District	020 - CITY OF BEXLEY
Mailing Address	929 FERNDALE PL COLUMBUS OH 43209	Sch. District	2501 - BEXLEY CSD
Transfer Date	12/18/2015	App Nbrhd	06103
Transfer Price	62,500.00	Tax Lein	No
Instrument Type	WD	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	No
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	3,048.02
		Taxes Paid	3,098.02
		Calculated Acreage	.14
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$64,800	\$77,900	\$142,700	\$22,680	\$27,270	\$49,950
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$64,800	\$77,900	\$142,700	\$22,680	\$27,270	\$49,950
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	2
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.
1 MS - 43: MASONRY STOOP 9 Sq. Ft.



Owner Name	BCIC PHOENIX I	Prop. Class	R - Residential
Site Address	925 FERNDALE PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	925 FERNDALE PL MAYFIELD PLACE AMD 29	Tax District	020 - CITY OF BEXLEY
Mailing Address	2242 E MAIN ST BEXLEY OH 43209	Sch. District	2501 - BEXLEY CSD
Transfer Date	01/05/2018	App Nbrhd	06103
Transfer Price	184,500.00	Tax Lein	No
Instrument Type	GW	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	No
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	3,007.14
		Taxes Paid	3,082.32
		Calculated Acreage	.14
		Legal Acreage	.00



	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$64,800	\$76,000	\$140,800	\$22,680	\$26,600	\$49,280
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$64,800	\$76,000	\$140,800	\$22,680	\$26,600	\$49,280
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	1
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.
1 MS - 43: MASONRY STOOP 9 Sq. Ft.



Owner Name TWO DOUBLES LLC
 Site Address 952 MAYFIELD PL
 Legal Descriptions 952 MAYFIELD PL
 MAYFIELD PLACE AMD
 37
 Mailing Address 427 MEDITATION LN
 COLUMBUSO H 43235
 Transfer Date 08/27/2018
 Transfer Price 77,000.00
 Instrument Type GW

Prop. Class R - Residential
 Land Use 520 - TWO-FAMILY DWLG ON PLATTED L
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd 06103
 Tax Lien No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 1,762.30
 Taxes Paid 1,762.30
 Calculated Acreage .13
 Legal Acreage .00

	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$24,600	\$57,900	\$82,500	\$8,610	\$20,270	\$28,880
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$24,600	\$57,900	\$82,500	\$8,610	\$20,270	\$28,880
CAUV	\$0					

Building Data

Year Built 1962 Full Baths 2
 Finished Area 891 Half Bath
 Rooms 8 Heat/AC 2
 Bedrms 4 Wood Fire /
 Dining Rooms 0 Stories 1

Sketch Legend
 0 1s BR/B 891 Sq. Ft.



Owner Name	PANKO MATTHEW PANKO NICOLE	Prop. Class	R - Residential
Site Address	946 MAYFIELD PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	946 MAYFIELD PL MAYFIELD PLACE AMD 36	Tax District	020 - CITY OF BEXLEY
Mailing Address	553 CLOTTS RD COLUMBUS OH 43230	Sch. District	2501 - BEXLEY CSD
Transfer Date	04/16/2009	App Nbrhd	06103
Transfer Price	41,000.00	Tax Lein	No
Instrument Type	SW	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	Yes
		Board of Revision	Yes
		Zip Code	43209
		Annual Taxes	2,977.26
		Taxes Paid	2,977.26
		Calculated Acreage	.13
		Legal Acreage	.00

Current Market Value

Taxable Value


	Land	Improv	Total	Land	Improv	Total
Base	\$61,600	\$77,800	\$139,400	\$21,560	\$27,230	\$48,790
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$61,600	\$77,800	\$139,400	\$21,560	\$27,230	\$48,790
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	2
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.



Owner Name	BADGELEY MARCUS ALEX BADGELEY MARK OLIVER	Prop. Class	R - Residential
Site Address	940 MAYFIELD PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	940 MAYFIELD PL MAYFIELD PLACE AMD 35	Tax District	020 - CITY OF BEXLEY
Mailing Address	1238 WASHINGTON ST SAN FRANCISCO CA 94108	Sch. District	2501 - BEXLEY CSD
Transfer Date	01/17/2013	App Nbrhd	06103
Transfer Price	45,900.00	Tax Lein	No
Instrument Type	GW	CAUV Property	No
		Owner Occ. Credit	2017: Yes 2018: Yes
		Homestead Credit	2017: No 2018: No
		Rental Registration	Yes
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	2,938.60
		Taxes Paid	2,938.60
		Calculated Acreage	.13
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$61,600	\$77,800	\$139,400	\$21,560	\$27,230	\$48,790
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$61,600	\$77,800	\$139,400	\$21,560	\$27,230	\$48,790
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	2
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.



Owner Name WWSD BORROWER II LLC
 Site Address 930 MAYFIELD PL
 Legal Descriptions 930 MAYFIELD PL
 MAYFIELD PLACE AMD
 34
 Mailing Address 2100 GENG RD STE #200
 PALO ALTO CA 94303
 Transfer Date 05/25/2016
 Transfer Price .00
 Instrument Type QE

Prop. Class R - Residential
 Land Use 520 - TWO-FAMILY DWLG ON PLATTED L
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd 06103
 Tax Lien No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration Yes
 Board of Revision Yes
 Zip Code 43209
 Annual Taxes 3,156.64
 Taxes Paid 3,156.64
 Calculated Acreage .13
 Legal Acreage .00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$61,600	\$86,200	\$147,800	\$21,560	\$30,170	\$51,730
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$61,600	\$86,200	\$147,800	\$21,560	\$30,170	\$51,730
CAUV	\$0					

Building Data

Year Built 1962 Full Baths 2
 Finished Area 891 Half Bath
 Rooms 8 Heat/AC 2
 Bedrms 4 Wood Fire /
 Dining Rooms 0 Stories 1

Sketch Legend

0 1s BR/B 891 Sq. Ft.



Owner Name	PATEL HETAL B	Prop. Class	R - Residential
Site Address	924 MAYFIELD PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	924 MAYFIELD PL MAYFIELD PLACE AMD 33	Tax District	020 - CITY OF BEXLEY
Mailing Address	3020 E MAIN ST COLS OH 43209	Sch. District	2501 - BEXLEY CSD
Transfer Date	12/23/2015	App Nbrhd	06103
Transfer Price	43,000.00	Tax Lein	No
Instrument Type	GW	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	Yes
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	1,198.46
		Taxes Paid	1,198.46
		Calculated Acreage	.14
		Legal Acreage	.00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$43,100	\$13,000	\$56,100	\$15,090	\$4,550	\$19,640
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$43,100	\$13,000	\$56,100	\$15,090	\$4,550	\$19,640
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	2
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend

0 1s BR/B 891 Sq. Ft.




Owner Name	EDRIS TIGIST	Prop. Class	R - Residential
Site Address	914 MAYFIELD PL	Land Use	520 - TWO-FAMILY DWLG ON PLATTED L
Legal Descriptions	914 MAYFIELD PL MAYFIELD PLACE AMD 32	Tax District	020 - CITY OF BEXLEY
Mailing Address	1000 BOYNE COURT REYNOLDSBURG OH 43068	Sch. District	2501 - BEXLEY CSD
Transfer Date	07/31/2015	App Nbrhd	06103
Transfer Price	45,000.00	Tax Lien	No
Instrument Type	GW	CAUV Property	No
		Owner Occ. Credit	2017: No 2018: No
		Homestead Credit	2017: No 2018: No
		Rental Registration	Yes
		Board of Revision	No
		Zip Code	43209
		Annual Taxes	3,197.54
		Taxes Paid	3,197.54
		Calculated Acreage	.13
		Legal Acreage	.00

	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$61,600	\$88,100	\$149,700	\$21,560	\$30,840	\$52,400
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$61,600	\$88,100	\$149,700	\$21,560	\$30,840	\$52,400
CAUV	\$0					

Building Data

Year Built	1962	Full Baths	2
Finished Area	891	Half Bath	
Rooms	8	Heat/AC	2
Bedrms	4	Wood Fire	/
Dining Rooms	0	Stories	1

Sketch Legend
0 1s BR/B 891 Sq. Ft.



Owner Name KEG BEXLEY RENTALS LLC
 Site Address 0 MAYFIELD PL
 Legal Descriptions 00000 MAYFIELD PL
 MAYFIELD PL 45
 Mailing Address
 Transfer Date 07/20/2012
 Transfer Price 755,000.00
 Instrument Type GW



Prop. Class C - Commercial
 Land Use 403 - APARTMENTS 40+ FAMILY
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd X6103
 Tax Lien No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 431.58
 Taxes Paid 431.58
 Calculated Acreage .11
 Legal Acreage .00

	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$14,000	\$0	\$14,000	\$4,900	\$0	\$4,900
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$14,000	\$0	\$14,000	\$4,900	\$0	\$4,900
CAUV	\$0					

Building Data

N/A

Sketch Legend



Owner Name KEG BEXLEY RENTALS LLC
 Site Address 0 MAYFIELD PL
 Legal Descriptions 00000 MAYFIELD PL
 MAYFIELD PL 46
 Mailing Address
 Transfer Date 07/20/2012
 Transfer Price 755,000.00
 Instrument Type GW

Prop. Class C - Commercial
 Land Use 403 - APARTMENTS 40+ FAMILY
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd X6103
 Tax Lien No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 496.76
 Taxes Paid 496.76
 Calculated Acreage .12
 Legal Acreage .00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$14,000	\$2,100	\$16,100	\$4,900	\$740	\$5,640
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$14,000	\$2,100	\$16,100	\$4,900	\$740	\$5,640
CAUV	\$0					

Building Data

N/A

Sketch Legend

1 PAVING ASP - PA1:PAVING ASPHALT 2000 Sq. Ft.



Owner Name KEG BEXLEY RENTALS LLC
 Site Address 0 MAYFIELD PL
 Legal Descriptions 00000 MAYFIELD PL
 MAYFIELD PL 47
 Mailing Address
 Transfer Date 07/20/2012
 Transfer Price 755,000.00
 Instrument Type GW

Prop. Class C - Commercial
 Land Use 403 - APARTMENTS 40+ FAMILY
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd X6103
 Tax Lien No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 536.38
 Taxes Paid 536.38
 Calculated Acreage .12
 Legal Acreage .00



	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$14,000	\$3,400	\$17,400	\$4,900	\$1,190	\$6,090
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$14,000	\$3,400	\$17,400	\$4,900	\$1,190	\$6,090
CAUV	\$0					

Building Data

N/A

Sketch Legend

1 PAVING ASP - PA1:PAVING ASPHALT 3200 Sq. Ft.



Owner Name KEG BEXLEY RENTALS LLC
 Site Address 0 MAYFIELD PL
 Legal Descriptions 00000 MAYFIELD PL
 MAYFIELD PL 48
 Mailing Address
 Transfer Date 07/20/2012
 Transfer Price 755,000.00
 Instrument Type GW

Prop. Class C - Commercial
 Land Use 403 - APARTMENTS 40+ FAMILY
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd X6103
 Tax Lein No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 607.72
 Taxes Paid 607.72
 Calculated Acreage .12
 Legal Acreage .00



	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$14,000	\$5,700	\$19,700	\$4,900	\$2,000	\$6,900
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$14,000	\$5,700	\$19,700	\$4,900	\$2,000	\$6,900
CAUV	\$0					

Building Data

N/A

Sketch Legend

1 PAVING ASP - PA1:PAVING ASPHALT 5400 Sq. Ft.



Owner Name KEG BEXLEY RENTALS LLC
 Site Address 0 MAYFIELD PL
 Legal Descriptions 00000 MAYFIELD PL
 MAYFIELD PL 49
 Mailing Address
 Transfer Date 07/20/2012
 Transfer Price 755,000.00
 Instrument Type GW

Prop. Class C - Commercial
 Land Use 403 - APARTMENTS 40+ FAMILY
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd X6103
 Tax Lien No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 548.72
 Taxes Paid 548.72
 Calculated Acreage .12
 Legal Acreage .00



	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$14,000	\$3,800	\$17,800	\$4,900	\$1,330	\$6,230
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$14,000	\$3,800	\$17,800	\$4,900	\$1,330	\$6,230
CAUV	\$0					

Building Data

N/A

Sketch Legend

1 PAVING ASP - PA1:PAVING ASPHALT 3600 Sq. Ft.



Owner Name KEG BEXLEY RENTALS LLC
 Site Address 0 MAYFIELD PL
 Legal Descriptions 00000 MAYFIELD PL
 MAYFIELD PL 50
 Mailing Address
 Transfer Date 07/20/2012
 Transfer Price 755,000.00
 Instrument Type GW

Prop. Class C - Commercial
 Land Use 403 - APARTMENTS 40+ FAMILY
 Tax District 020 - CITY OF BEXLEY
 Sch. District 2501 - BEXLEY CSD
 App Nbrhd X6103
 Tax Lein No
 CAUV Property No
 Owner Occ. Credit 2017: No 2018: No
 Homestead Credit 2017: No 2018: No
 Rental Registration No
 Board of Revision No
 Zip Code 43209
 Annual Taxes 509.08
 Taxes Paid 509.08
 Calculated Acreage .13
 Legal Acreage .00


	Current Market Value			Taxable Value		
	Land	Improv	Total	Land	Improv	Total
Base	\$14,000	\$2,500	\$16,500	\$4,900	\$880	\$5,780
TIF	\$0	\$0	\$0	\$0	\$0	\$0
Exempt	\$0	\$0	\$0	\$0	\$0	\$0
Total	\$14,000	\$2,500	\$16,500	\$4,900	\$880	\$5,780
CAUV	\$0					

Building Data

N/A

Sketch Legend

1 PAVING ASP - PA1:PAVING ASPHALT 2400 Sq. Ft.



APPENDIX H
ENVIRONMENTAL DATABASE REPORT

Bexley Ferndale

921 Ferndale Place
Columbus, OH 43209

Inquiry Number: 5196641.2s
February 22, 2018

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	163
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-13
Physical Setting Source Map Findings	A-15
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
 Please contact EDR at 1-800-352-0050
 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

921 FERNDALE PLACE
COLUMBUS, OH 43209

COORDINATES

Latitude (North): 39.9492900 - 39° 56' 57.44"
Longitude (West): 82.9403170 - 82° 56' 25.14"
Universal Transverse Mercator: Zone 17
UTM X (Meters): 334242.7
UTM Y (Meters): 4423721.5
Elevation: 759 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 5964751 SOUTHEAST COLUMBUS, OH
Version Date: 2013

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20150716
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:
 921 FERNDAL PLACE
 COLUMBUS, OH 43209

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1		953 FERNDAL PL	LEAD	Lower	69, 0.013, SSE
A2	BEXLEY MUFFLER KING	2140 EAST LIVINGSTON	CRO	Lower	202, 0.038, South
A3	MUFFLER KING, INC.	2140 E LIVINGSTON AV	ARCHIVE UST	Lower	202, 0.038, South
A4	GETREU TEXACO SERV	2140 E LIVINGSTON	EDR Hist Auto	Lower	202, 0.038, South
A5	MUFFLER KING	2140 LIVINGSTON AVE	RGA LUST	Lower	202, 0.038, South
A6	MUFFLER KING	2140 LIVINGSTON AVE	UNREG LTANKS, SPILLS	Lower	202, 0.038, South
A7	MUFFLER KING, INC.	2140 E LIVINGSTON AV	UST	Lower	202, 0.038, South
B8	SCOTT S SHIRT LAUNDR	2110 E LIVINGSTON	EDR Hist Cleaner	Lower	254, 0.048, SSW
A9	SEVRANCE TOWN CENTER	3640 MAYFIELD RD	SPILLS	Lower	256, 0.048, SSW
A10	WEBSTER MILO D	2172 E LIVINGSTON	EDR Hist Auto	Lower	266, 0.050, SE
A11	MS TINA SWANGER	2172 E LIVINGSTON	SPILLS	Lower	266, 0.050, SE
A12	MAYFIELD COIN OPERAT	6149 MAYFIELD RIDG	EDR Hist Cleaner	Lower	269, 0.051, SSW
B13	#261 LIVINGSTON AVE.	2080 E LIVINGSTON AV	RGA LUST	Lower	321, 0.061, SW
B14	#261 LIVINGSTON AVE.	2080 E LIVINGSTON AV	LUST, UST	Lower	321, 0.061, SW
C15	FORMER SUN OIL	2182 E LIVINGSTON AV	LUST	Higher	350, 0.066, SE
C16	FORMER SUN OIL	2182 E LIVINGSTON AV	RGA LUST	Higher	350, 0.066, SE
C17	BURNSIDE SUNOCO SERV	2182 E LIVINGSTON	EDR Hist Auto	Higher	350, 0.066, SE
B18	LIVINGSTON EXXON	2097 E LIVINGSTON	RGA LUST	Lower	394, 0.075, SSW
B19	THORNTONS INC. #68	2097 E LIVINGSTON	RGA LUST	Lower	394, 0.075, SSW
B20	THORNTONS INC	2097 E LIVINGSTON AV	EDR Hist Auto	Lower	394, 0.075, SSW
B21	THORNTON OIL 68	2097 E LIVINGSTON AV	FINDS	Lower	394, 0.075, SSW
B22	LIVINGSTON EXXON	2097 E LIVINGSTON	LUST, UST, ARCHIVE UST	Lower	394, 0.075, SSW
B23	THORTON'S INC #68	2097 LIVINGSTON AVE	UIC	Lower	394, 0.075, SSW
B24	TIM HORTONS	2060 E LIVINGSTON AV	NPDES	Lower	431, 0.082, SW
B25	SOHIO SERVICE STA	2080 E LIVINGSTON	EDR Hist Auto	Lower	443, 0.084, WSW
B26	#261 LIVINGSTON AVE.	2080 E LIVINGSTON AV	ARCHIVE UST	Lower	443, 0.084, WSW
B27	BP OIL CO	2080 E LIVINGSTON AV	RCRA-CESQG, FINDS, ECHO	Lower	443, 0.084, WSW
C28	BEXLEY PLAZA SHOPPIN	2187 E LIVINGSTON AV	RGA LUST	Lower	482, 0.091, SE
C29	REAL ESTATE INVESTME	2187 E LIVINGSTON AV	ARCHIVE UST	Lower	482, 0.091, SE
C30	REAL ESTATE INVESTME	2187 E LIVINGSTON AV	RGA LUST	Lower	482, 0.091, SE
C31	REAL ESTATE INVESTME	2187 E LIVINGSTON AV	LUST, UST	Lower	482, 0.091, SE
C32	BEXLEY PLAZA SHOPPIN	2187 E LIVINGSTON AV	RGA LUST	Lower	482, 0.091, SE
D33		2087 EAST LIVINGSTON	DOT OPS	Lower	567, 0.107, SW
D34	RICKS AUTOMATIC CAR	2087 E LIVINGSTON AV	EDR Hist Auto	Lower	567, 0.107, SW
E35	DARBY SERVICE CO	2217 E LIVINGSTON	EDR Hist Auto	Higher	633, 0.120, SE
E36	MC KINLEY MOTOR SERV	2221 E LIVINGSTON	EDR Hist Auto	Higher	653, 0.124, SE
E37	SPEEDWAY #5194	2240 LIVINGSTON AVE	RGA LUST	Higher	709, 0.134, ESE
E38	STARVIN MARVIN 5194	2240 E LIVINGSTON	RCRA-CESQG, FINDS, ECHO	Higher	709, 0.134, ESE
E39	SPEEDWAY #5194	2240 E LIVINGSTON AV	LUST, UST, ARCHIVE UST	Higher	709, 0.134, ESE

MAPPED SITES SUMMARY

Target Property Address:
 921 FERNDAL PLACE
 COLUMBUS, OH 43209

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
E40	SPEEDWAY SERVICE	2240 E LIVINGSTON	EDR Hist Auto	Higher	709, 0.134, ESE
E41	SPEEDWAY #5194	2240 E LIVINGSTON	RGA LUST	Higher	709, 0.134, ESE
E42	SPEEDWAY #5194	2240 E LIVINGSTON AV	RGA LUST	Higher	709, 0.134, ESE
43		956 COLLEGE AVE	LEAD	Higher	748, 0.142, East
E44	J & A PURE OIL	2253 LIVINGSTON	EDR Hist Auto	Higher	779, 0.148, ESE
E45	FORMER UNOCAL 9097-1	2253 E LIVINGSTON AV	RGA LUST	Higher	779, 0.148, ESE
E46	76 SERVICE STATION	2253 E LIVINGSTON AV	ARCHIVE UST	Higher	779, 0.148, ESE
E47	76 SERVICE STATION	2253 E LIVINGSTON AV	LUST, UST	Higher	779, 0.148, ESE
E48	UNOCAL	2253 E LIVINGSTON AV	RGA LUST	Higher	779, 0.148, ESE
E49	UNOCAL NO 123	2253 E LIVINGSTON AV	FINDS	Higher	779, 0.148, ESE
E50	76 SERVICE STATION	2253 E LIVINGSTON AV	RGA LUST	Higher	779, 0.148, ESE
51	BERWICK SHELL STATIO	2260 E LIVINGSTON	EDR Hist Auto	Higher	934, 0.177, ESE
F52	SAFETY KLEEN	I70 WB BTWN RT 33 &	SPILLS	Higher	949, 0.180, WSW
F53	LANDSTAR RANGER	I-70 EB 103 MM AT LI	SPILLS	Higher	949, 0.180, WSW
F54	MARION S GULF	1999 E LIVINGSTON	EDR Hist Auto	Higher	983, 0.186, WSW
F55	RMI TITANIUM	LIVINGSTON AVE & I-7	SPILLS	Higher	983, 0.186, WSW
56	KRAMER JOHN	1991 E LIVINGSTON	EDR Hist Auto	Lower	986, 0.187, SW
G57	ALUM CREEK GI, COLUM	RIVER MILE 3.8 N TO	DERR, VAPOR	Lower	1045, 0.198, NW
58	BERWICK DRY CLEANERS	1047 COLLEGE AVE	EDR Hist Cleaner	Higher	1063, 0.201, SE
H59	UNK	ALUM & LIVINGSTON	SPILLS	Lower	1066, 0.202, West
I60		I-70 EB @ ALUM CREEK	SPILLS 90	Higher	1172, 0.222, WSW
61	SEWARD MOTOR FREIGHT	I71 WB ON ALUM CREEK	SPILLS	Higher	1196, 0.227, WNW
H62	COLUMBIA GAS TRANSMI	ALUM CREEK DR	FINDS, ECHO	Higher	1235, 0.234, West
I63	BP OIL CO. #07723	1971 E LIVINGSTON AV	RGA LUST	Higher	1243, 0.235, WSW
I64	BP OIL CO. #07723	1971 E LIVINGSTON AV	LUST, UST	Higher	1243, 0.235, WSW
I65	BP OIL CO. #07723	1971 E LIVINGSTON AV	ARCHIVE UST	Higher	1243, 0.235, WSW
I66	STANDARD OIL CO	1971 E LIVINGSTON	EDR Hist Auto	Higher	1243, 0.235, WSW
G67	HANFORD VILLAGE PARK	755 ALUM CREEK DR	NPDES	Lower	1255, 0.238, NW
68	COLUMBUS WWTP	2295 LIVINGSTON AVE	SPILLS	Higher	1297, 0.246, ESE
69		2012 KENT STREET	LEAD	Lower	1324, 0.251, NW
I70	UNK	ALUM CREEK & LIVINGS	SPILLS	Higher	1361, 0.258, WSW
I71	SOHIO	ALUM CREEK & LIVINGS	RGA LUST	Higher	1361, 0.258, WSW
I72	BP #07723	ALUM CREEK & LIVINGS	RGA LUST	Higher	1361, 0.258, WSW
I73	STANDARD OIL CO	LIVINGSTON & ALUM CR	SPILLS	Higher	1361, 0.258, WSW
I74	DIRECT TRANSIT	ALUM CREEK @ LIVINGS	SPILLS	Higher	1361, 0.258, WSW
I75	CAPITAL UNIVERSITY	ALUM CREEK AT LIVING	SPILLS	Higher	1363, 0.258, WSW
J76	SYNA LLC	995 ALUM CREEK DR	EDR Hist Auto	Higher	1422, 0.269, WSW
K77	LEO YASSENOFF JEWISH	1125 COLLEGE AVE	FINDS	Higher	1443, 0.273, SE
78		1937 CLAY CT	LEAD	Higher	1478, 0.280, West

MAPPED SITES SUMMARY

Target Property Address:
 921 FERNDALE PLACE
 COLUMBUS, OH 43209

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
J79	RICH OIL NO 7152	1001 ALUM CREEK DR	FINDS	Higher	1494, 0.283, WSW
J80	ALUM CREEK MARATHON	1001 ALUM CREEK DR	RGA LUST	Higher	1494, 0.283, WSW
J81	SAVE MORE GAS STA	1001 ALUM CREEK DR	EDR Hist Auto	Higher	1494, 0.283, WSW
J82	RICH OIL NO 3752	1001 ALUM CREEK DR	RCRA NonGen / NLR, FINDS	Higher	1494, 0.283, WSW
J83	RICH OIL #3752	1001 ALUM CREEK DR	RGA LUST	Higher	1494, 0.283, WSW
J84	SAVE MOR STORE	1001 ALUM CREEK DR	SPILLS	Higher	1494, 0.283, WSW
J85	ALUM CREEK MARATHON	1001 ALUM CREEK DR	LUST, UST, ARCHIVE UST	Higher	1494, 0.283, WSW
J86	SCHALL C & C SUPER S	1931 E LIVINGSTON	EDR Hist Auto	Higher	1496, 0.283, WSW
J87	S LIVINGSTON INC	1937 E LIVINGSTON AV	RGA LUST	Lower	1515, 0.287, WSW
J88	SHELL GDF 234-1793-0	1937 E LIVINGSTON AV	FINDS	Lower	1515, 0.287, WSW
J89	LIVINGSTON SHELL	1937 E LIVINGSTON AV	LUST, UST, ARCHIVE UST	Lower	1515, 0.287, WSW
J90	TRUE NORTH #613	1937 E LIVINGSTON AV	RGA LUST	Lower	1515, 0.287, WSW
J91	SHELL OIL CO. #23417	1937 E LIVINGSTON AV	RGA LUST	Lower	1515, 0.287, WSW
J92	MACCULOCH CHAD	1937 E LIVINGSTON AV	EDR Hist Auto	Lower	1515, 0.287, WSW
L93	LOGISTICS TRUCKING C	1100 ALUM CREEK DR	SPILLS	Higher	1515, 0.287, SW
J94	RICH OIL NO 3752 *	1001 ALUM CREEK DR	ECHO	Higher	1539, 0.291, WSW
95	FREMONT CONTRACT CAR	ODOT ROW N OF 1954 C	SPILLS	Lower	1551, 0.294, WNW
M96	HERITAGE TOWER	1151 COLLEGE AVE	UNREG LTANKS, NPDES	Lower	1558, 0.295, SSE
M97	WEXNER HERITAGE HOUS	1151 COLLEGE AVE	UST, ARCHIVE UST	Lower	1558, 0.295, SSE
M98	HERITAGE TOWER	1151 COLLEGE AVE	RGA LUST	Lower	1558, 0.295, SSE
99	UNK	807 LYMAN AVE	SPILLS	Lower	1588, 0.301, NW
N100	CLARK OIL CO	1910 E LIVINGSTON	EDR Hist Auto	Higher	1637, 0.310, West
O101		2326 BERWICK RD.	LEAD	Higher	1643, 0.311, ESE
O102		2326 BERWICK	LEAD	Higher	1643, 0.311, ESE
K103	OLEG LUNIN	1145 COLLEGE AVE APT	SPILLS	Higher	1643, 0.311, SE
K104	HERITAGE TOWER	1145 COLLEGE AVE	UST	Higher	1643, 0.311, SE
L105	OBERFIELDS INC	1165 ALUM CREEK DR	RCRA-CESQG, FINDS, ECHO	Higher	1677, 0.318, SW
P106	PERMA-FLEX MOLD CO I	1919 E LIVINGSTON AV	FINDS	Lower	1697, 0.321, WSW
P107	PERMA-FLEX MOLD CO	1919 EAST LIVINGSTON	SPILLS	Lower	1697, 0.321, WSW
Q108		1905 GAULT	LEAD	Higher	1702, 0.322, West
N109	FAMILY DOLLAR #10063	1900 E LIVINGSTON AV	RCRA-CESQG, FINDS, ECHO	Higher	1710, 0.324, West
O110		2338 BERWICK	LEAD	Higher	1751, 0.332, ESE
O111		2353 E. LIVINGSTON A	LEAD	Higher	1751, 0.332, ESE
Q112	SUPERIOR WELDING CO	906 S NELSON RD	NPDES	Lower	1807, 0.342, West
113	POLSON RESIDENCE - R	2372 EAST LIVINGSTON	SPILLS	Higher	1820, 0.345, ESE
114	64 66 WISCONSIN LLC	681 COLLEGE AVE	EDR Hist Auto	Higher	1825, 0.346, North
R115	NATIONWIDE TRUCK BRO	1156 ALUM CREEK DR	SPILLS	Higher	1834, 0.347, SSW
S116	PREFAB TRANSIT	1185 ALUM CREEK DR	LUST	Lower	1913, 0.362, SW
S117	PREFAB TRANSIT	1185 ALUM CREEK DR	RGA LUST	Lower	1913, 0.362, SW

MAPPED SITES SUMMARY

Target Property Address:
 921 FERNDALE PLACE
 COLUMBUS, OH 43209

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
118	VERIZON WIRELESS - N	861 NELSON RD	FINDS	Lower	1949, 0.369, WNW
T119	UNK	KENTON AVE E END AT	SPILLS	Lower	1959, 0.371, NNW
T120		2052 KENTON AVE.	LEAD	Lower	1986, 0.376, NNW
T121		2052 KENTON AVENUE	LEAD	Lower	1986, 0.376, NNW
T122		2052 KENTON ST	LEAD	Lower	1990, 0.377, NNW
U123	BYNUM HOBERT	1889 E LIVINGSTON	EDR Hist Auto	Lower	2012, 0.381, WSW
U124	UNK	MEMORY LANE BETWEEN	SPILLS	Lower	2012, 0.381, WSW
R125	COMMUNITY BUS SERVIC	1160 ALUM CREEK DR	FINDS	Lower	2014, 0.381, SSW
R126	SENTEK CORP	1160B ALUM CREEK DR	SPILLS, NPDES	Lower	2014, 0.381, SSW
V127	OHIO POWER	1993 KENTON ST	SPILLS	Higher	2056, 0.389, NW
V128		1993 KENTON ST	ERNS	Higher	2056, 0.389, NW
129	OBERFIELD'S INC PLAN	1221 ALUM CREEK DR	FINDS	Lower	2094, 0.397, SW
W130	BAYLOR TRUCKING INC	1245 ALUM CREEK DR	SPILLS	Lower	2113, 0.400, SW
W131	USA TRUCK	1245 ALUM CREEK DR	SPILLS	Lower	2113, 0.400, SW
W132		1245 ALUM CREEK DR	ERNS	Lower	2113, 0.400, SW
W133	BFGOODRICH ARROWHEAD	1251 ALUM CREEK DR.	RCRA NonGen / NLR, FINDS, ECHO	Lower	2122, 0.402, SW
W134	BF GOODRICH ARROWHEA	1251 ALUM CREEK DR	SPILLS	Lower	2122, 0.402, SW
V135	CURTIS LESTER F	2018 KENTON AV HA	EDR Hist Auto	Higher	2159, 0.409, NW
136	CAPITAL UNIVERSITY	789 EUCLAIRE AVE OFF	SPILLS	Higher	2174, 0.412, NE
X137	THE FINE LINE AUTO B	2071 PAYNE AVE	RCRA-SQG, FINDS, ECHO	Lower	2206, 0.418, NNW
X138	FINE LINE AUTO	2071 PAYNE AVE OFF L	SPILLS	Lower	2206, 0.418, NNW
V139	LISTONS PAINTING INC	1982 KENTON AVE	RCRA-CESQG, FINDS, ECHO	Lower	2252, 0.427, NW
Y140	CONTAINER MANAGEMENT	1826 EAST LIVINGSTON	FINDS, ECHO	Lower	2260, 0.428, West
Y141	HOFFMAN CONTAINER	1826 EAST LIVINGSTON	US BROWNFIELDS	Lower	2260, 0.428, West
Y142	HOFFMAN CONTAINER CO	1826 LIVINGSTON AVE	DERR, VAPOR	Lower	2260, 0.428, West
Y143	GENERAL THEMING CONT	1826 E LIVINGSTON AV	RCRA-SQG	Lower	2260, 0.428, West
Y144	GENERAL THEMING CONT	1826 E LIVINGSTON AV	NPDES	Lower	2260, 0.428, West
145		728 FRANCIS AVENUE	LEAD	Higher	2263, 0.429, NE
Z146	COLUMBUS MARBLE PROD	808 RHOADS AVE	NPDES	Higher	2314, 0.438, WNW
147	COLUMBUS WWTP	RHOADS AVE & GAULT S	SPILLS	Lower	2335, 0.442, West
Z148	COLUMBUS MARBLE PROD	808 RHOADS AVE	FINDS	Higher	2368, 0.448, WNW
149	NOBLE S INC	666 S NELSON RD	EDR Hist Auto	Higher	2388, 0.452, NW
150	COLUMBUS WWTP	MEDFORD PL & BROOKWO	SPILLS	Lower	2400, 0.455, SSE
151	AMP-OHIO GAS TURBINE	1225 COLLEGE DRIVE -	FINDS	Higher	2406, 0.456, SE
AA152	CONNS POTATO CHIPS	1271 ALUM CREEK DR	SPILLS	Lower	2406, 0.456, SSW
AA153	CONNS POTATO CHIPS	1271 ALUM CREEK DR	ARCHIVE UST	Lower	2406, 0.456, SSW
AA154	CONN'S POTATO CHIPS	1271 ALUM CREEK DR	RGALUST	Lower	2406, 0.456, SSW
AA155	CONN'S POTATO CHIPS	1271 ALUM CREEK DR	LUST, UST, NPDES	Lower	2406, 0.456, SSW
AB156	CAPITAL UNIVERSITY	2199 E MAIN ST	ICIS	Higher	2415, 0.457, North

MAPPED SITES SUMMARY

Target Property Address:
 921 FERNDAL PLACE
 COLUMBUS, OH 43209

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AB157	CAPITAL UNIVERSITY	2199 E MAIN ST	RCRA-SQG, FTTS, HIST FTTS, FINDS, ECHO	Higher	2415, 0.457, North
158	CHARLES E MERRILL PU	1300 ALUM CREEK DR	FINDS	Lower	2424, 0.459, SSW
159	UNK	MEMORY LANE N 500 FE	SPILLS	Lower	2428, 0.460, SW
AC160	PLANT	580 HOLTZMAN AVE	EDR Hist Cleaner	Lower	2490, 0.472, NNW
AD161		1799 BIDE A WEE PARK	LEAD	Lower	2514, 0.476, West
AA162	SIGNATURE CABINETRY	1285 ALUM CREEK DR	NPDES	Lower	2524, 0.478, SSW
163	DRIVING PARK RECREAT	1100 RHOADS AVE	NPDES	Lower	2557, 0.484, WSW
AC164	MOBILE OIL PITSTOP L	572 S NELSON RD UNIT	FINDS, ECHO	Lower	2618, 0.496, NW
AC165	JERRY'S TRANSMISSION	572 S NELSON RD BLDG	RCRA NonGen / NLR	Lower	2618, 0.496, NW
AC166	COLUMBUS AUTORAMA	572 S NELSON RD BLDG	RCRA NonGen / NLR, FINDS, ECHO	Lower	2618, 0.496, NW
AC167	JERRY'S TRANSMISSION	572 S NELSON RD BLDG	FINDS, ECHO	Lower	2618, 0.496, NW
AC168	MCCOMBE BODY SHOP	572 S NELSON RD BLDG	RCRA NonGen / NLR, FINDS, ECHO	Lower	2618, 0.496, NW
AC169	MOBILE OIL PITSTOP L	572 S NELSON RD UNIT	RCRA-CESQG	Lower	2618, 0.496, NW
AC170	ME COMBE MOTORS	572 S NELSON RD	EDR Hist Auto	Lower	2618, 0.496, NW
AD171	CITY OF COLUMBUS	1800 LIVINGSTON AVE	ARCHIVE UST	Lower	2618, 0.496, West
AD172	IGEL CONSTRUCTION	1800 LIVINGSTON AVE	SPILLS	Lower	2618, 0.496, West
AD173	CITY OF COLUMBUS	1800 LIVINGSTON AVE	RGA LUST	Lower	2618, 0.496, West
AD174	CITY OF COLUMBUS	1800 LIVINGSTON AVE	LUST, UST	Lower	2618, 0.496, West
AD175	CITY OF COLUMBUS FIR	1800 LIVINGSTON AVE	RGA LUST	Lower	2618, 0.496, West
176	COLUMBUS CITY DUMP	1400 ALUM CREEK DR	SEMS-ARCHIVE, DERR, HIST LF	Lower	3572, 0.677, SSW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

State- and tribal - equivalent CERCLIS

SHWS..... This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

EXECUTIVE SUMMARY

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Licensed Solid Waste Facilities

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

FEMA UST..... Underground Storage Tank Listing

AST..... Above Ground Storage Tanks

INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

HIST ENG CONTROLS..... Operation & Maintenance Agreements Database

HIST INST CONTROLS..... Institutional Controls Database

ENG CONTROLS..... Sites with Engineering Controls

INST CONTROL..... Sites with Institutional Engineering Controls

State and tribal voluntary cleanup sites

VCP..... Voluntary Action Program Sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

BROWNFIELDS..... Ohio Brownfield Inventory

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF..... Old Solid Waste Landfill

SWRCY..... Recycling Facility Listing

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

ODI..... Open Dump Inventory

IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register

CDL..... Clandestine Drug Lab Locations

US CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

EXECUTIVE SUMMARY

SPILLS 80..... SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System
PRP..... Potentially Responsible Parties
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
CONSENT..... Superfund (CERCLA) Consent Decrees
INDIAN RESERV..... Indian Reservations
FUSRAP..... Formerly Utilized Sites Remedial Action Program
UMTRA..... Uranium Mill Tailings Sites
LEAD SMELTERS..... Lead Smelter Sites
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
US MINES..... Mines Master Index File
ABANDONED MINES..... Abandoned Mines
UXO..... Unexploded Ordnance Sites
DOCKET HWC..... Hazardous Waste Compliance Docket Listing
FUELS PROGRAM..... EPA Fuels Program Registered Listing
AIRS..... Title V Permits Listing
COAL ASH..... Coal Ash Disposal Site Listing
DRYCLEANERS..... Drycleaner Facility Listing
Financial Assurance..... Financial Assurance Information Listing
HIST USD..... Urban Setting Designations Database
TOWNGAS..... DERR Towngas Database
USD..... Urban Setting Designation Sites

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF..... Recovered Government Archive Solid Waste Facilities List

EXECUTIVE SUMMARY

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/11/2017 has revealed that there are 3 RCRA-SQG sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>CAPITAL UNIVERSITY</i>	<i>2199 E MAIN ST</i>	<i>N 1/4 - 1/2 (0.457 mi.)</i>	<i>AB157</i>	<i>141</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>THE FINE LINE AUTO B</i>	<i>2071 PAYNE AVE</i>	<i>NNW 1/4 - 1/2 (0.418 mi.)</i>	<i>X137</i>	<i>120</i>
<i>GENERAL THEMING CONT</i>	<i>1826 E LIVINGSTON AV</i>	<i>W 1/4 - 1/2 (0.428 mi.)</i>	<i>Y143</i>	<i>130</i>

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 12/11/2017 has revealed that there are 6 RCRA-CESQG sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>STARVIN MARVIN 5194</i>	<i>2240 E LIVINGSTON</i>	<i>ESE 1/8 - 1/4 (0.134 mi.)</i>	<i>E38</i>	<i>50</i>
<i>OBERFIELDS INC</i>	<i>1165 ALUM CREEK DR</i>	<i>SW 1/4 - 1/2 (0.318 mi.)</i>	<i>L105</i>	<i>103</i>
<i>FAMILY DOLLAR #10063</i>	<i>1900 E LIVINGSTON AV</i>	<i>W 1/4 - 1/2 (0.324 mi.)</i>	<i>N109</i>	<i>106</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>BP OIL CO</i>	<i>2080 E LIVINGSTON AV</i>	<i>WSW 0 - 1/8 (0.084 mi.)</i>	<i>B27</i>	<i>42</i>

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LISTONS PAINTING INC MOBILE OIL PITSTOP L	1982 KENTON AVE 572 S NELSON RD UNIT	NW 1/4 - 1/2 (0.427 mi.) NW 1/4 - 1/2 (0.496 mi.)	V139 AC169	124 154

Federal ERNS list

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 09/18/2017 has revealed that there are 2 ERNS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1993 KENTON ST	NW 1/4 - 1/2 (0.389 mi.)	V128	116

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	1245 ALUM CREEK DR	SW 1/4 - 1/2 (0.400 mi.)	W132	117

State- and tribal - equivalent CERCLIS

DERR: The DERR database is an index of sites for which Ohio EPA maintains files. It includes sites with known or suspected contamination, but a site's inclusion in the database does not mean that it is now or has ever been contaminated.

A review of the DERR list, as provided by EDR, and dated 09/18/2017 has revealed that there are 3 DERR sites within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ALUM CREEK GI, COLUM DERR Id: 125001965 Activity: SA	RIVER MILE 3.8 N TO	NW 1/8 - 1/4 (0.198 mi.)	G57	68
HOFFMAN CONTAINER CO DERR Id: 125002255 Activity: COF	1826 LIVINGSTON AVE	W 1/4 - 1/2 (0.428 mi.)	Y142	129
COLUMBUS CITY DUMP DERR Id: 125000194 Activity: SA	1400 ALUM CREEK DR	SSW 1/2 - 1 (0.677 mi.)	176	161

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Commerce Division of State Fire Marshal's List of Reported Petroleum Underground Storage Tank Release Incidents.

A review of the LUST list, as provided by EDR, and dated 08/13/2017 has revealed that there are 12

EXECUTIVE SUMMARY

LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FORMER SUN OIL FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	2182 E LIVINGSTON AV	SE 0 - 1/8 (0.066 mi.)	C15	16
SPEEDWAY #5194 FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	2240 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.134 mi.)	E39	52
76 SERVICE STATION FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E47	62
BP OIL CO. #07723 FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	1971 E LIVINGSTON AV	WSW 1/8 - 1/4 (0.235 mi.)	I64	71
ALUM CREEK MARATHON FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J85	83

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
#261 LIVINGSTON AVE. FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	2080 E LIVINGSTON AV	SW 0 - 1/8 (0.061 mi.)	B14	13
LIVINGSTON EXXON FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	2097 E LIVINGSTON	SSW 0 - 1/8 (0.075 mi.)	B22	19
REAL ESTATE INVESTME FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	2187 E LIVINGSTON AV	SE 0 - 1/8 (0.091 mi.)	C31	46
LIVINGSTON SHELL FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J89	91
PREFAB TRANSIT FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	1185 ALUM CREEK DR	SW 1/4 - 1/2 (0.362 mi.)	S116	111
CONN'S POTATO CHIPS FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	1271 ALUM CREEK DR	SSW 1/4 - 1/2 (0.456 mi.)	AA155	139
CITY OF COLUMBUS FR Status: Inactive FR Status: NFA: No Further Action Facility Status: Inactive FR Status: NFA: No Further Action	1800 LIVINGSTON AVE	W 1/4 - 1/2 (0.496 mi.)	AD174	159

UNREG LTANKS: A suspected or confirmed release of petroleum from a non-regulated UST.

A review of the UNREG LTANKS list, as provided by EDR, and dated 08/25/1999 has revealed that there are 2 UNREG LTANKS sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MUFFLER KING	2140 LIVINGSTON AVE	S 0 - 1/8 (0.038 mi.)	A6	10

EXECUTIVE SUMMARY

Facility Status: RPT
 Facility Id: 253388
 Incident Number: 251320100

HERITAGE TOWER	1151 COLLEGE AVE	SSE 1/4 - 1/2 (0.295 mi.)	M96	98
Facility Status: DEF				
Facility Id: -0-				
Incident Number: 258159300				

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Commerce Division of State Fire Marshal's Facility File.

A review of the UST list, as provided by EDR, and dated 01/04/2018 has revealed that there are 13 UST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SPEEDWAY #5194 Facility Id: 25000606 Tank Status: CIU - Currently In Use	2240 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.134 mi.)	E39	52
76 SERVICE STATION Facility Id: 25000777 Tank Status: REM - Removed	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E47	62
BP OIL CO. #07723 Facility Id: 25001454 Tank Status: REM - Removed	1971 E LIVINGSTON AV	WSW 1/8 - 1/4 (0.235 mi.)	I64	71
ALUM CREEK MARATHON Facility Id: 25000436 Tank Status: REM - Removed Tank Status: CIU - Currently In Use	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J85	83
HERITAGE TOWER Facility Id: 25011135 Tank Status: REM - Removed	1145 COLLEGE AVE	SE 1/4 - 1/2 (0.311 mi.)	K104	102
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MUFFLER KING, INC. Facility Id: 25003388 Tank Status: REM - Removed	2140 E LIVINGSTON AV	S 0 - 1/8 (0.038 mi.)	A7	10
#261 LIVINGSTON AVE. Facility Id: 25001665 Tank Status: REM - Removed	2080 E LIVINGSTON AV	SW 0 - 1/8 (0.061 mi.)	B14	13
LIVINGSTON EXXON Facility Id: 25001432 Tank Status: CIU - Currently In Use	2097 E LIVINGSTON	SSW 0 - 1/8 (0.075 mi.)	B22	19
REAL ESTATE INVESTME Facility Id: 25002517 Tank Status: REM - Removed	2187 E LIVINGSTON AV	SE 0 - 1/8 (0.091 mi.)	C31	46
LIVINGSTON SHELL	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J89	91

EXECUTIVE SUMMARY

Facility Id: 25000129
 Tank Status: CIU - Currently In Use

WEXNER HERITAGE HOUS **1151 COLLEGE AVE** **SSE 1/4 - 1/2 (0.295 mi.)** **M97** **98**

Facility Id: 25002626
 Tank Status: CIU - Currently In Use

CONN'S POTATO CHIPS **1271 ALUM CREEK DR** **SSW 1/4 - 1/2 (0.456 mi.)** **AA155** **139**

Facility Id: 25010851
 Tank Status: CLO - In Place

CITY OF COLUMBUS **1800 LIVINGSTON AVE** **W 1/4 - 1/2 (0.496 mi.)** **AD174** **159**

Facility Id: 25000023
 Tank Status: REM - Removed

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 01/19/2018 has revealed that there is 1 US BROWNFIELDS site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HOFFMAN CONTAINER	1826 EAST LIVINGSTON	W 1/4 - 1/2 (0.428 mi.)	Y141	127

Local Lists of Registered Storage Tanks

ARCHIVE UST: Underground storage tank records that have been removed from the Underground Storage Tank database.

A review of the ARCHIVE UST list, as provided by EDR, and dated 01/04/2018 has revealed that there are 12 ARCHIVE UST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SPEEDWAY #5194 Facility Number: 25000606 Tank Status: CIU	2240 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.134 mi.)	E39	52
76 SERVICE STATION Facility Number: 25000777 Tank Status: REM	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E46	61
BP OIL CO. #07723 Facility Number: 25001454 Tank Status: REM	1971 E LIVINGSTON AV	WSW 1/8 - 1/4 (0.235 mi.)	I65	73
ALUM CREEK MARATHON Facility Number: 25000436	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J85	83

EXECUTIVE SUMMARY

Tank Status: CIU
Tank Status: REM

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MUFFLER KING, INC. Facility Number: 25003388 Tank Status: REM	2140 E LIVINGSTON AV	S 0 - 1/8 (0.038 mi.)	A3	8
LIVINGSTON EXXON Facility Number: 25001432 Tank Status: CIU	2097 E LIVINGSTON	SSW 0 - 1/8 (0.075 mi.)	B22	19
#261 LIVINGSTON AVE. Facility Number: 25001665 Tank Status: REM	2080 E LIVINGSTON AV	WSW 0 - 1/8 (0.084 mi.)	B26	41
REAL ESTATE INVESTME Facility Number: 25002517 Tank Status: REM	2187 E LIVINGSTON AV	SE 0 - 1/8 (0.091 mi.)	C29	44
LIVINGSTON SHELL Facility Number: 25000129 Tank Status: CIU	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J89	91
WEXNER HERITAGE HOUS Facility Number: 25002626 Tank Status: CIU	1151 COLLEGE AVE	SSE 1/4 - 1/2 (0.295 mi.)	M97	98
CONNS POTATO CHIPS Facility Number: 25010851 Tank Status: CLO	1271 ALUM CREEK DR	SSW 1/4 - 1/2 (0.456 mi.)	AA153	138
CITY OF COLUMBUS Facility Number: 25000023 Tank Status: REM	1800 LIVINGSTON AVE	W 1/4 - 1/2 (0.496 mi.)	AD171	158

Records of Emergency Release Reports

SPILLS: The Spills Database comes from the Ohio EPA.

A review of the SPILLS list, as provided by EDR, and dated 05/12/2017 has revealed that there are 35 SPILLS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SAFETY KLEEN Spill No.: 8908-25-2991	I70 WB BTWN RT 33 &	WSW 1/8 - 1/4 (0.180 mi.)	F52	67
LANDSTAR RANGER Spill No.: 1105-25-1762	I-70 EB 103 MM AT LI	WSW 1/8 - 1/4 (0.180 mi.)	F53	67
RMI TITANIUM Spill No.: 9109-25-3904	LIVINGSTON AVE & I-7	WSW 1/8 - 1/4 (0.186 mi.)	F55	68
SEWARD MOTOR FREIGHT Spill No.: 9609-25-3855	I71 WB ON ALUM CREEK	WNW 1/8 - 1/4 (0.227 mi.)	61	70
COLUMBUS WWTP Spill No.: 1702-25-0324	2295 LIVINGSTON AVE	ESE 1/8 - 1/4 (0.246 mi.)	68	75
UNK	ALUM CREEK & LIVINGS	WSW 1/4 - 1/2 (0.258 mi.)	I70	77

EXECUTIVE SUMMARY

Spill No.: 9907-25-2408				
STANDARD OIL CO	LIVINGSTON & ALUM CR	WSW 1/4 - 1/2 (0.258 mi.)	I73	77
Spill No.: 8404-25-0912				
DIRECT TRANSIT	ALUM CREEK @ LIVINGS	WSW 1/4 - 1/2 (0.258 mi.)	I74	78
Spill No.: 9503-25-0964				
CAPITAL UNIVERSITY	ALUM CREEK AT LIVING	WSW 1/4 - 1/2 (0.258 mi.)	I75	78
Spill No.: 1002-25-0324				
SAVE MOR STORE	1001 ALUM CREEK DRIV	WSW 1/4 - 1/2 (0.283 mi.)	J84	83
Spill No.: 9106-25-2153				
LOGISTICS TRUCKING C	1100 ALUM CREEK DR	SW 1/4 - 1/2 (0.287 mi.)	L93	97
Spill No.: 9306-25-2599				
OLEG LUNIN	1145 COLLEGE AVE APT	SE 1/4 - 1/2 (0.311 mi.)	K103	102
Spill No.: 1008-25-2323				
POLSON RESIDENCE - R	2372 EAST LIVINGSTON	ESE 1/4 - 1/2 (0.345 mi.)	113	110
Spill No.: 0803-25-0982				
NATIONWIDE TRUCK BRO	1156 ALUM CREEK DR	SSW 1/4 - 1/2 (0.347 mi.)	R115	111
Spill No.: 9709-25-3694				
OHIO POWER	1993 KENTON ST	NW 1/4 - 1/2 (0.389 mi.)	V127	115
Spill No.: 1401-25-0121				
CAPITAL UNIVERSITY	789 EUCLAIRE AVE OFF	NE 1/4 - 1/2 (0.412 mi.)	136	120
Spill No.: 1002-25-0333				
Lower Elevation	Address	Direction / Distance	Map ID	Page
MUFFLER KING	2140 LIVINGSTON AVE	S 0 - 1/8 (0.038 mi.)	A6	10
Spill No.: 9112-25-5096				
SEVRANCE TOWN CENTER	3640 MAYFIELD RD	SSW 0 - 1/8 (0.048 mi.)	A9	12
Spill No.: 9608-18-3818				
MS TINA SWANGER	2172 E LIVINGSTON	SE 0 - 1/8 (0.050 mi.)	A11	13
Spill No.: 9202-25-0445				
UNK	ALUM & LIVINGTON	W 1/8 - 1/4 (0.202 mi.)	H59	69
Spill No.: 9207-25-2850				
FREMONT CONTRACT CAR	ODOT ROW N OF 1954 C	WNW 1/4 - 1/2 (0.294 mi.)	95	97
Spill No.: 1008-25-2335				
UNK	807 LYMAN AVE	NW 1/4 - 1/2 (0.301 mi.)	99	100
Spill No.: 9801-25-0113				
PERMA-FLEX MOLD CO	1919 EAST LIVINGSTON	WSW 1/4 - 1/2 (0.321 mi.)	P107	105
Spill No.: 9103-25-0668				
UNK	KENTON AVE E END AT	NNW 1/4 - 1/2 (0.371 mi.)	T119	112
Spill No.: 9906-25-2166				
UNK	MEMORY LANE BETWEEN	WSW 1/4 - 1/2 (0.381 mi.)	U124	114
Spill No.: 9205-25-1802				
SENTEK CORP	1160B ALUM CREEK DR	SSW 1/4 - 1/2 (0.381 mi.)	R126	115
Spill No.: 0201-25-0273				
BAYLOR TRUCKING INC	1245 ALUM CREEK DR	SW 1/4 - 1/2 (0.400 mi.)	W130	116
Spill No.: 1304-25-0884				
USA TRUCK	1245 ALUM CREEK DR	SW 1/4 - 1/2 (0.400 mi.)	W131	117

EXECUTIVE SUMMARY

Spill No.: 1309-25-2079				
BF GOODRICH ARROWHEA	1251 ALUM CREEK DR	SW 1/4 - 1/2 (0.402 mi.)	W134	119
Spill No.: 9305-25-1956				
FINE LINE AUTO	2071 PAYNE AVE OFF L	NNW 1/4 - 1/2 (0.418 mi.)	X138	124
Spill No.: 0505-25-2206				
COLUMBUS WWTP	RHOADS AVE & GAULT S	W 1/4 - 1/2 (0.442 mi.)	147	135
Spill No.: 0112-25-4673				
COLUMBUS WWTP	MEDFORD PL & BROOKWO	SSE 1/4 - 1/2 (0.455 mi.)	150	137
Spill No.: 9812-25-5005				
CONNS POTATO CHIPS	1271 ALUM CREEK DR	SSW 1/4 - 1/2 (0.456 mi.)	AA152	138
Spill No.: 0306-25-2087				
UNK	MEMORY LANE N 500 FE	SW 1/4 - 1/2 (0.460 mi.)	159	144
Spill No.: 9511-25-4607				
IGEL CONSTRUCTION	1800 LIVINGSTON AVE	W 1/4 - 1/2 (0.496 mi.)	AD172	159
Spill No.: 9212-25-5072				

SPILLS 90: Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

A review of the SPILLS 90 list, as provided by EDR, and dated 09/13/2012 has revealed that there is 1 SPILLS 90 site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Site Id: OHSP-1006-3189	I-70 EB @ ALUM CREEK	WSW 1/8 - 1/4 (0.222 mi.)	I60	69

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/11/2017 has revealed that there are 5 RCRA NonGen / NLR sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>RICH OIL NO 3752</i>	<i>1001 ALUM CREEK DR</i>	<i>WSW 1/4 - 1/2 (0.283 mi.)</i>	<i>J82</i>	<i>81</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>BFGOODRICH ARROWHEAD</i>	<i>1251 ALUM CREEK DR.</i>	<i>SW 1/4 - 1/2 (0.402 mi.)</i>	<i>W133</i>	<i>117</i>
<i>JERRY'S TRANSMISSION</i>	<i>572 S NELSON RD BLDG</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC165</i>	<i>146</i>
<i>COLUMBUS AUTORAMA</i>	<i>572 S NELSON RD BLDG</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC166</i>	<i>148</i>
<i>MCCOMBE BODY SHOP</i>	<i>572 S NELSON RD BLDG</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC168</i>	<i>150</i>

EXECUTIVE SUMMARY

ICIS: The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

A review of the ICIS list, as provided by EDR, and dated 11/18/2016 has revealed that there is 1 ICIS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CAPITAL UNIVERSITY	2199 E MAIN ST	N 1/4 - 1/2 (0.457 mi.)	AB156	140

FTTS: FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act) over the previous five years. To maintain currency, EDR contacts the Agency on a quarterly basis.

A review of the FTTS list, as provided by EDR, has revealed that there is 1 FTTS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CAPITAL UNIVERSITY	2199 E MAIN ST	N 1/4 - 1/2 (0.457 mi.)	AB157	141
Database: FTTS INSP, Date of Government Version: 04/09/2009				

HIST FTTS: A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

A review of the HIST FTTS list, as provided by EDR, has revealed that there is 1 HIST FTTS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CAPITAL UNIVERSITY	2199 E MAIN ST	N 1/4 - 1/2 (0.457 mi.)	AB157	141
Database: HIST FTTS INSP, Date of Government Version: 10/19/2006				

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

A review of the DOT OPS list, as provided by EDR, and dated 07/31/2012 has revealed that there is 1 DOT OPS site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	2087 EAST LIVINGSTON	SW 0 - 1/8 (0.107 mi.)	D33	47

EXECUTIVE SUMMARY

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 07/23/2017 has revealed that there are 27 FINDS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
STARVIN MARVIN 5194	2240 E LIVINGSTON	ESE 1/8 - 1/4 (0.134 mi.)	E38	50
UNOCAL NO 123	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E49	66
COLUMBIA GAS TRANSMI	ALUM CREEK DR	W 1/8 - 1/4 (0.234 mi.)	H62	70
LEO YASSENOFF JEWISH	1125 COLLEGE AVE	SE 1/4 - 1/2 (0.273 mi.)	K77	79
RICH OIL NO 7152	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J79	80
ROBERFIELD NO 3752	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J82	81
OBERFIELDS INC	1165 ALUM CREEK DR	SW 1/4 - 1/2 (0.318 mi.)	L105	103
FAMILY DOLLAR #10063	1900 E LIVINGSTON AV	W 1/4 - 1/2 (0.324 mi.)	N109	106
COLUMBUS MARBLE PROD	808 RHOADS AVE	WNW 1/4 - 1/2 (0.448 mi.)	Z148	136
AMP-OHIO GAS TURBINE	1225 COLLEGE DRIVE -	SE 1/4 - 1/2 (0.456 mi.)	151	137
CAPITAL UNIVERSITY	2199 E MAIN ST	N 1/4 - 1/2 (0.457 mi.)	AB157	141
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
THORNTON OIL 68	2097 E LIVINGSTON AV	SSW 0 - 1/8 (0.075 mi.)	B21	18
BP OIL CO	2080 E LIVINGSTON AV	WSW 0 - 1/8 (0.084 mi.)	B27	42
SHELL GDF 234-1793-0	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J88	91
PERMA-FLEX MOLD CO I	1919 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.321 mi.)	P106	105
VERIZON WIRELESS - N	861 NELSON RD	WNW 1/4 - 1/2 (0.369 mi.)	118	112
COMMUNITY BUS SERVIC	1160 ALUM CREEK DR	SSW 1/4 - 1/2 (0.381 mi.)	R125	114
OBERFIELD'S INC PLAN	1221 ALUM CREEK DR	SW 1/4 - 1/2 (0.397 mi.)	129	116
BFGOODRICH ARROWHEAD	1251 ALUM CREEK DR.	SW 1/4 - 1/2 (0.402 mi.)	W133	117
THE FINE LINE AUTO B	2071 PAYNE AVE	NNW 1/4 - 1/2 (0.418 mi.)	X137	120
LISTONS PAINTING INC	1982 KENTON AVE	NW 1/4 - 1/2 (0.427 mi.)	V139	124
CONTAINER MANAGEMENT	1826 EAST LIVINGSTON	W 1/4 - 1/2 (0.428 mi.)	Y140	126
CHARLES E MERRILL PU	1300 ALUM CREEK DR	SSW 1/4 - 1/2 (0.459 mi.)	158	143
MOBILE OIL PITSTOP L	572 S NELSON RD UNIT	NW 1/4 - 1/2 (0.496 mi.)	AC164	145
COLUMBUS AUTORAMA	572 S NELSON RD BLDG	NW 1/4 - 1/2 (0.496 mi.)	AC166	148
JERRY'S TRANSMISSION	572 S NELSON RD BLDG	NW 1/4 - 1/2 (0.496 mi.)	AC167	150
MCCOMBE BODY SHOP	572 S NELSON RD BLDG	NW 1/4 - 1/2 (0.496 mi.)	AC168	150

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 09/02/2017 has revealed that there are 15 ECHO sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
STARVIN MARVIN 5194	2240 E LIVINGSTON	ESE 1/8 - 1/4 (0.134 mi.)	E38	50
COLUMBIA GAS TRANSMI	ALUM CREEK DR	W 1/8 - 1/4 (0.234 mi.)	H62	70
RICH OIL NO 3752 *	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.291 mi.)	J94	97
OBERFIELDS INC	1165 ALUM CREEK DR	SW 1/4 - 1/2 (0.318 mi.)	L105	103
FAMILY DOLLAR #10063	1900 E LIVINGSTON AV	W 1/4 - 1/2 (0.324 mi.)	N109	106

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>CAPITAL UNIVERSITY</i>	<i>2199 E MAIN ST</i>	<i>N 1/4 - 1/2 (0.457 mi.)</i>	<i>AB157</i>	<i>141</i>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>BP OIL CO</i>	<i>2080 E LIVINGSTON AV</i>	<i>WSW 0 - 1/8 (0.084 mi.)</i>	<i>B27</i>	<i>42</i>
<i>BFGOODRICH ARROWHEAD</i>	<i>1251 ALUM CREEK DR.</i>	<i>SW 1/4 - 1/2 (0.402 mi.)</i>	<i>W133</i>	<i>117</i>
<i>THE FINE LINE AUTO B</i>	<i>2071 PAYNE AVE</i>	<i>NNW 1/4 - 1/2 (0.418 mi.)</i>	<i>X137</i>	<i>120</i>
<i>LISTONS PAINTING INC</i>	<i>1982 KENTON AVE</i>	<i>NW 1/4 - 1/2 (0.427 mi.)</i>	<i>V139</i>	<i>124</i>
<i>CONTAINER MANAGEMENT</i>	<i>1826 EAST LIVINGSTON</i>	<i>W 1/4 - 1/2 (0.428 mi.)</i>	<i>Y140</i>	<i>126</i>
<i>MOBILE OIL PITSTOP L</i>	<i>572 S NELSON RD UNIT</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC164</i>	<i>145</i>
<i>COLUMBUS AUTORAMA</i>	<i>572 S NELSON RD BLDG</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC166</i>	<i>148</i>
<i>JERRY'S TRANSMISSION</i>	<i>572 S NELSON RD BLDG</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC167</i>	<i>150</i>
<i>MCCOMBE BODY SHOP</i>	<i>572 S NELSON RD BLDG</i>	<i>NW 1/4 - 1/2 (0.496 mi.)</i>	<i>AC168</i>	<i>150</i>

CRO: "Cessation of Regulated Operations" means the discontinuation or termination of regulated operations or the finalizing of any transaction or proceeding through which those operations are discontinued. "Regulated Operations" means the production, use, storage or handling of regulated substances.

A review of the CRO list, as provided by EDR, and dated 09/27/2017 has revealed that there is 1 CRO site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>BEXLEY MUFFLER KING</i> Facility Id: 1137	<i>2140 EAST LIVINGSTON</i>	<i>S 0 - 1/8 (0.038 mi.)</i>	<i>A2</i>	<i>8</i>

Department of Health lead inspections included in the Environmental Licensing System.

A review of the LEAD list, as provided by EDR, and dated 12/18/2017 has revealed that there are 14 LEAD sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	956 COLLEGE AVE	E 1/8 - 1/4 (0.142 mi.)	43	59
Not reported	1937 CLAY CT	W 1/4 - 1/2 (0.280 mi.)	78	79
Not reported	2326 BERWICK RD.	ESE 1/4 - 1/2 (0.311 mi.)	O101	100
Not reported	2326 BERWICK	ESE 1/4 - 1/2 (0.311 mi.)	O102	101
Not reported	1905 GAULT	W 1/4 - 1/2 (0.322 mi.)	Q108	106
Not reported	2338 BERWICK	ESE 1/4 - 1/2 (0.332 mi.)	O110	109
Not reported	2353 E. LIVINGSTON A	ESE 1/4 - 1/2 (0.332 mi.)	O111	110
Not reported	728 FRANCIS AVENUE	NE 1/4 - 1/2 (0.429 mi.)	145	135

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	953 FERNDAL PL	SSE 0 - 1/8 (0.013 mi.)	A1	8
Not reported	2012 KENT STREET	NW 1/4 - 1/2 (0.251 mi.)	69	75
Not reported	2052 KENTON AVE.	NNW 1/4 - 1/2 (0.376 mi.)	T120	113
Not reported	2052 KENTON AVENUE	NNW 1/4 - 1/2 (0.376 mi.)	T121	113
Not reported	2052 KENTON ST	NNW 1/4 - 1/2 (0.377 mi.)	T122	113
Not reported	1799 BIDE A WEE PARK	W 1/4 - 1/2 (0.476 mi.)	AD161	144

EXECUTIVE SUMMARY

NPDES: General information regarding NPDES (National Pollutant Discharge Elimination System) permits.

A review of the NPDES list, as provided by EDR, and dated 11/06/2017 has revealed that there are 10 NPDES sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
COLUMBUS MARBLE PROD Facility Npdes Permit: 4GRN00207*DG	808 RHOADS AVE	WNW 1/4 - 1/2 (0.438 mi.)	Z146	135
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
TIM HORTONS Facility Npdes Permit: 4GC03952*AG	2060 E LIVINGSTON AV	SW 0 - 1/8 (0.082 mi.)	B24	40
HANFORD VILLAGE PARK Facility Npdes Permit: 4GC04852*AG	755 ALUM CREEK DR	NW 1/8 - 1/4 (0.238 mi.)	G67	75
HERITAGE TOWER Facility Npdes Permit: 4GC00227*AG	1151 COLLEGE AVE	SSE 1/4 - 1/2 (0.295 mi.)	M96	98
SUPERIOR WELDING CO Facility Npdes Permit: 4GRN00785*EG	906 S NELSON RD	W 1/4 - 1/2 (0.342 mi.)	Q112	110
SENTEK CORP Facility Npdes Permit: 4GRN00739*EG	1160B ALUM CREEK DR	SSW 1/4 - 1/2 (0.381 mi.)	R126	115
GENERAL THEMING CONT Facility Npdes Permit: 4GRN00195*DG	1826 E LIVINGSTON AV	W 1/4 - 1/2 (0.428 mi.)	Y144	134
CONN'S POTATO CHIPS Facility Npdes Permit: 4GRN00743*EG	1271 ALUM CREEK DR	SSW 1/4 - 1/2 (0.456 mi.)	AA155	139
SIGNATURE CABINETRY Facility Npdes Permit: 4GRN00776*EG	1285 ALUM CREEK DR	SSW 1/4 - 1/2 (0.478 mi.)	AA162	145
DRIVING PARK RECREAT Facility Npdes Permit: 4GC04848*AG	1100 RHOADS AVE	WSW 1/4 - 1/2 (0.484 mi.)	163	145

VAPOR: A listing of vapor intrusion related sites.

A review of the VAPOR list, as provided by EDR, and dated 09/18/2017 has revealed that there are 2 VAPOR sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ALUM CREEK GI, COLUM HOFFMAN CONTAINER CO	RIVER MILE 3.8 N TO 1826 LIVINGSTON AVE	NW 1/8 - 1/4 (0.198 mi.) W 1/4 - 1/2 (0.428 mi.)	G57 Y142	68 129

UIC: A listing of underground injection well locations.

A review of the UIC list, as provided by EDR, and dated 04/08/2016 has revealed that there is 1 UIC site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
THORTON'S INC #68 Facility Status: Temporarily Abandoned	2097 LIVINGSTON AVE	SSW 0 - 1/8 (0.075 mi.)	B23	23

EXECUTIVE SUMMARY

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 24 EDR Hist Auto sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BURNSIDE SUNOCO SERV	2182 E LIVINGSTON	SE 0 - 1/8 (0.066 mi.)	C17	17
DARBY SERVICE CO	2217 E LIVINGSTON	SE 0 - 1/8 (0.120 mi.)	E35	49
MC KINLEY MOTOR SERV	2221 E LIVINGSTON	SE 0 - 1/8 (0.124 mi.)	E36	50
SPEEDWAY SERVICE	2240 E LIVINGSTON	ESE 1/8 - 1/4 (0.134 mi.)	E40	58
J & A PURE OIL	2253 LIVINGSTON	ESE 1/8 - 1/4 (0.148 mi.)	E44	60
BERWICK SHELL STATIO	2260 E LIVINGSTON	ESE 1/8 - 1/4 (0.177 mi.)	51	66
MARION S GULF	1999 E LIVINGSTON	WSW 1/8 - 1/4 (0.186 mi.)	F54	67
STANDARD OIL CO	1971 E LIVINGSTON	WSW 1/8 - 1/4 (0.235 mi.)	I66	75
SYNA LLC	995 ALUM CREEK DR	WSW 1/4 - 1/2 (0.269 mi.)	J76	78
SAVE MORE GAS STA	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J81	80
SCHALL C & C SUPER S	1931 E LIVINGSTON	WSW 1/4 - 1/2 (0.283 mi.)	J86	90
CLARK OIL CO	1910 E LIVINGSTON	W 1/4 - 1/2 (0.310 mi.)	N100	100
64 66 WISCONSIN LLC	681 COLLEGE AVE	N 1/4 - 1/2 (0.346 mi.)	114	111
CURTIS LESTER F	2018 KENTON AV HA	NW 1/4 - 1/2 (0.409 mi.)	V135	120
NOBLE S INC	666 S NELSON RD	NW 1/4 - 1/2 (0.452 mi.)	149	136
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GETREU TEXACO SERV	2140 E LIVINGSTON	S 0 - 1/8 (0.038 mi.)	A4	9
WEBSTER MILO D	2172 E LIVINGSTON	SE 0 - 1/8 (0.050 mi.)	A10	12
THORNTONS INC	2097 E LIVINGSTON AV	SSW 0 - 1/8 (0.075 mi.)	B20	18
SOHIO SERVICE STA	2080 E LIVINGSTON	WSW 0 - 1/8 (0.084 mi.)	B25	40
RICKS AUTOMATIC CAR	2087 E LIVINGSTON AV	SW 0 - 1/8 (0.107 mi.)	D34	49
KRAMER JOHN	1991 E LIVINGSTON	SW 1/8 - 1/4 (0.187 mi.)	56	68
MACCULOH CHAD	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J92	96
BYNUM HOBERT	1889 E LIVINGSTON	WSW 1/4 - 1/2 (0.381 mi.)	U123	114
ME COMBE MOTORS	572 S NELSON RD	NW 1/4 - 1/2 (0.496 mi.)	AC170	156

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and

EXECUTIVE SUMMARY

operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 4 EDR Hist Cleaner sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BERWICK DRY CLEANERS	1047 COLLEGE AVE	SE 1/8 - 1/4 (0.201 mi.)	58	69
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SCOTT S SHIRT LAUNDR	2110 E LIVINGSTON	SSW 0 - 1/8 (0.048 mi.)	B8	11
MAYFIELD COIN OPERAT	6149 MAYFIELD RIDG	SSW 0 - 1/8 (0.051 mi.)	A12	13
PLANT	580 HOLTZMAN AVE	NNW 1/4 - 1/2 (0.472 mi.)	AC160	144

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LUST: The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Commerce in Ohio.

A review of the RGA LUST list, as provided by EDR, has revealed that there are 27 RGA LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FORMER SUN OIL	2182 E LIVINGSTON AV	SE 0 - 1/8 (0.066 mi.)	C16	16
SPEEDWAY #5194	2240 LIVINGSTON AVE	ESE 1/8 - 1/4 (0.134 mi.)	E37	50
SPEEDWAY #5194	2240 E LIVINGSTON	ESE 1/8 - 1/4 (0.134 mi.)	E41	59
SPEEDWAY #5194	2240 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.134 mi.)	E42	59
FORMER UNOCAL 9097-1	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E45	60
UNOCAL	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E48	65
76 SERVICE STATION	2253 E LIVINGSTON AV	ESE 1/8 - 1/4 (0.148 mi.)	E50	66
BP OIL CO. #07723	1971 E LIVINGSTON AV	WSW 1/8 - 1/4 (0.235 mi.)	I63	70
SOHIO	ALUM CREEK & LIVINGS	WSW 1/4 - 1/2 (0.258 mi.)	I71	77
BP #07723	ALUM CREEK & LIVINGS	WSW 1/4 - 1/2 (0.258 mi.)	I72	77
ALUM CREEK MARATHON	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J80	80
RICH OIL #3752	1001 ALUM CREEK DR	WSW 1/4 - 1/2 (0.283 mi.)	J83	82
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MUFFLER KING	2140 LIVINGSTON AVE	S 0 - 1/8 (0.038 mi.)	A5	9
#261 LIVINGSTON AVE.	2080 E LIVINGSTON AV	SW 0 - 1/8 (0.061 mi.)	B13	13
LIVINGSTON EXXON	2097 E LIVINGSTON	SSW 0 - 1/8 (0.075 mi.)	B18	17
THORNTONS INC. #68	2097 E LIVINGSTON	SSW 0 - 1/8 (0.075 mi.)	B19	17
BEXLEY PLAZA SHOPPIN	2187 E LIVINGSTON AV	SE 0 - 1/8 (0.091 mi.)	C28	44
REAL ESTATE INVESTME	2187 E LIVINGSTON AV	SE 0 - 1/8 (0.091 mi.)	C30	45
BEXLEY PLAZA SHOPPIN	2187 E LIVINGSTON AV	SE 0 - 1/8 (0.091 mi.)	C32	47
S LIVINGSTON INC	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J87	91
TRUE NORTH #613	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J90	95
SHELL OIL CO. #23417	1937 E LIVINGSTON AV	WSW 1/4 - 1/2 (0.287 mi.)	J91	96
HERITAGE TOWER	1151 COLLEGE AVE	SSE 1/4 - 1/2 (0.295 mi.)	M98	100
PREFAB TRANSIT	1185 ALUM CREEK DR	SW 1/4 - 1/2 (0.362 mi.)	S117	112


EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONN'S POTATO CHIPS	1271 ALUM CREEK DR	SSW 1/4 - 1/2 (0.456 mi.)	AA154	139
CITY OF COLUMBUS	1800 LIVINGSTON AVE	W 1/4 - 1/2 (0.496 mi.)	AD173	159
CITY OF COLUMBUS FIR	1800 LIVINGSTON AVE	W 1/4 - 1/2 (0.496 mi.)	AD175	160

EXECUTIVE SUMMARY

There were no unmapped sites in this report.

OVERVIEW MAP - 5196641.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

100-year flood zone

500-year flood zone

National Wetland Inventory

Upgradient Area




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus OH 43209
 LAT/LONG: 39.94929 / 82.940317

CLIENT: Pandey Environmental, LLC
 CONTACT: Nick Vallera
 INQUIRY #: 5196641.2s
 DATE: February 22, 2018 11:38 am

DETAIL MAP - 5196641.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- Indian Reservations BIA
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Bexley Ferndale
 ADDRESS: 921 Ferndale Place
 Columbus OH 43209
 LAT/LONG: 39.94929 / 82.940317

CLIENT: Pandey Environmental, LLC
 CONTACT: Nick Vallera
 INQUIRY #: 5196641.2s
 DATE: February 22, 2018 11:40 am

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.500		0	0	0	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site list</i>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.500		0	0	0	NR	NR	0
RCRA-SQG	0.500		0	0	3	NR	NR	3
RCRA-CESQG	0.500		1	1	4	NR	NR	6
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	0.500		0	0	2	NR	NR	2
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS	N/A		N/A	N/A	N/A	N/A	N/A	N/A
DERR	1.000		0	1	1	1	NR	3
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		4	3	5	NR	NR	12
INDIAN LUST	0.500		0	0	0	NR	NR	0
UNREG LTANKS	0.500		1	0	1	NR	NR	2

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<i>State and tribal registered storage tank lists</i>								
FEMA UST	0.500		0	0	0	NR	NR	0
UST	0.500		4	3	6	NR	NR	13
AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.500		0	0	0	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
HIST ENG CONTROLS	0.500		0	0	0	NR	NR	0
HIST INST CONTROLS	0.500		0	0	0	NR	NR	0
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS	0.500		0	0	1	NR	NR	1
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
HIST LF	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US HIST CDL	0.500		0	0	0	NR	NR	0
CDL	0.500		0	0	0	NR	NR	0
US CDL	0.500		0	0	0	NR	NR	0
<i>Local Lists of Registered Storage Tanks</i>								
ARCHIVE UST	0.500		4	3	5	NR	NR	12
<i>Local Land Records</i>								
LIENS 2	0.500		0	0	0	NR	NR	0
<i>Records of Emergency Release Reports</i>								
HMIRS	0.500		0	0	0	NR	NR	0
SPILLS	0.500		3	6	26	NR	NR	35

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SPILLS 90	0.500		0	1	0	NR	NR	1
SPILLS 80	0.500		0	0	0	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.500		0	0	5	NR	NR	5
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.500		0	0	0	NR	NR	0
EPA WATCH LIST	0.500		0	0	0	NR	NR	0
2020 COR ACTION	0.500		0	0	0	NR	NR	0
TSCA	0.500		0	0	0	NR	NR	0
TRIS	0.500		0	0	0	NR	NR	0
SSTS	0.500		0	0	0	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.500		0	0	0	NR	NR	0
RAATS	0.500		0	0	0	NR	NR	0
PRP	0.500		0	0	0	NR	NR	0
PADS	0.500		0	0	0	NR	NR	0
ICIS	0.500		0	0	1	NR	NR	1
FTTS	0.500		0	0	1	NR	NR	1
MLTS	0.500		0	0	0	NR	NR	0
COAL ASH DOE	0.500		0	0	0	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.500		0	0	0	NR	NR	0
RADINFO	0.500		0	0	0	NR	NR	0
HIST FTTS	0.500		0	0	1	NR	NR	1
DOT OPS	0.500		1	0	0	NR	NR	1
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.500		0	0	0	NR	NR	0
US AIRS	0.500		0	0	0	NR	NR	0
US MINES	0.500		0	0	0	NR	NR	0
ABANDONED MINES	0.500		0	0	0	NR	NR	0
FINDS	0.500		2	3	22	NR	NR	27
UXO	1.000		0	0	0	0	NR	0
ECHO	0.500		1	2	12	NR	NR	15
DOCKET HWC	0.500		0	0	0	NR	NR	0
FUELS PROGRAM	0.500		0	0	0	NR	NR	0
AIRS	0.500		0	0	0	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
CRO	0.500		1	0	0	NR	NR	1
DRYCLEANERS	0.500		0	0	0	NR	NR	0
Financial Assurance	0.500		0	0	0	NR	NR	0
HIST USD	0.500		0	0	0	NR	NR	0
LEAD	0.500		1	1	12	NR	NR	14
NPDES	0.500		1	1	8	NR	NR	10
VAPOR	0.500		0	1	1	NR	NR	2
TOWNGAS	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
UIC	0.500		1	0	0	NR	NR	1
USD	0.500		0	0	0	NR	NR	0
<u>EDR HIGH RISK HISTORICAL RECORDS</u>								
<i>EDR Exclusive Records</i>								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.500		8	6	10	NR	NR	24
EDR Hist Cleaner	0.500		2	1	1	NR	NR	4
<u>EDR RECOVERED GOVERNMENT ARCHIVES</u>								
<i>Exclusive Recovered Govt. Archives</i>								
RGA LF	0.500		0	0	0	NR	NR	0
RGA LUST	0.500		8	7	12	NR	NR	27
- Totals --		0	43	40	140	1	0	224

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

N/A = This State does not maintain a SHWS list. See the Federal CERCLIS list.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

A1
SSE
< 1/8
0.013 mi.
69 ft.

953 FERNDALE PL
COLUMBUS, OH 43209

Site 1 of 11 in cluster A

LEAD S118288603
N/A

Relative:
Lower

LEAD:
License Number: LA000102
Contractor Last Name: Grafton
Contractor First Name: Harry
Summary Month: 10
Summary Year: 2008
Summary Number: 129220
Detail Number: 144083
Activity Performed: Partial Risk Assessment
Reason For Activity: Essential Maintenance Practices

A2
South
< 1/8
0.038 mi.
202 ft.

BEXLEY MUFFLER KING
2140 EAST LIVINGSTON
COLUMBUS, OH 43209

Site 2 of 11 in cluster A

CRO S112231759
N/A

Relative:
Lower

CRO:
Facility Id: 1137
SIC Code: Not reported
30/45 Date: Not reported
90 Day Date: Not reported
Holder Of 1st Mortgage/Fiduciary Date: Not reported
Most Recent Inspection Date: 01/28/1997
Date Finished CRO: 01/28/1997
RCRA EPA ID: Not reported

A3
South
< 1/8
0.038 mi.
202 ft.

MUFFLER KING, INC.
2140 E LIVINGSTON AVE
COLUMBUS, OH 43209

Site 3 of 11 in cluster A

ARCHIVE UST U004096710
N/A

Relative:
Lower

ARCHIVE UST:
Facility Number: 25003388
Owner Name: MSA REALTY, INC.
Owner Address: 4779 INDIANOLA AVE - APT 290
Owner City,St,Zip: COLUMBUS, OH 43214

Tank ID: T00001
Tank Type: Not reported
Tank Status: Removed
Install Date: Not reported
Content: Unknown
Capacity: Not reported
Corrosion Protection Tank: Not reported
CAS #: Not reported
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 6/30/1992

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MUFFLER KING, INC. (Continued)

U004096710

Date Last Use: 6/30/1992
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: Not reported
 Piping Material: Not reported
 Piping Type: Not reported
 Release Detection On Piping: Not reported

A4
 South
 < 1/8
 0.038 mi.
 202 ft.

GETREU TEXACO SERV
2140 E LIVINGSTON AVE
COLUMBUS, OH

EDR Hist Auto 1009039993
N/A

Site 4 of 11 in cluster A

Relative: EDR Hist Auto
Lower

Actual:
755 ft.

Year:	Name:	Type:
1971	GETREU TEXACO SERV	GASOLINE STATIONS
1971	GETREUS TEXACO SERVICE	Gasoline Service Stations
1972	GETREUS TEXACO SERVICE	Gasoline Service Stations
1973	GETREUS TEXACO SERVICE	Gasoline Service Stations
1974	GETREUS TEXACO SERVICE	Gasoline Service Stations
1975	GETREUS TEXACO SERVICE	Gasoline Service Stations
1976	GETREU TEXACO SERV	GASOLINE STATIONS
1976	GETREUS TEXACO SERVICE	Gasoline Service Stations
1977	GETREUS TEXACO SERVICE	Gasoline Service Stations
1978	GETREUS TEXACO SERVICE	Gasoline Service Stations
1979	GETREUS TEXACO SERVICE	Gasoline Service Stations
1980	GETREUS TEXACO SERVICE	Gasoline Service Stations
1982	GETREUS TEXACO SERVICE	Gasoline Service Stations
1983	GETREUS TEXACO SERVICE	Gasoline Service Stations
2000	TUF-1 INC	General Automotive Repair Shops
2001	TUF-1 INC	General Automotive Repair Shops
2002	TUF-1 INC	General Automotive Repair Shops

A5
 South
 < 1/8
 0.038 mi.
 202 ft.

MUFFLER KING
2140 LIVINGSTON AVE
BEXLEY, OH

RGA LUST S114777781
N/A

Site 5 of 11 in cluster A

Relative: RGA LUST:
Lower

Actual:
755 ft.

1999	MUFFLER KING	2140 LIVINGSTON AVE
1998	MUFFLER KING	2140 LIVINGSTON AVE
1997	MUFFLER KING	2140 LIVINGSTON AVE
1996	MUFFLER KING	2140 LIVINGSTON AVE
1995	MUFFLER KING	2140 LIVINGSTON AVE
1994	MUFFLER KING	2140 LIVINGSTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A6
South
< 1/8
0.038 mi.
202 ft.

MUFFLER KING
2140 LIVINGSTON AVE
BEXLEY, OH 43205

UNREG LTANKS **S105903656**
SPILLS **N/A**

Site 6 of 11 in cluster A

Relative:
Lower

UNREG LTANKS:

Facility Status: A possible incident is reported

Actual:
755 ft.

Facility Id: 253388
Facility Track: 0
Report Number: 2513201
RP Status: Not reported
Inspector: Not reported
Revised Date: 06/02/94
Class: D
Vacant: Not reported
Emrgncy Resp: 2
Authorized By: GILL
Added Date: 12/09/91
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: OH
Owner Phone: Not reported
Operator Name: Not reported
Operator Address: Not reported
Operator C,S,Z: OH
Operator Phone: Not reported
Remarks: Not reported
Summary: Not reported

Facility County #: 049
Facility Phone: Not reported
Incident Number: 251320100
RP Search Date: Not reported
Coordinator: COCL
Fiscal Tracking: FY92
Priority: 2
Lust Trust Fund: 2
ER By: Not reported
Authorized Date: 06/02/94
Entry By: UNGER

SPILLS:

Spill No.: 9112-25-5096
Spill Number: 5096
Spill Month/Year: 12/1991
Date Spill Reported: 12/06/1991
Reporter Name: SFM
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: FUEL OIL #2
Lat/Long: Not reported

A7
South
< 1/8
0.038 mi.
202 ft.

MUFFLER KING, INC.
2140 E LIVINGSTON AVE
COLUMBUS, OH 43209

UST **U004205148**
N/A

Site 7 of 11 in cluster A

Relative:
Lower

UST:

Actual:
755 ft.

Facility Id: 25003388
Facility Type: Commercial
Owner Name: Not reported
Owner Address: Not reported
Owner City/State/Zip: Not reported

Tank Number: T00001
Status: REM - Removed
UST Capacity: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MUFFLER KING, INC. (Continued)

U004205148

Tank Content:	Unknown
Installation Date:	Not reported
Construction:	Not reported
Date Last Used:	06/30/1992
Date TCL Closed:	Not reported
Date Removed:	06/30/1992
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

B8
SSW
< 1/8
0.048 mi.
254 ft.

SCOTT S SHIRT LAUNDRY
2110 E LIVINGSTON AVE
COLUMBUS, OH

EDR Hist Cleaner **1009156605**
N/A

Site 1 of 13 in cluster B

Relative:
Lower

EDR Hist Cleaner

Actual:
752 ft.

Year:	Name:	Type:
1956	SCOTT S LAUNDROMAT	LAUNDRIES SELF SERVE
1960	SCOTT S SHIRT LAUNDRY.	LAUNDRIES SELF SERVE
1965	SCOTT S SHIRT LAUNDRY	LAUNDRIES
1971	SCOTT S SHIRT LAUNDRY	LAUNDRIES

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

A9
SSW
< 1/8
0.048 mi.
256 ft.

SEVRANCE TOWN CENTER
3640 MAYFIELD RD
S EUCLID, OH

SPILLS **S102477529**
N/A

Site 8 of 11 in cluster A

Relative:
Lower

SPILLS:
Spill No.: 9608-18-3818
Spill Number: 3818
Spill Month/Year: 8/1996
Date Spill Reported: 08/30/1996
Reporter Name: TOD BEILING
Confidential: No
District Code: NE
Employee Number: Not reported
District C Decode: North East
Product Spilled Name: ASBESTOS
Lat/Long: Not reported

Actual:
752 ft.

A10
SE
< 1/8
0.050 mi.
266 ft.

WEBSTER MILO D
2172 E LIVINGSTON AV
COLUMBUS, OH

EDR Hist Auto **1009038086**
N/A

Site 9 of 11 in cluster A

Relative:
Lower

EDR Hist Auto

Actual:
758 ft.

Year:	Name:	Type:
1942	WEBSTER MILO D	AUTOMOBILE REPAIRING
1952	WEBSTER MILO D	AUTOMOBILE REPAIRING
1956	WEBSTER GARAGE	AUTOMOBILE REPAIRING
1960	WEBSTER GARAGE	AUTOMOBILE REPAIRING
1965	WEBSTER GARAGE	AUTOMOBILE REPAIRING
1969	WEBSTER MILO D	General Automotive Repair Shops
1970	WEBSTER MILO D	General Automotive Repair Shops
1971	WEBSTER MILO D	General Automotive Repair Shops
1972	WEBSTER MILO D	General Automotive Repair Shops
1973	WEBSTER MILO D	General Automotive Repair Shops
1974	WEBSTER MILO D	General Automotive Repair Shops
1975	WEBSTER MILO D	General Automotive Repair Shops
1976	WEBSTER MILO D	General Automotive Repair Shops
1977	WEBSTER MILO D	General Automotive Repair Shops
1981	SWONGER SERVICE CENTER INC	AUTOMOBILE REPAIRING
1982	SWONGER SERVICE CENTER	General Automotive Repair Shops
1983	SWONGER SERVICE CENTER	General Automotive Repair Shops
1985	SWONGER SERVICE CENTER	General Automotive Repair Shops
1986	SWONGER SERVICE CENTER	General Automotive Repair Shops
1987	SWONGER SERVICE CENTER	General Automotive Repair Shops
1988	SWONGER SERVICE CENTER	General Automotive Repair Shops
1991	SWONGER ENTERPRISES INC	General Automotive Repair Shops
2003	CAPITAL AUTOMITVE & RADIATOR	General Automotive Repair Shops
2004	CAPITAL AUTOMITVE & RADIATOR	General Automotive Repair Shops
2005	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2006	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2007	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2008	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2009	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2010	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2011	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops
2012	CAPITAL AUTOMOTIVE & RADIATOR	General Automotive Repair Shops

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEBSTER MILO D (Continued)

1009038086

2013 CAPITAL AUTOMOTIVE & RADIATOR General Automotive Repair Shops
2014 CAPITAL AUTOMOTIVE & RADIATOR General Automotive Repair Shops

A11
SE
< 1/8
0.050 mi.
266 ft.

MS TINA SWANGER
2172 E LIVINGSTON
BEXLEY, OH

Site 10 of 11 in cluster A

SPILLS S102888743
N/A

Relative:
Lower

SPILLS:
Spill No.: 9202-25-0445
Spill Number: 0445
Spill Month/Year: 2/1992
Date Spill Reported: 02/07/1992
Reporter Name: OCO
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: OIL MOTOR
Lat/Long: Not reported

Actual:
758 ft.

A12
SSW
< 1/8
0.051 mi.
269 ft.

MAYFIELD COIN OPERATED DRY CLEANERS
6149 MAYFIELD RIDGE RD
CLEVELAND SUBURBAN EAST, OH

Site 11 of 11 in cluster A

EDR Hist Cleaner 1009148992
N/A

Relative:
Lower

EDR Hist Cleaner
Year: Name: Type:
1972 MAYFIELD COIN OPERATED DRY CLEA CLEANERS AND DYERS

Actual:
752 ft.

B13
SW
< 1/8
0.061 mi.
321 ft.

#261 LIVINGSTON AVE. BP
2080 E LIVINGSTON AVE
COLUMBUS, OH

Site 2 of 13 in cluster B

RGA LUST S114743810
N/A

Relative:
Lower

RGA LUST:
2012 #261 LIVINGSTON AVE. BP 2080 E LIVINGSTON AVE
2011 #261 LIVINGSTON AVE. BP 2080 E LIVINGSTON AVE

Actual:
752 ft.

B14
SW
< 1/8
0.061 mi.
321 ft.

#261 LIVINGSTON AVE. BP
2080 E LIVINGSTON AVE
COLUMBUS, OH 43209

Site 3 of 13 in cluster B

LUST U004204926
UST N/A

Relative:
Lower

LUST:
Release Number: 25001665-N00001
Release Date: 12/28/2010
Facility Status: Inactive
LTF Status: 1 SUS/CON from regulated UST

Actual:
752 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

#261 LIVINGSTON AVE. BP (Continued)

U004204926

FR Status: NFA: No Further Action
Priority: 2
Review Date: 03/31/2016
Priority Decode: SUS/CON from non-regulated UST
Class1 Decode: A viable RP have been identified
Class: Viable Responsible Party has been identified

UST:

Facility Id: 25001665
Facility Type: Gas Station
Owner Name: ENGLEFIELD OIL COMPANY
Owner Address: 447 JAMES PARKWAY
Owner City/State/Zip: 43056

Tank Number: T00001
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1988
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 10/12/2009
Date TCL Closed: Not reported
Date Removed: 12/28/2010
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Fiberglass Reinforced Plastic
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Electronic Line Leak Detector
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Yes
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: Yes
Comments: Not reported

Tank Number: T00002
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1988
Construction: FRP-Fiberglass Reinforced Plastic

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

#261 LIVINGSTON AVE. BP (Continued)

U004204926

Date Last Used: 10/12/2009
Date TCL Closed: Not reported
Date Removed: 12/28/2010
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Fiberglass Reinforced Plastic
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Electronic Line Leak Detector
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Yes
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: Yes
Comments: Not reported

Tank Number: T00003
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1988
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 10/12/2009
Date TCL Closed: Not reported
Date Removed: 12/28/2010
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Fiberglass Reinforced Plastic

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

#261 LIVINGSTON AVE. BP (Continued)

U004204926

Piping Corrosion Protections: NR - None required by rule
 Piping Corrosion Protection Comments: Not reported
 Piping Release Detections: ELLD - Electronic Line Leak Detector
 Piping Release Detection Comments: Electronic Line Leak Detector
 Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
 Spill Prevention Manhole Comments: Yes
 OverFill Prevention: Not reported
 OverFill Prevention Comment: OverFill Spill: Yes
 Comments: Not reported

C15
SE
 < 1/8
 0.066 mi.
 350 ft.

FORMER SUN OIL
2182 E LIVINGSTON AVE
COLUMBUS, OH 43209
 Site 1 of 8 in cluster C

LUST U004091341
N/A

Relative:
Higher

LUST:

Release Number: 25010286-N00001
 Release Date: 03/24/1992
Facility Status: Inactive
 LTF Status: 1 SUS/CON from regulated UST
FR Status: NFA: No Further Action
 Priority: 2
 Review Date: 02/05/2013
 Priority Decode: SUS/CON from non-regulated UST
 Class1 Decode: A viable RP have been identified
 Class: Viable Responsible Party has been identified

C16
SE
 < 1/8
 0.066 mi.
 350 ft.

FORMER SUN OIL
2182 E LIVINGSTON AVE
COLUMBUS, OH
 Site 2 of 8 in cluster C

RGA LUST S114764558
N/A

Relative:
Higher

RGA LUST:

Actual:
759 ft.

2012	FORMER SUN OIL	2182 E LIVINGSTON AVE
2011	FORMER SUN OIL	2182 E LIVINGSTON AVE
2010	FORMER SUN OIL	2182 E LIVINGSTON AVE
2009	FORMER SUN OIL	2182 E LIVINGSTON AVE
2008	FORMER SUN OIL	2182 E LIVINGSTON AVE
2007	FORMER SUN OIL	2182 E LIVINGSTON AVE
2006	FORMER SUN OIL	2182 E LIVINGSTON AVE
2005	FORMER SUN OIL	2182 E LIVINGSTON AVE
2004	FORMER SUN OIL	2182 E LIVINGSTON AVE
2003	FORMER SUN OIL	2182 E LIVINGSTON AVE
2002	FORMER SUN OIL	2182 E LIVINGSTON AVE
2001	FORMER SUN OIL	2182 E LIVINGSTON AVE
2000	FORMER SUN OIL	2182 E LIVINGSTON AVE
1999	FORMER SUN OIL	2182 E LIVINGSTON AVE
1998	FORMER SUN OIL	2182 E LIVINGSTON AVE
1997	FORMER SUN OIL	2182 E LIVINGSTON AVE
1996	FORMER SUN OIL	2182 E LIVINGSTON AVE
1995	FORMER SUN OIL	2182 E LIVINGSTON AVE
1994	FORMER SUN OIL	2182 E LIVINGSTON AVE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

C17 **BURNSIDE SUNOCO SERVICE STATION** **EDR Hist Auto** **1009040295**
SE **2182 E LIVINGSTON AVE** **N/A**
< 1/8 **COLUMBUS, OH**
0.066 mi.
350 ft. **Site 3 of 8 in cluster C**

Relative: EDR Hist Auto
Higher

Actual:	Year:	Name:	Type:
759 ft.	1956	BURNSIDE SUNOCO SERVICE STATION	GASOLINE STATIONS
	1960	MILLER S SUNOCO SERVICE STATION	GASOLINE STATIONS
	1970	DICKS SUNOCO	Gasoline Service Stations
	1971	MARTIN & SONS SUNOCO SERVICE ST	GASOLINE STATIONS
	1993	STERLING MOTORS	General Automotive Repair Shops
	1994	STERLING MOTORS	General Automotive Repair Shops
	1995	HUDSON ELAM	General Automotive Repair Shops
	1996	STERLING MOTORS	General Automotive Repair Shops
	1997	STERLING MOTORS	General Automotive Repair Shops
	1998	STERLING MOTORS	General Automotive Repair Shops
	1999	STERLING MOTORS	General Automotive Repair Shops
	2003	STERLING MOTORS	General Automotive Repair Shops
	2004	STERLING MOTORS	General Automotive Repair Shops

B18 **LIVINGSTON EXXON** **RGA LUST** **S114773703**
SSW **2097 E LIVINGSTON** **N/A**
< 1/8 **COLUMBUS, OH**
0.075 mi.
394 ft. **Site 4 of 13 in cluster B**

Relative: RGA LUST:
Lower

	2012	LIVINGSTON EXXON	2097 E LIVINGSTON
	2011	LIVINGSTON EXXON	2097 E LIVINGSTON
Actual:	2010	LIVINGSTON EXXON	2097 E LIVINGSTON
748 ft.	2009	LIVINGSTON EXXON	2097 E LIVINGSTON
	2008	LIVINGSTON EXXON	2097 E LIVINGSTON
	2007	LIVINGSTON EXXON	2097 E LIVINGSTON
	2006	LIVINGSTON EXXON	2097 E LIVINGSTON

B19 **THORNTONS INC. #68** **RGA LUST** **S114793472**
SSW **2097 E LIVINGSTON** **N/A**
< 1/8 **COLUMBUS, OH**
0.075 mi.
394 ft. **Site 5 of 13 in cluster B**

Relative: RGA LUST:
Lower

2005	THORNTONS INC. #68	2097 E LIVINGSTON
------	--------------------	-------------------

Actual:
748 ft.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

B20
SSW
 < 1/8
 0.075 mi.
 394 ft.

THORNTONS INC
2097 E LIVINGSTON AVE
COLUMBUS, OH 43209
 Site 6 of 13 in cluster B

EDR Hist Auto **1020681928**
 N/A

Relative:
Lower

EDR Hist Auto

Actual:
 748 ft.

Year:	Name:	Type:
1994	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
1995	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
1996	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
1997	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
2001	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
2002	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
2003	THORNTON OIL CORPORATION (DE)	Gasoline Service Stations, NEC
2004	THORNTONS INC	Gasoline Service Stations, NEC
2005	THORNTONS INC	Gasoline Service Stations, NEC
2006	THORNTONS INC	Gasoline Service Stations, NEC
2007	THORNTONS INC	Gasoline Service Stations, NEC
2008	NOSA OIL	Gasoline Service Stations
2008	THORNTONS INC	Gasoline Service Stations, NEC
2009	NOSA OIL	Gasoline Service Stations
2009	THORNTONS INC	Gasoline Service Stations, NEC
2010	NOSA OIL	Gasoline Service Stations
2010	THORNTONS INC	Gasoline Service Stations, NEC
2011	THORNTONS INC	Gasoline Service Stations, NEC
2011	EXXON	Gasoline Service Stations, NEC
2011	NOSA OIL	Gasoline Service Stations
2012	THORNTONS INC	Gasoline Service Stations, NEC
2012	NOSA OIL	Gasoline Service Stations
2012	EXXON	Gasoline Service Stations, NEC
2013	EXXON	Gasoline Service Stations, NEC
2013	THORNTONS INC	Gasoline Service Stations, NEC
2013	NOSA OIL	Gasoline Service Stations
2014	EXXON	Gasoline Service Stations, NEC
2014	THORNTONS INC	Gasoline Service Stations, NEC
2014	NOSA OIL	Gasoline Service Stations

B21
SSW
 < 1/8
 0.075 mi.
 394 ft.

THORNTON OIL 68
2097 E LIVINGSTON AVE
COLUMBUS, OH 43209
 Site 7 of 13 in cluster B

FINDS **1005805972**
 N/A

Relative:
Lower

FINDS:

Actual:
 748 ft.

Registry ID: 110006322835

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

B22 **LIVINGSTON EXXON**
SSW **2097 E LIVINGSTON**
< 1/8 **COLUMBUS, OH 43209**
0.075 mi.
394 ft. **Site 8 of 13 in cluster B**

LUST **U000696476**
UST **N/A**
ARCHIVE UST

Relative:
Lower

LUST:
 Release Number: 25001432-N00001
 Release Date: 08/26/2005
Facility Status: Inactive
 LTF Status: 1 SUS/CON from regulated UST
FR Status: NFA: No Further Action
 Priority: 2
 Review Date: 09/17/2015
 Priority Decode: SUS/CON from non-regulated UST
 Class1 Decode: A viable RP have been identified
 Class: Viable Responsible Party has been identified

Actual:
748 ft.

UST:
 Facility Id: 25001432
 Facility Type: Gas Station
 Owner Name: NOFA OIL INC
 Owner Address: 4425 E LIVINGSTON AVE
 Owner City/State/Zip: 43227

 Tank Number: T00001
 Status: CIU - Currently In Use
 UST Capacity: 12000
 Tank Content: Gasoline
 Installation Date: 10/01/1987
 Construction: FRP-Fiberglass Reinforced Plastic
 Date Last Used: Not reported
 Date TCL Closed: Not reported
 Date Removed: Not reported
 CAS Number: 8006-61-9
 Abandoned Approved: Not reported
 Regulated: YES
 Sensitive Area: NO
 Date Of Sensitivity: Not reported
 UST Configurations: SW - Single Wall
 Construction Comments: Not reported
 Corrosion Protections: NR - None Required by Rule
 Corrosion Protection Comments: Not reported
 Primary Release Detection: ATG - Automatic Tank Gauging
 Secondary Release Detection: ATG - Automatic Tank Gauging
 Release Detection Comments: Not reported
 Piping Configuration: SW - Single Wall
 Piping Configuration Comments: Not reported
 Piping Styles: P - Pressure
 Piping Constructions: FRP - Fiberglass Reinforced Plastic
 Piping Construction Comments: Not reported
 Piping Corrosion Protections: NR - None required by rule
 Piping Corrosion Protection Comments: Not reported
 Piping Release Detections: ELLD - Electronic Line Leak Detector
 Piping Release Detection Comments: Not reported
 Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
 Spill Prevention Manhole Comments: Not reported
 OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
 OverFill Prevention Comment: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON EXXON (Continued)

U000696476

Comments:	Not reported
Tank Number:	T00002
Status:	CIU - Currently In Use
UST Capacity:	12000
Tank Content:	Gasoline
Installation Date:	10/01/1987
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Tank Number:	T00003
Status:	CIU - Currently In Use
UST Capacity:	12000
Tank Content:	Gasoline
Installation Date:	10/01/1987
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON EXXON (Continued)

U000696476

Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SW - Single Wall
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00004
Status: CIU - Currently In Use
UST Capacity: 6000
Tank Content: Diesel
Installation Date: 10/01/1987
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8008-20-6
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SW - Single Wall
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON EXXON (Continued)

U000696476

ARCHIVE UST:

Facility Number: 25001432
Owner Name: NOFA OIL INC
Owner Address: 2097 E LIVINGSTON AVE
Owner City,St,Zip: COLUMBUS, OH 43227

Permit:

Facility Id: 25001432
Permit Id: P00001
Permit Status: Closed
Issued Date: 10/3/1997
LFD Permit Id: 03600

Tank ID: T00001
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/1/1987
Content: Gasoline
Capacity: 12000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00002
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/1/1987
Content: Gasoline
Capacity: 12000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON EXXON (Continued)

U000696476

Tank ID: T00003
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/1/1987
Content: Gasoline
Capacity: 12000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00004
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/1/1987
Content: Kerosene
Capacity: 6000
Corrosion Protection Tank: None Required
CAS #: 8008-20-6
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

B23
SSW
< 1/8
0.075 mi.
394 ft.

THORTON'S INC #68
2097 LIVINGSTON AVE
COLUMBUS, OH 43209
Site 9 of 13 in cluster B

UIC S112223461
N/A

Relative:
Lower

UIC:
Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported

Actual:
748 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported
Longitude: Not reported
Number Of UIC Wells: Not reported
Well Site: Class V
Type Description: Not reported

Facility Status: Temporarily Abandoned
UIC Number: Not reported
Type Of UIC Well: Aquifer Remediation Well
Well Status: Not reported
AUT Status: Rule Authorized
Latitude: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported
Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

THORTON'S INC #68 (Continued)

S112223461

Facility Status:	Temporarily Abandoned
UIC Number:	Not reported
Type Of UIC Well:	Aquifer Remediation Well
Well Status:	Not reported
AUT Status:	Rule Authorized
Latitude:	Not reported
Longitude:	Not reported
Number Of UIC Wells:	Not reported
Well Site:	Class V
Type Description:	Not reported

B24
SW
 < 1/8
 0.082 mi.
 431 ft.

TIM HORTONS
2060 E LIVINGSTON AVE
BEXLEY, OH 43209
 Site 10 of 13 in cluster B

NPDES S112208870
 N/A

Relative:
Lower

OH NPDES:
 Issue Date: 09/28/2012
 Township: Not reported
 Facility Npdes Permit: 4GC03952*AG
 Applicant Name: TIM DONUT US LTD INC
 Applicant Address: 4150 TULLER RD # 236 DUBLINOH 43017

B25
WSW
 < 1/8
 0.084 mi.
 443 ft.

SOHIO SERVICE STA
2080 E LIVINGSTON AVE
COLUMBUS, OH
 Site 11 of 13 in cluster B

EDR Hist Auto 1009038642
 N/A

Relative:
Lower

EDR Hist Auto	
Year:	Name:
1971	HUMBLE OIL & REFINING CO
1976	PIKE SOHIO SERVICE STA
1981	SOHIO SERVICE STA
2007	BP PRODUCTS NORTH AMERICA INC
2008	BP PRODUCTS NORTH AMERICA INC
2009	BP PRODUCTS NORTH AMERICA INC
2010	BP PRODUCTS NORTH AMERICA INC
2011	BP OIL
2011	BP PRODUCTS NORTH AMERICA INC
2012	BP PRODUCTS NORTH AMERICA INC
2013	BP PRODUCTS NORTH AMERICA INC

Actual:
751 ft.

Type:
GASOLINE STATIONS
GASOLINE STATIONS
GASOLINE STATIONS
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC
Gasoline Service Stations, NEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B26
WSW
< 1/8
0.084 mi.
443 ft.

#261 LIVINGSTON AVE. BP
2080 E LIVINGSTON AVE
COLUMBUS, OH 43209
Site 12 of 13 in cluster B

ARCHIVE UST **1000560519**
N/A

Relative:
Lower

ARCHIVE UST:
Facility Number: 25001665
Owner Name: ENGLEFIELD OIL COMPANY
Owner Address: 447 JAMES PARKWAY
Owner City,St,Zip: HEATH, OH 43056

Actual:
751 ft.

Permit:
Facility Id: 25001665
Permit Id: P00001
Permit Status: Closed
Issued Date: 10/14/2009
LFD Permit Id: Not reported

Facility Id: 25001665
Permit Id: P00002
Permit Status: Closed
Issued Date: 1/21/2011
LFD Permit Id: 14320

Inspection:
Facility Id: 25001665
Permit Number: P00001
Code: 601
Inspection Type: Final

Facility Id: 25001665
Permit Number: P00002
Code: 103
Inspection Type: Final

Tank ID: T00001
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1988
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: 12/28/2010
Date Last Use: 10/12/2009
Date Abandoned/Closed: 10/14/2009
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

#261 LIVINGSTON AVE. BP (Continued)

1000560519

Tank ID: T00002
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1988
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: 12/28/2010
Date Last Use: 10/12/2009
Date Abandoned/Closed: 10/14/2009
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00003
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1988
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: 12/28/2010
Date Last Use: 10/12/2009
Date Abandoned/Closed: 10/14/2009
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

B27
WSW
< 1/8
0.084 mi.
443 ft.

BP OIL CO
2080 E LIVINGSTON AVE
COLUMBUS, OH 43209

Site 13 of 13 in cluster B

RCRA-CESQG 1004765046
FINDS OHD987012960
ECHO

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 07/20/1998
Facility name: BP OIL CO
Facility address: 2080 E LIVINGSTON AVE
COLUMBUS, OH 43209
EPA ID: OHD987012960
Mailing address: 4440 WARRENSVILLE CENTER RD
WARRENSVILLE HTS, OH 44128-2837
Contact: GEORGE PEYTON

Actual:
751 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BP OIL CO (Continued)

1004765046

Contact address: 4440 WARRENSVILLE CENTER RD
WARRENSVILLE HTS, OH 44128-2837

Contact country: US

Contact telephone: 614-840-1405

Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: BP OIL COMPANY

Owner/operator address: 2080 E LIVINGSTON AVE
COLUMBUS, OH 43209

Owner/operator country: Not reported

Owner/operator telephone: 614-236-1374

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

. Waste code: D001

. Waste name: IGNITABLE WASTE

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

EDR ID Number
 EPA ID Number

BP OIL CO (Continued)

1004765046

Violation Status: No violations found

FINDS:

Registry ID: 110004677966

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004765046
 Registry ID: 110004677966
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004677966>

C28
SE
 < 1/8
 0.091 mi.
 482 ft.

BEXLEY PLAZA SHOPPING CENT
2187 E LIVINGSTON AVE
COLUMBUS, OH

RGA LUST S114748370
N/A

Site 4 of 8 in cluster C

Relative:
Lower

RGA LUST: 1994 BEXLEY PLAZA SHOPPING CENT 2187 E LIVINGSTON AVE

Actual:
758 ft.

C29
SE
 < 1/8
 0.091 mi.
 482 ft.

REAL ESTATE INVESTMENTS, INC.
2187 E LIVINGSTON AVE
COLUMBUS, OH 43209

ARCHIVE UST U004099515
N/A

Site 5 of 8 in cluster C

Relative:
Lower

ARCHIVE UST:
 Facility Number: 25002517
 Owner Name: REAL ESTATE INVESTMENTS, INC.
 Owner Address: 209 S HIGH ST
 Owner City,St,Zip: COLUMBUS, OH 43215

Actual:
758 ft.

Permit:

Facility Id: 25002517
 Permit Id: P00001
 Permit Status: Expired

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

REAL ESTATE INVESTMENTS, INC. (Continued)

U004099515

Issued Date: 11/7/1995
 LFD Permit Id: Not reported

Inspection:

Facility Id: 25002517
 Permit Number: P00001
 Code: 103
 Inspection Type: Final

Tank ID: T00001
 Tank Type: Steel
Tank Status: Removed
 Install Date: Not reported
 Content: Gasoline
 Capacity: 1000
 Corrosion Protection Tank: Not reported
 CAS #: 8006-61-9
 Regulated: Yes
 Overfill Device Installed: No
 Spill Device Installed: No
 Release Detection On Tank: Not reported
 Date Removed: 6/17/1994
 Date Last Use: 1/31/1984
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: Not reported
 Piping Material: Unknown
 Piping Type: Not reported
 Release Detection On Piping: Not reported

C30
SE
 < 1/8
 0.091 mi.
 482 ft.

REAL ESTATE INVESTMENTS, INC.
2187 E LIVINGSTON AVE
COLUMBUS, OH
 Site 6 of 8 in cluster C

RGA LUST S114784583
N/A

Relative:
Lower

RGA LUST:

Actual:
758 ft.

2012	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2011	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2010	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2009	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2008	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2007	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2006	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2005	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2004	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2003	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2002	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2001	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE
2000	REAL ESTATE INVESTMENTS, INC.	2187 E LIVINGSTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C31
SE
< 1/8
0.091 mi.
482 ft.

REAL ESTATE INVESTMENTS, INC.
2187 E LIVINGSTON AVE
COLUMBUS, OH 43209

Site 7 of 8 in cluster C

LUST U004205059
UST N/A

Relative:
Lower

LUST:

Release Number: 25002517-N00001
Release Date: Not reported
Facility Status: Inactive
LTF Status: 6 Closure of regulated UST
FR Status: NFA: No Further Action
Priority: 3
Review Date: 06/20/2000
Priority Decode: SUS/CON from AST
Class1 Decode: A viable RP have been identified
Class: Viable Responsible Party has been identified

Actual:
758 ft.

UST:

Facility Id: 25002517
Facility Type: Commercial
Owner Name: Not reported
Owner Address: Not reported
Owner City/State/Zip: Not reported

Tank Number: T00001
Status: REM - Removed
UST Capacity: 1000
Tank Content: Gasoline
Installation Date: Not reported
Construction: BM - Bare Metal
Date Last Used: 01/31/1984
Date TCL Closed: Not reported
Date Removed: 06/17/1994
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Steel
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: NA - Not Applicable
Piping Constructions: OTH - Other (explain)
Piping Construction Comments: Unknown
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

REAL ESTATE INVESTMENTS, INC. (Continued)

U004205059

Comments: Not reported

C32
SE
 < 1/8
 0.091 mi.
 482 ft.

BEXLEY PLAZA SHOPPING CENTER
2187 E LIVINGSTON AVE
COLUMBUS, OH

RGA LUST **S114748371**
N/A

Site 8 of 8 in cluster C

Relative:
 Lower

RGA LUST:

1999	BEXLEY PLAZA SHOPPING CENTER	2187 E LIVINGSTON AVE
1998	BEXLEY PLAZA SHOPPING CENTER	2187 E LIVINGSTON AVE
1997	BEXLEY PLAZA SHOPPING CENTER	2187 E LIVINGSTON AVE
1996	BEXLEY PLAZA SHOPPING CENTER	2187 E LIVINGSTON AVE
1995	BEXLEY PLAZA SHOPPING CENTER	2187 E LIVINGSTON AVE

Actual:
 758 ft.

D33
SW
 < 1/8
 0.107 mi.
 567 ft.

2087 EAST LIVINGSTON AVE.
COLUMBIA, OH 43212

DOT OPS **1009647834**
N/A

Site 1 of 2 in cluster D

Relative:
 Lower

DOT OPS:

EDR Type: NATURAL GAS DISTRIBUTION
 Report ID: 1811530
 Facility name: Not reported
 Address: 2087 EAST LIVINGSTON AVE.
 COLUMBIA, OH 43212
 Latitude: Not reported
 Longitude: Not reported

Actual:
 752 ft.

EDR type: NATURAL GAS DISTRIBUTION
 Cause of incident: OTHER
 Operator code: 2596
 Operator name: COLUMBIA GAS OF OHIO INC
 Incident address: 2087 EAST LIVINGSTON AVE.
 COLUMBIA, OH 43212
 Incident county: FRANKLIN
 Incident congressional district: Not reported
 Incident date: 19811119
 Detection time: 0
 Stoppage hours: 1
 Stoppage minutes: 18
 Estimated pressure at incident time: 35.00
 Max. allowable operating preassure: 50.00
 Part of operation that failed: SERVICE
 Part of operation other comment: Not reported
 Part of system that failed: OTHER
 Part of system other comment: Not reported
 Year oart installed: 1973
 Where leak originated: OTHER
 Leak other comment: Not reported
 Real nominal pipe diameter: 1.200
 Pipe wall thickness (inches): 0.140
 Pipe specifications: Not reported
 Pipe grade: Not reported
 Type of repair done: OTHER REPAIR OR DISPOSITION
 Type other comment: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

1009647834

Length of replaced pipe:	0.00
Component replaced/reconditioned:	NO DATA
Component other comment:	Not reported
Employee fatalities:	0
Employees injured:	0
Non-empl. fatalities:	0
Non-empl. inured:	0
Did a rupture occur:	YES
Did gas ignite:	YES
Did an explosion occur:	YES
Secondary fires/explosions:	YES
Operator property damage:	150000
Structure adjacent to leak:	COMMERCIAL SINGLE-STORY
Structure other comment:	Not reported
Dist. to nearest structure:	50
Underground facility involved:	NO
Underground facility other comment:	Not reported
Any utilities affected:	NO
Dist. of other gas fac. contributing:	0
Dist. of other gas fac. impaired:	0
Dist. of telephone fac. contributing:	0
Dist. of telephone fac. impaired:	0
Dist. of electric fac. contributing:	0
Dist. of electric fac. impaired:	0
Dist. of storm sewer fac. contributing:	0
Dist. of storm sewer fac. impaired:	0
Dist. of other sewer fac. contributing:	0
Dist. of other sewer fac. impaired:	0
Dist. of water fac. contributing:	0
Dist. of water fac. impaired:	0
Dist. of other fac. contributing:	0
Other fac. contributing:	Not reported
Dist. of other fac. impaired:	0
Other facility impaired:	Not reported
Location of leak or failure:	BELOW OTHER PAVED AREA
Location other comment:	Not reported
Cover depth:	24
Soil at pipe depth:	SOIL
Soil temperature at soil leak:	060
Report by:	OTHER
Report other comment:	FIRE DEPT.
Cause of Corrosion:	NO DATA
Cause of Corrosion Other:	Not reported
Coating:	NO DATA
Operator rec prior notification of excavation:	NO
Notification Date:	Not reported
Notification Hr:	0
Was pipeline marked:	NO
Type mark:	Not reported
Type mark other:	Not reported
Stat Req mark:	NO
damerthmve:	Not reported
damerthmo:	Not reported
emcoth:	NO
emcothdesc:	Not reported
causlkcons:	Not reported
steel_clas:	NO DATA

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

1009647834

Plastic:	NO DATA
plastreinf:	NO
castiron:	NO DATA
othmat:	Not reported
intialtest:	Not reported
tstmedinit:	NO DATA
tstmedioth:	Not reported
inittstyr:	0
mintstpres:	0.00
tmehldpres:	0
presslkini:	0
subseqtst:	Not reported
tstmedsubs:	NO DATA
tstmsubot:	Not reported
subseqtyr:	0
mintstpsub:	0.00
thpresssub:	0
presslksub:	0

D34
SW
 < 1/8
 0.107 mi.
 567 ft.

RICKS AUTOMATIC CAR WASH INC
2087 E LIVINGSTON AVE
COLUMBUS, OH 43209

EDR Hist Auto 1021282005
N/A

Site 2 of 2 in cluster D

Relative: EDR Hist Auto
Lower

Actual:
752 ft.

Year:	Name:	Type:
1972	RICKS AUTOMATIC CAR WASH INC	Carwashes
1973	RICKS AUTOMATIC CAR WASH INC	Carwashes
1974	RICKS AUTOMATIC CAR WASH INC	Carwashes
1975	RICKS AUTOMATIC CAR WASH INC	Carwashes
1976	RICKS AUTOMATIC CAR WASH INC	Carwashes
1977	RICKS AUTOMATIC CAR WASH INC	Carwashes
1978	RICKS AUTOMATIC CAR WASH INC	Carwashes
1979	RICKS AUTOMATIC CAR WASH INC	Carwashes
1980	RICKS AUTOMATIC CAR WASH INC	Carwashes

E35
SE
 < 1/8
 0.120 mi.
 633 ft.

DARBY SERVICE CO
2217 E LIVINGSTON AV
COLUMBUS, OH

EDR Hist Auto 1009039228
N/A

Site 1 of 15 in cluster E

Relative: EDR Hist Auto
Higher

Actual:
760 ft.

Year:	Name:	Type:
1932	DARBY SERVICE CO	AUTOMOBILE REPAIRING

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

E36
SE
< 1/8
0.124 mi.
653 ft.

MC KINLEY MOTOR SERVICE
2221 E LIVINGSTON AVE
COLUMBUS, OH

EDR Hist Auto **1009036689**
N/A

Site 2 of 15 in cluster E

Relative:
Higher

EDR Hist Auto

Actual:
760 ft.

Year: Name: Type:
1937 MC KINLEY MOTOR SERVICE AUTOMOBILE REPAIRING

E37
ESE
1/8-1/4
0.134 mi.
709 ft.

SPEEDWAY #5194
2240 LIVINGSTON AVE
COLUMBUS, OH

RGA LUST **S114789761**
N/A

Site 3 of 15 in cluster E

Relative:
Higher

RGA LUST:
1999 SPEEDWAY #5194 2240 LIVINGSTON AVE

Actual:
764 ft.

E38
ESE
1/8-1/4
0.134 mi.
709 ft.

STARVIN MARVIN 5194
2240 E LIVINGSTON
BEXLEY, OH 43209

RCRA-CESQG **1004764737**
FINDS **OHD987004314**
ECHO

Site 4 of 15 in cluster E

Relative:
Higher

RCRA-CESQG:
Date form received by agency: 02/15/2011
Facility name: SPEEDWAY 5194
Facility address: 2240 E LIVINGSTON
BEXLEY, OH 43209
EPA ID: OHD987004314
Mailing address: PO BOX 1500
SPRINGFIELD, OH 45501
Contact: CHARLES A BESSE
Contact address: PO BOX 1500
SPRINGFIELD, OH 45501
Contact country: US
Contact telephone: 937-863-6278
Contact email: CABESSE@SSALLC.COM
EPA Region: 05
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Actual:
764 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STARVIN MARVIN 5194 (Continued)

1004764737

Owner/Operator Summary:

Owner/operator name: SPEEDWAY LLC
Owner/operator address: PO BOX 1500
SPRINGFIELD, OH 45501
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1900
Owner/Op end date: Not reported

Owner/operator name: SPEEDWAY LLC
Owner/operator address: PO BOX 1500
SPRINGFIELD, OH 45501
Owner/operator country: US
Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

Historical Generators:

Date form received by agency: 04/04/2005
Site name: SPEEDWAY 5194
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STARVIN MARVIN 5194 (Continued)

1004764737

. Waste name: IGNITABLE WASTE
. Waste code: D018
. Waste name: BENZENE
Date form received by agency: 12/03/1997
Site name: STARVIN MARVIN 5194
Classification: Conditionally Exempt Small Quantity Generator
. Waste code: D018
. Waste name: BENZENE
Violation Status: No violations found

FINDS:

Registry ID: 110004672587

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004764737
Registry ID: 110004672587
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004672587>

**E39
ESE
1/8-1/4
0.134 mi.
709 ft.**

**SPEEDWAY #5194
2240 E LIVINGSTON AVE
BEXLEY, OH 43209**

Site 5 of 15 in cluster E

**LUST U000891486
UST N/A
ARCHIVE UST**

**Relative:
Higher**

LUST:

Release Number: 25000606-N00001
Release Date: 06/25/1998
Facility Status: Inactive
LTF Status: 6 Closure of regulated UST
FR Status: NFA: No Further Action
Priority: 3
Review Date: 03/13/2003
Priority Decode: SUS/CON from AST
Class1 Decode: A viable RP have been identified

**Actual:
764 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #5194 (Continued)

U000891486

Class: Viable Responsible Party has been identified

UST:

Facility Id: 25000606
Facility Type: Gas Station
Owner Name: SPEEDWAY LLC
Owner Address: PO BOX 1500
Owner City/State/Zip: 45501

Tank Number: T00001
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1977
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00002
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1977
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #5194 (Continued)

U000891486

Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00003
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1977
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #5194 (Continued)

U000891486

Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00004
Status: CIU - Currently In Use
UST Capacity: 4000
Tank Content: Kerosene
Installation Date: 06/25/1998
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8008-20-6
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00005
Status: CIU - Currently In Use
UST Capacity: 4000
Tank Content: Diesel
Installation Date: 06/25/1998
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 68334-30-5
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #5194 (Continued)

U000891486

UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

ARCHIVE UST:

Facility Number: 25000606
Owner Name: SPEEDWAY LLC
Owner Address: PO BOX 1500
Owner City,St,Zip: SPRINGFIELD, OH 45501

Permit:

Facility Id: 25000606
Permit Id: P00001
Permit Status: Closed
Issued Date: 6/25/1998
LFD Permit Id: 06564

Tank ID: T00001
Tank Type: SW - FRP - Fiberglass
Tank Status: Currently In Use
Install Date: 1/1/1977
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: SW FRP - Fiberglass
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPEEDWAY #5194 (Continued)

U000891486

Tank ID: T00002
Tank Type: SW - FRP - Fiberglass
Tank Status: Currently In Use
Install Date: 1/1/1977
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: SW FRP - Fiberglass
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00003
Tank Type: SW - FRP - Fiberglass
Tank Status: Currently In Use
Install Date: 1/1/1977
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: SW FRP - Fiberglass
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00004
Tank Type: SW - FRP - Fiberglass
Tank Status: Currently In Use
Install Date: 6/25/1998
Content: Kerosene
Capacity: 4000
Corrosion Protection Tank: None Required
CAS #: 8008-20-6
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SPEEDWAY #5194 (Continued)

U000891486

Date Last Use: Not reported
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: None Required
 Piping Material: SW FRP - Fiberglass
 Piping Type: Pressure
 Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00005
 Tank Type: SW - FRP - Fiberglass
Tank Status: Currently In Use
 Install Date: 6/25/1998
 Content: Diesel
 Capacity: 4000
 Corrosion Protection Tank: None Required
 CAS #: 68334-30-5
 Regulated: Yes
 Overfill Device Installed: Yes
 Spill Device Installed: Yes
 Release Detection On Tank: Automatic Tank Gauging
 Date Removed: Not reported
 Date Last Use: Not reported
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: None Required
 Piping Material: SW FRP - Fiberglass
 Piping Type: Pressure
 Release Detection On Piping: Electronic Line Leak Detector

E40
ESE
1/8-1/4
0.134 mi.
709 ft.

SPEEDWAY SERVICE
2240 E LIVINGSTON AVE
COLUMBUS, OH

EDR Hist Auto 1009038706
N/A

Site 6 of 15 in cluster E

Relative:
Higher

EDR Hist Auto

Actual:
764 ft.

Year:	Name:	Type:
1971	SWONGERS MARATHON SERVICE STATI	GASOLINE STATIONS
1972	SWONGER MARATHON	Gasoline Service Stations
1973	SWONGER MARATHON	Gasoline Service Stations
1974	SWONGER MARATHON	Gasoline Service Stations
1976	SPEEDWAY SERVICE	GASOLINE STATIONS
1981	SPEEDWAY SERVICE	GASOLINE STATIONS
1986	SPEEDWAY	Gasoline Service Stations
1987	SPEEDWAY	Gasoline Service Stations
1988	MARATHON OIL COMPANY	Gasoline Service Stations
1989	EMRO MARKETING COMPANY	Gasoline Service Stations
1990	EMRO MARKETING COMPANY	Gasoline Service Stations
1991	EMRO MARKETING COMPANY	Gasoline Service Stations
1992	EMRO MARKETING COMPANY	Gasoline Service Stations, NEC
1993	EMRO MARKETING COMPANY	Gasoline Service Stations, NEC
1994	EMRO MARKETING COMPANY	Gasoline Service Stations, NEC
1995	EMRO MARKETING COMPANY	Gasoline Service Stations, NEC
1996	EMRO MARKETING COMPANY	Gasoline Service Stations, NEC
1997	EMRO MARKETING COMPANY	Gasoline Service Stations, NEC
1998	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SPEEDWAY SERVICE (Continued)

1009038706

1999	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2000	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2001	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2002	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2003	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2004	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2005	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2006	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2007	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2008	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2009	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2010	SPEEDWAY SUPERAMERICA LLC	Gasoline Service Stations, NEC
2011	SPEEDWAY LLC	Gasoline Service Stations, NEC
2012	SPEEDWAY LLC	Gasoline Service Stations, NEC
2013	SPEEDWAY LLC	Gasoline Service Stations, NEC
2014	SPEEDWAY LLC	Gasoline Service Stations, NEC

E41
ESE
 1/8-1/4
 0.134 mi.
 709 ft.

SPEEDWAY #5194
2240 E LIVINGSTON
BEXLEY, OH
 Site 7 of 15 in cluster E

RGA LUST S114789760
N/A

Relative:
Higher

Actual:
 764 ft.

RGA LUST:

2004	SPEEDWAY #5194	2240 E LIVINGSTON
2003	SPEEDWAY #5194	2240 E LIVINGSTON
2002	SPEEDWAY #5194	2240 E LIVINGSTON
2001	SPEEDWAY #5194	2240 E LIVINGSTON
2000	SPEEDWAY #5194	2240 E LIVINGSTON

E42
ESE
 1/8-1/4
 0.134 mi.
 709 ft.

SPEEDWAY #5194
2240 E LIVINGSTON AVE
BEXLEY, OH
 Site 8 of 15 in cluster E

RGA LUST S114789759
N/A

Relative:
Higher

Actual:
 764 ft.

RGA LUST:

2012	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2011	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2010	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2009	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2008	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2007	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2006	SPEEDWAY #5194	2240 E LIVINGSTON AVE
2005	SPEEDWAY #5194	2240 E LIVINGSTON AVE

43
East
 1/8-1/4
 0.142 mi.
 748 ft.

956 COLLEGE AVE
COLUMBUS, OH 43209

LEAD S118288627
N/A

Relative:
Higher

Actual:
 770 ft.

LEAD:

License Number:	LA006349
Contractor Last Name:	Shiets
Contractor First Name:	Clifton
Summary Month:	4

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S118288627

Summary Year: 2010
 Summary Number: 132642
 Detail Number: 153511
 Activity Performed: Clearance Testing
 Reason For Activity: Owner Requested

E44
 ESE
 1/8-1/4
 0.148 mi.
 779 ft.

**J & A PURE OIL
 2253 LIVINGSTON
 COLUMBUS, OH 43209**

EDR Hist Auto 1009038513
 N/A

Site 9 of 15 in cluster E

Relative:
 Higher

EDR Hist Auto

Actual:
 763 ft.

Year:	Name:	Type:
1952	GARDNER ARDEN E	GASOLINE STATIONS
1956	GARDNER ARDEN E	GASOLINE STATIONS
1956	GARDNER S SERVICE STATION	GASOLINE STATIONS
1969	J & A PURE OIL	Gasoline Service Stations
1970	J & A PURE OIL	Gasoline Service Stations
1971	J & A UNION 76	Gasoline Service Stations
1972	J & A UNION 76	Gasoline Service Stations
1973	J & A UNION 76	Gasoline Service Stations
1974	B & W 76 STATION	Gasoline Service Stations
1974	J & A UNION 76	Gasoline Service Stations
1975	B & W 76 STATION	Gasoline Service Stations
1976	BROWNIE S UNION	GASOLINE STATIONS
1980	BERWICK SERVICE CENTER	Gasoline Service Stations
1981	UNION SEVENTY SIX SERVICE STATI	GASOLINE STATIONS
1982	BERWICK SERVICE CENTER	Gasoline Service Stations
1983	BERWICK SERVICE CENTER	Gasoline Service Stations
1985	BERWICK SERVICE CENTER	Gasoline Service Stations
1986	BERWICK SERVICE CENTER	Gasoline Service Stations
1987	BERWICK SERVICE CENTER	Gasoline Service Stations
1988	BERWICK SERVICE CENTER	Gasoline Service Stations
1989	BERWICK SERVICE CENTER	Gasoline Service Stations
1990	BERWICK SERVICE CENTER	Gasoline Service Stations
1991	BERWICK SERVICE CENTER	Gasoline Service Stations
1992	BERWICK SERVICE CENTER	Gasoline Service Stations
1993	BERWICK SERVICE CENTER	Gasoline Service Stations
1994	BERWICK SERVICE CENTER	Gasoline Service Stations
1995	BERWICK SERVICE CENTER	Gasoline Service Stations
1996	BERWICK SERVICE CENTER	Gasoline Service Stations
1997	BERWICK SERVICE CENTER	Gasoline Service Stations

E45
 ESE
 1/8-1/4
 0.148 mi.
 779 ft.

**FORMER UNOCAL 9097-123
 2253 E LIVINGSTON AVE
 COLUMBUS, OH**

RGA LUST S114764731
 N/A

Site 10 of 15 in cluster E

Relative:
 Higher

RGA LUST:

Actual:
 763 ft.

1999	FORMER UNOCAL 9097-123	2253 E LIVINGSTON AVE
1998	FORMER UNOCAL 9097-123	2253 E LIVINGSTON AVE
1997	FORMER UNOCAL 9097-123	2253 E LIVINGSTON AVE
1996	FORMER UNOCAL 9097-123	2253 E LIVINGSTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

E46
ESE
1/8-1/4
0.148 mi.
779 ft.

76 SERVICE STATION
2253 E LIVINGSTON AVE
COLUMBUS, OH 43209
Site 11 of 15 in cluster E

ARCHIVE UST U004083416
N/A

Relative:
Higher

ARCHIVE UST:
Facility Number: 25000777
Owner Name: P.D.V. MIDWEST REFINING,L.L.C
Owner Address: PO BOX 3758
Owner City,St,Zip: TULSA, OK 74102

Actual:
763 ft.

Permit:
Facility Id: 25000777
Permit Id: P00001
Permit Status: Closed
Issued Date: 11/12/1998
LFD Permit Id: 07518

Tank ID: T00001
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1986
Content: Used Oil
Capacity: 550
Corrosion Protection Tank: Not reported
CAS #: Not reported
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Statistical Inventory Reconciliation
Date Removed: 10/10/1997
Date Last Use: 10/7/1997
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Unknown
Piping Type: Not reported
Release Detection On Piping: Not reported

Tank ID: T00002
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1986
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Statistical Inventory Reconciliation
Date Removed: 10/10/1997
Date Last Use: 10/7/1997
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

76 SERVICE STATION (Continued)

U004083416

Piping Type: Not reported
Release Detection On Piping: Not reported

Tank ID: T00003
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1986
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Statistical Inventory Reconciliation
Date Removed: 10/10/1997
Date Last Use: 10/7/1997
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Unknown
Piping Type: Not reported
Release Detection On Piping: Not reported

Tank ID: T00004
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1967
Content: Gasoline
Capacity: 9500
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Statistical Inventory Reconciliation
Date Removed: 10/10/1997
Date Last Use: 10/7/1997
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Unknown
Piping Type: Not reported
Release Detection On Piping: Not reported

E47
ESE
1/8-1/4
0.148 mi.
779 ft.

76 SERVICE STATION
2253 E LIVINGSTON AVE
COLUMBUS, OH 43209
Site 12 of 15 in cluster E

LUST U004204647
UST N/A

Relative:
Higher

LUST:
Release Number: 25000777-N00001
Release Date: 01/10/1989
Facility Status: Inactive
LTF Status: 1 SUS/CON from regulated UST

Actual:
763 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

76 SERVICE STATION (Continued)

U004204647

FR Status: NFA: No Further Action
Priority: 2
Review Date: 01/07/2002
Priority Decode: SUS/CON from non-regulated UST
Class1 Decode: A viable RP have been identified
Class: Viable Responsible Party has been identified

UST:

Facility Id: 25000777
Facility Type: Gas Station
Owner Name: P.D.V. MIDWEST REFINING,L.L.C
Owner Address: PO BOX 3758
Owner City/State/Zip: 74102

Tank Number: T00001
Status: REM - Removed
UST Capacity: 550
Tank Content: Used Oil
Installation Date: 01/01/1986
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 10/07/1997
Date TCL Closed: Not reported
Date Removed: 10/10/1997
CAS Number: Not reported
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMSIR - Alternative Method (SIR)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: Statistical Inventory Reconciliation / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: NA - Not Applicable
Piping Constructions: OTH - Other (explain)
Piping Construction Comments: Unknown
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00002
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1986
Construction: FRP-Fiberglass Reinforced Plastic

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

76 SERVICE STATION (Continued)

U004204647

Date Last Used: 10/07/1997
Date TCL Closed: Not reported
Date Removed: 10/10/1997
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMSIR - Alternative Method (SIR)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: Statistical Inventory Reconciliation / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: NA - Not Applicable
Piping Constructions: OTH - Other (explain)
Piping Construction Comments: Unknown
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00003
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1986
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 10/07/1997
Date TCL Closed: Not reported
Date Removed: 10/10/1997
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMSIR - Alternative Method (SIR)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: Statistical Inventory Reconciliation / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: NA - Not Applicable
Piping Constructions: OTH - Other (explain)
Piping Construction Comments: Unknown

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

76 SERVICE STATION (Continued)

U004204647

Piping Corrosion Protections: OTH - Other (explain)
 Piping Corrosion Protection Comments: Not reported
 Piping Release Detections: OTH - Other(explain)
 Piping Release Detection Comments: Not reported
 Spill Prevention Manholes: NP - None Present
 Spill Prevention Manhole Comments: No
 OverFill Prevention: Not reported
 OverFill Prevention Comment: OverFill Spill: No
 Comments: Not reported

Tank Number: T00004
 Status: REM - Removed
 UST Capacity: 9500
 Tank Content: Gasoline
 Installation Date: 01/01/1967
 Construction: FRP-Fiberglass Reinforced Plastic
 Date Last Used: 10/07/1997
 Date TCL Closed: Not reported
 Date Removed: 10/10/1997
 CAS Number: 8006-61-9
 Abandoned Approved: Not reported
 Regulated: YES
 Sensitive Area: NO
 Date Of Sensitivity: Not reported
 UST Configurations: Not reported
 Construction Comments: Fiberglass Reinforced Plastic
 Corrosion Protections: Not reported
 Corrosion Protection Comments: Not reported
 Primary Release Detection: AMSIR - Alternative Method (SIR)
 Secondary Release Detection: Not reported
 Release Detection Comments: RDTank: Statistical Inventory Reconciliation / RDLine:
 Piping Configuration: Not reported
 Piping Configuration Comments: Not reported
 Piping Styles: NA - Not Applicable
 Piping Constructions: OTH - Other (explain)
 Piping Construction Comments: Unknown
 Piping Corrosion Protections: OTH - Other (explain)
 Piping Corrosion Protection Comments: Not reported
 Piping Release Detections: OTH - Other(explain)
 Piping Release Detection Comments: Not reported
 Spill Prevention Manholes: NP - None Present
 Spill Prevention Manhole Comments: No
 OverFill Prevention: Not reported
 OverFill Prevention Comment: OverFill Spill: No
 Comments: Not reported

E48
ESE
1/8-1/4
0.148 mi.
779 ft.

UNOCAL
2253 E LIVINGSTON AVE
COLUMBUS, OH
Site 13 of 15 in cluster E

RGA LUST S114796526
N/A

Relative:
Higher

RGA LUST:
 1995 UNOCAL 2253 E LIVINGSTON AVE
 1994 UNOCAL 2253 E LIVINGSTON AVE

Actual:
763 ft.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

E49 UNOCAL NO 123
ESE 2253 E LIVINGSTON AVE
1/8-1/4 COLUMBUS, OH 43209
0.148 mi.
779 ft. Site 14 of 15 in cluster E

FINDS 1005808882
N/A

Relative:
Higher

FINDS:

Registry ID: 110009663729

Actual:
763 ft.

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

E50 76 SERVICE STATION
ESE 2253 E LIVINGSTON AVE
1/8-1/4 COLUMBUS, OH
0.148 mi.
779 ft. Site 15 of 15 in cluster E

RGA LUST S114744176
N/A

Relative:
Higher

RGA LUST:

Actual:
763 ft.

2012	76 SERVICE STATION	2253 E LIVINGSTON AVE
2011	76 SERVICE STATION	2253 E LIVINGSTON AVE
2010	76 SERVICE STATION	2253 E LIVINGSTON AVE
2009	76 SERVICE STATION	2253 E LIVINGSTON AVE
2008	76 SERVICE STATION	2253 E LIVINGSTON AVE
2007	76 SERVICE STATION	2253 E LIVINGSTON AVE
2006	76 SERVICE STATION	2253 E LIVINGSTON AVE
2005	76 SERVICE STATION	2253 E LIVINGSTON AVE
2004	76 SERVICE STATION	2253 E LIVINGSTON AVE
2003	76 SERVICE STATION	2253 E LIVINGSTON AVE
2002	76 SERVICE STATION	2253 E LIVINGSTON AVE
2001	76 SERVICE STATION	2253 E LIVINGSTON AVE
2000	76 SERVICE STATION	2253 E LIVINGSTON AVE

51 BERWICK SHELL STATION
ESE 2260 E LIVINGSTON AVE
1/8-1/4 COLUMBUS, OH
0.177 mi.
934 ft.

EDR Hist Auto 1009038118
N/A

Relative:
Higher

EDR Hist Auto

Actual:
769 ft.

Year:	Name:	Type:
1960	BERWICLC SHELL SERVICE	GASOLINE STATIONS
1965	BERWICK SHELL SERVICE	GASOLINE STATIONS
1971	BERWICK SHELL STATION	GASOLINE STATIONS
1976	BERWICK SHELL STATION	GASOLINE STATIONS
1986	SPEEDY MUFFLER KING 3440	Automotive Repair Shops, NEC
1987	SPEEDY MUFFLER KING 3440	Automotive Repair Shops, NEC
1988	SPEEDY MUFFLER KING 3440	Automotive Repair Shops, NEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F52
WSW
1/8-1/4
0.180 mi.
949 ft.
SAFETY KLEEN
I70 WB BTWN RT 33 & LIVINGSTON AVE EXIT
COLUMBUS, OH
Site 1 of 4 in cluster F

SPILLS **S106334986**
N/A

Relative: **Higher**
Actual: **759 ft.**
SPILLS:
Spill No.: 8908-25-2991
Spill Number: 2991
Spill Month/Year: 8/1989
Date Spill Reported: 08/03/1989
Reporter Name: PUCO
Confidential: No
District Code: CD
Employee Number: 1785
District C Decode: Central
Product Spilled Name: TRIFLUOROETHANE
Lat/Long: Not reported

F53
WSW
1/8-1/4
0.180 mi.
949 ft.
LANDSTAR RANGER
I-70 EB 103 MM AT LIVINGSTON AVE
COLUMBUS, OH
Site 2 of 4 in cluster F

SPILLS **S111003711**
N/A

Relative: **Higher**
Actual: **759 ft.**
SPILLS:
Spill No.: 1105-25-1762
Spill Number: 1762
Spill Month/Year: 5/2011
Date Spill Reported: 05/23/2011
Reporter Name: IAN MILLER
Confidential: Not reported
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: DIESEL FUEL
Lat/Long: 3954543 / 8256380

F54
WSW
1/8-1/4
0.186 mi.
983 ft.
MARION S GULF
1999 E LIVINGSTON AVE
COLUMBUS, OH
Site 3 of 4 in cluster F

EDR Hist Auto **1009037947**
N/A

Relative: **Higher**
Actual: **759 ft.**
EDR Hist Auto
Year: 1960 Name: MARION S GULF Type: GASOLINE STATIONS

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

F55
WSW
1/8-1/4
0.186 mi.
983 ft.

RMI TITANIUM
LIVINGSTON AVE & I-70
COLUMBUS, OH

Site 4 of 4 in cluster F

SPILLS **S102885877**
N/A

Relative:
Higher

SPILLS:
Spill No.: 9109-25-3904
Spill Number: 3904
Spill Month/Year: 9/1991
Date Spill Reported: 09/11/1991
Reporter Name: OCO
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: GASOLINE
Lat/Long: Not reported

Actual:
760 ft.

56
SW
1/8-1/4
0.187 mi.
986 ft.

KRAMER JOHN
1991 E LIVINGSTON AV
COLUMBUS, OH

EDR Hist Auto **1009038105**
N/A

Relative:
Lower

EDR Hist Auto

Actual:
738 ft.

Year:	Name:	Type:
1942	KRAMER JOHN	GASOLINE AND OIL SERVICE STATIONS
1952	KRAMER WM E	GASOLINE STATIONS
1956	KRAMER WM E	GASOLINE STATIONS

G57
NW
1/8-1/4
0.198 mi.
1045 ft.

ALUM CREEK GI, COLUMBUS
RIVER MILE 3.8 N TO RIVER MILE 10
COLUMBUS, OH 43207

DERR **S104517687**
VAPOR **N/A**

Site 1 of 2 in cluster G

Relative:
Lower

DERR:
DERR ID: 125001965
District: CDO
Alias: Not reported
Lat/Long: 39.952064 -82.942785
CERCLIS ID: Not reported
Program: Site Assessment
Decode for Activity: Site Assessment

Actual:
739 ft.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

58
SE
1/8-1/4
0.201 mi.
1063 ft.

BERWICK DRY CLEANERS
1047 COLLEGE AVE
COLUMBUS, OH 43209

EDR Hist Cleaner **1018927953**
N/A

Relative:
Higher

EDR Hist Cleaner

Actual:
766 ft.

Year: Name:
1997 BERWICK DRY CLEANERS
2007 BERWICK DRY CLEANERS
2008 BERWICK DRY CLEANERS

Type:
Garment Pressing And Cleaners' Agents
Garment Pressing And Cleaners' Agents
Garment Pressing And Cleaners' Agents

H59
West
1/8-1/4
0.202 mi.
1066 ft.

UNK
ALUM & LIVINGTON
COLUMBUS, OH

SPILLS **S102889777**
N/A

Site 1 of 2 in cluster H

Relative:
Lower

SPILLS:
Spill No.: 9207-25-2850
Spill Number: 2850
Spill Month/Year: 7/1992
Date Spill Reported: 07/06/1992
Reporter Name: OEPA
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: DRUMS
Lat/Long: Not reported

160
WSW
1/8-1/4
0.222 mi.
1172 ft.

I-70 EB @ ALUM CREEK DR
COLUMBUS, OH 43205

SPILLS 90 **S112446229**
N/A

Site 1 of 11 in cluster I

Relative:
Higher

Spills:
Status: Not reported
Contact Name: Not reported
Contact Phone: Not reported
Site ID: OHSP-1006-3189
Secondary ID: 3189.00
Cross Street: Not reported
County: FRANKLIN
Longitude: -82944634
Latitude: 39948627
Elevation: 234.756

Actual:
761 ft.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

61
WNW
1/8-1/4
0.227 mi.
1196 ft.

SEWARD MOTOR FREIGHT
I71 WB ON ALUM CREEK DR OVERPASS
COLUMBUS, OH

SPILLS **S106324468**
N/A

Relative:
Higher

SPILLS:
Spill No.: 9609-25-3855
Spill Number: 3855
Spill Month/Year: 9/1996
Date Spill Reported: 09/03/1996
Reporter Name: YEAGER
Confidential: No
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: DIESEL FUEL
Lat/Long: 395704.4 / 825639.7

Actual:
759 ft.

H62
West
1/8-1/4
0.234 mi.
1235 ft.

COLUMBIA GAS TRANSMISSION CORP
ALUM CREEK DR
COLUMBUS, OH 43205

FINDS **1016232615**
ECHO **N/A**

Site 2 of 2 in cluster H

Relative:
Higher

FINDS:
Registry ID: 110007715749

Actual:
759 ft.

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016232615
Registry ID: 110007715749
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110007715749>

I63
WSW
1/8-1/4
0.235 mi.
1243 ft.

BP OIL CO. #07723
1971 E LIVINGSTON AVE
COLUMBUS, OH

RGA LUST **S114750466**
N/A

Site 2 of 11 in cluster I

Relative:
Higher

RGA LUST:

2012	BP OIL CO. #07723	1971 E LIVINGSTON AVE
2011	BP OIL CO. #07723	1971 E LIVINGSTON AVE
2010	BP OIL CO. #07723	1971 E LIVINGSTON AVE
2009	BP OIL CO. #07723	1971 E LIVINGSTON AVE
2008	BP OIL CO. #07723	1971 E LIVINGSTON AVE

Actual:
760 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BP OIL CO. #07723 (Continued)

S114750466

2007 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2006 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2005 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2004 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2003 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2002 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2001 BP OIL CO. #07723 1971 E LIVINGSTON AVE
2000 BP OIL CO. #07723 1971 E LIVINGSTON AVE

I64
WSW
1/8-1/4
0.235 mi.
1243 ft.

BP OIL CO. #07723
1971 E LIVINGSTON AVE
COLUMBUS, OH 43209

LUST U004204857
UST N/A

Site 3 of 11 in cluster I

Relative:
Higher

LUST:

Release Number: 25001454-N00001

Release Date: Not reported

Actual:
760 ft.

Facility Status: Inactive

LTF Status: 1 SUS/CON from regulated UST

FR Status: NFA: No Further Action

Priority: 2

Review Date: 03/30/2000

Priority Decode: SUS/CON from non-regulated UST

Class1 Decode: A viable RP have been identified

Class: Viable Responsible Party has been identified

UST:

Facility Id: 25001454
Facility Type: Gas Station
Owner Name: KANTAM ENTERPRISES LLC
Owner Address: 6135 MONTGOMERY ROAD
Owner City/State/Zip: 45213

Tank Number: T00001
Status: REM - Removed
UST Capacity: 8000
Tank Content: Gasoline
Installation Date: 01/01/1980
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 01/01/1989
Date TCL Closed: Not reported
Date Removed: 01/01/1989
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BP OIL CO. #07723 (Continued)

U004204857

Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Fiberglass Reinforced Plastic
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00002
Status: REM - Removed
UST Capacity: 8000
Tank Content: Gasoline
Installation Date: 01/01/1980
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 01/01/1989
Date TCL Closed: Not reported
Date Removed: 01/01/1989
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Fiberglass Reinforced Plastic
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Fiberglass Reinforced Plastic
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00003
Status: REM - Removed
UST Capacity: 8000
Tank Content: Gasoline
Installation Date: 01/01/1980
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: 01/01/1989

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BP OIL CO. #07723 (Continued)

U004204857

Date TCL Closed: Not reported
 Date Removed: 01/01/1989
 CAS Number: 8006-61-9
 Abandoned Approved: Not reported
 Regulated: YES
 Sensitive Area: NO
 Date Of Sensitivity: Not reported
 UST Configurations: Not reported
 Construction Comments: Fiberglass Reinforced Plastic
 Corrosion Protections: Not reported
 Corrosion Protection Comments: Not reported
 Primary Release Detection: AMO - Alternative Method (Other, explain)
 Secondary Release Detection: Not reported
 Release Detection Comments: RDTank: / RDLine:
 Piping Configuration: Not reported
 Piping Configuration Comments: Not reported
 Piping Styles: P - Pressure
 Piping Constructions: FRP - Fiberglass Reinforced Plastic
 Piping Construction Comments: Fiberglass Reinforced Plastic
 Piping Corrosion Protections: OTH - Other (explain)
 Piping Corrosion Protection Comments: Not reported
 Piping Release Detections: OTH - Other(explain)
 Piping Release Detection Comments: Not reported
 Spill Prevention Manholes: NP - None Present
 Spill Prevention Manhole Comments: No
 OverFill Prevention: Not reported
 OverFill Prevention Comment: OverFill Spill: No
 Comments: Not reported

I65
WSW
1/8-1/4
0.235 mi.
1243 ft.

BP OIL CO. #07723
1971 E LIVINGSTON AVE
COLUMBUS, OH 43209
Site 4 of 11 in cluster I

ARCHIVE UST **U004085851**
N/A

Relative:
Higher

Actual:
760 ft.

ARCHIVE UST:
 Facility Number: 25001454
 Owner Name: BP PRODUCTS N A INC-HSSE COMPL
 Owner Address: P.O. BOX 6038
 Owner City,St,Zip: ARTESIA, CA 90702

 Tank ID: T00001
 Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
 Install Date: 1/1/1980
 Content: Gasoline
 Capacity: 8000
 Corrosion Protection Tank: Not reported
 CAS #: 8006-61-9
 Regulated: Yes
 Overfill Device Installed: No
 Spill Device Installed: No
 Release Detection On Tank: Not reported
 Date Removed: 1/1/1989
 Date Last Use: 1/1/1989
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BP OIL CO. #07723 (Continued)

U004085851

Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Not reported

Tank ID: T00002
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1980
Content: Gasoline
Capacity: 8000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 1/1/1989
Date Last Use: 1/1/1989
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Not reported

Tank ID: T00003
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Removed
Install Date: 1/1/1980
Content: Gasoline
Capacity: 8000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 1/1/1989
Date Last Use: 1/1/1989
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

I66
WSW
1/8-1/4
0.235 mi.
1243 ft.

STANDARD OIL CO
1971 E LIVINGSTON AVE
COLUMBUS, OH

EDR Hist Auto **1009038524**
N/A

Relative:
Higher

EDR Hist Auto

Actual:
760 ft.

Year:	Name:	Type:
1960	ED S SOHIO	GASOLINE STATIONS
1971	STANDARD OIL CO	GASOLINE STATIONS
1976	STANDARD OIL CO	GASOLINE STATIONS
1981	STANDARD OIL CO	GASOLINE STATIONS

G67
NW
1/8-1/4
0.238 mi.
1255 ft.

HANFORD VILLAGE PARK
755 ALUM CREEK DR
COLUMBUS, OH 43205

NPDES **S117856167**
N/A

Site 2 of 2 in cluster G

Relative:
Lower

OH NPDES:
Issue Date: 03/25/2015
Township: Not reported
Facility Npdes Permit: 4GC04852*AG
Applicant Name: COLUMBUS RECREATION & PARKS DEPT
Applicant Address: 1111 E BROAD ST COLUMBUSOH 43205

Actual:
750 ft.

68
ESE
1/8-1/4
0.246 mi.
1297 ft.

COLUMBUS WWTP
2295 LIVINGSTON AVE
COLUMBUS, OH

SPILLS **S120846774**
N/A

Relative:
Higher

SPILLS:
Spill No.: 1702-25-0324
Spill Number: 324
Spill Month/Year: 2/2017
Date Spill Reported: 02/15/2017
Reporter Name: MIKE FOSTER
Confidential: Not reported
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: SEWAGE
Lat/Long: Not reported

Actual:
770 ft.

69
NW
1/4-1/2
0.251 mi.
1324 ft.

2012 KENT STREET
COLUMBUS, OH 43205

LEAD **S116284239**
N/A

Relative:
Lower

LEAD:
License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 6

Actual:
755 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S116284239

Summary Year: 2014
Summary Number: 147289
Detail Number: 182085
Activity Performed: Clearance Testing
Reason For Activity: Lead Safe Renovation

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 6
Summary Year: 2014
Summary Number: 147289
Detail Number: 182085
Activity Performed: Clearance Testing
Reason For Activity: Non-Abatement

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 6
Summary Year: 2014
Summary Number: 147289
Detail Number: 182085
Activity Performed: Clearance Testing
Reason For Activity: Owner Requested

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 12
Summary Year: 2013
Summary Number: 145272
Detail Number: 178793
Activity Performed: Clearance Testing
Reason For Activity: Lead Safe Renovation

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 12
Summary Year: 2013
Summary Number: 145272
Detail Number: 178793
Activity Performed: Clearance Testing
Reason For Activity: Non-Abatement

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 12
Summary Year: 2013
Summary Number: 145272
Detail Number: 178793
Activity Performed: Clearance Testing
Reason For Activity: Owner Requested

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

I70 WSW 1/4-1/2 0.258 mi. 1361 ft.	UNK ALUM CREEK & LIVINGSTON AVE COLUMBUS, OH Site 6 of 11 in cluster I	SPILLS	S106309145 N/A
---	---	---------------	---------------------------------

Relative: Higher	SPILLS:	
Actual: 759 ft.	Spill No.: 9907-25-2408 Spill Number: 2408 Spill Month/Year: 7/1999 Date Spill Reported: 07/02/1999 Reporter Name: BRUCE HERRMANN Confidential: No District Code: CD Employee Number: Not reported District C Decode: Central Product Spilled Name: ODOR Product Spilled Name: ODOR Product Spilled Name: ODOR Lat/Long: Not reported	

I71 WSW 1/4-1/2 0.258 mi. 1361 ft.	SOHIO ALUM CREEK & LIVINGSTON COLUMBUS, OH Site 7 of 11 in cluster I	RGA LUST	S114788855 N/A
---	---	-----------------	---------------------------------

Relative: Higher	RGA LUST:	
Actual: 759 ft.	1998 SOHIO ALUM CREEK & LIVINGSTON 1997 SOHIO ALUM CREEK & LIVINGSTON 1996 SOHIO ALUM CREEK & LIVINGSTON 1995 SOHIO ALUM CREEK & LIVINGSTON 1994 SOHIO ALUM CREEK & LIVINGSTON	

I72 WSW 1/4-1/2 0.258 mi. 1361 ft.	BP #07723 ALUM CREEK & LIVINGSTON COLUMBUS, OH Site 8 of 11 in cluster I	RGA LUST	S114749420 N/A
---	---	-----------------	---------------------------------

Relative: Higher	RGA LUST:	
Actual: 759 ft.	1999 BP #07723 ALUM CREEK & LIVINGSTON	

I73 WSW 1/4-1/2 0.258 mi. 1361 ft.	STANDARD OIL CO LIVINGSTON & ALUM CREEK COLUMBUS, OH Site 9 of 11 in cluster I	SPILLS	S106336170 N/A
---	---	---------------	---------------------------------

Relative: Higher	SPILLS:	
Actual: 759 ft.	Spill No.: 8404-25-0912 Spill Number: 0912 Spill Month/Year: 4/1984 Date Spill Reported: 04/11/1984 Reporter Name: COMPANY Confidential: No	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STANDARD OIL CO (Continued)

S106336170

District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: GASOLINE
Lat/Long: Not reported

I74
WSW
1/4-1/2
0.258 mi.
1361 ft.

DIRECT TRANSIT
ALUM CREEK @ LIVINGSTON AVE
COLUMBUS, OH

SPILLS S106325250
N/A

Site 10 of 11 in cluster I

Relative:
Higher

SPILLS:
Spill No.: 9503-25-0964
Spill Number: 0964
Spill Month/Year: 3/1995
Date Spill Reported: 03/16/1995
Reporter Name: DISP LINDENBERG
Confidential: No
District Code: CD
Employee Number: 1786
District C Decode: Central
Product Spilled Name: DIESEL FUEL
Lat/Long: 395654 / 825641

Actual:
759 ft.

I75
WSW
1/4-1/2
0.258 mi.
1363 ft.

CAPITAL UNIVERSITY
ALUM CREEK AT LIVINGSTON AVE EAST BANK
COLUMBUS, OH

SPILLS S110339842
N/A

Site 11 of 11 in cluster I

Relative:
Higher

SPILLS:
Spill No.: 1002-25-0324
Spill Number: 324
Spill Month/Year: 2/2010
Date Spill Reported: 02/14/2010
Reporter Name: HALE
Confidential: Not reported
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: FUEL OIL
Lat/Long: 3957206 / 8236194

Actual:
759 ft.

J76
WSW
1/4-1/2
0.269 mi.
1422 ft.

SYNA LLC
995 ALUM CREEK DR
COLUMBUS, OH 43209

EDR Hist Auto 1021198800
N/A

Site 1 of 16 in cluster J

Relative:
Higher

EDR Hist Auto

Actual:
759 ft.

Year: Name:
2011 SYNA LLC
2012 SYNA LLC

Type:
Gasoline Service Stations
Gasoline Service Stations

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SYNA LLC (Continued)

1021198800

2013 SYNA LLC
2014 SYNA LLC

Gasoline Service Stations
Gasoline Service Stations

K77
SE
1/4-1/2
0.273 mi.
1443 ft.

LEO YASSENOFF JEWISH CENTER RECREATIONAL DAY CAMP
1125 COLLEGE AVE
COLUMBUS, OH 43209

FINDS 1006218024
N/A

Site 1 of 3 in cluster K

Relative:
Higher

FINDS:

Registry ID: 110009665442

Actual:
765 ft.

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

78
West
1/4-1/2
0.280 mi.
1478 ft.

1937 CLAY CT
COLUMBUS, OH 43205

LEAD S118271965
N/A

Relative:
Higher

LEAD:

License Number: LA006580
Contractor Last Name: Lopinsky
Contractor First Name: Michael
Summary Month: 10
Summary Year: 2008
Summary Number: 125672
Detail Number: 136318
Activity Performed: Clearance Testing
Reason For Activity: Non-Abatement

Actual:
759 ft.

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 4
Summary Year: 2008
Summary Number: 123341
Detail Number: 130825
Activity Performed: Inspection/Risk Assessment
Reason For Activity: Abatement

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 4

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S118271965

Summary Year: 2008
 Summary Number: 123341
 Detail Number: 130825
 Activity Performed: Inspection/Risk Assessment
 Reason For Activity: Owner Requested

J79
WSW
1/4-1/2
0.283 mi.
1494 ft.

RICH OIL NO 7152
1001 ALUM CREEK DR
COLUMBUS, OH 43209

Site 2 of 16 in cluster J

FINDS 1006217957
N/A

Relative:
Higher

FINDS:

Registry ID: 110009664737

Actual:
759 ft.

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

J80
WSW
1/4-1/2
0.283 mi.
1494 ft.

ALUM CREEK MARATHON
1001 ALUM CREEK DR
COLUMBUS, OH

Site 3 of 16 in cluster J

RGA LUST S114745493
N/A

Relative:
Higher

RGA LUST:

2012	ALUM CREEK MARATHON	1001 ALUM CREEK DR
2011	ALUM CREEK MARATHON	1001 ALUM CREEK DR
2010	ALUM CREEK MARATHON	1001 ALUM CREEK DR
2009	ALUM CREEK MARATHON	1001 ALUM CREEK DR
2008	ALUM CREEK MARATHON	1001 ALUM CREEK DR
2007	ALUM CREEK MARATHON	1001 ALUM CREEK DR

Actual:
759 ft.

J81
WSW
1/4-1/2
0.283 mi.
1494 ft.

SAVE MORE GAS STA
1001 ALUM CREEK DR
COLUMBUS, OH

Site 4 of 16 in cluster J

EDR Hist Auto 1009038628
N/A

Relative:
Higher

EDR Hist Auto

Actual:
759 ft.

Year:	Name:	Type:
1976	SAVE MORE GAS STA	GASOLINE STATIONS
1981	SAVE MORE GAS STA	GASOLINE STATIONS
1994	RICH OIL INC	Gasoline Service Stations
1994	SAVE MORE GAS STA	Gasoline Service Stations
1995	RICH OIL INC	Gasoline Service Stations

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SAVE MORE GAS STA (Continued)

1009038628

1995	SAVE MORE GAS STA	Gasoline Service Stations
1996	ASHLAND INC	Gasoline Service Stations
1997	ASHLAND INC	Gasoline Service Stations
1998	ASHLAND INC	Gasoline Service Stations

J82
WSW
1/4-1/2
0.283 mi.
1494 ft.

RICH OIL NO 3752
1001 ALUM CREEK DR
COLUMBUS, OH 43209
Site 5 of 16 in cluster J

RCRA NonGen / NLR **1004767642**
FINDS **OHR000041913**

Relative:
Higher

RCRA NonGen / NLR:

Date form received by agency: 04/04/2005
 Facility name: RICH OIL # 3752
 Facility address: 1001 ALUM CREEK DR
 COLUMBUS, OH 43209
 EPA ID: OHR000041913
 Mailing address: PO BOX 1500
 SPRINGFIELD, OH 45501
 Contact: CHARLES BESSE
 Contact address: PO BOX 1500
 SPRINGFIELD, OH 45501
 Contact country: US
 Contact telephone: 937-863-6272
 Contact email: Not reported
 EPA Region: 05
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
759 ft.

Owner/Operator Summary:

Owner/operator name: SPEEDWAY SUPERAMERICA LLC
 Owner/operator address: PO BOX 1500
 SPRINGFIELD, OH 45501
 Owner/operator country: Not reported
 Owner/operator telephone: 937-864-3000
 Owner/operator email: Not reported
 Owner/operator fax: Not reported
 Owner/operator extension: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RICH OIL NO 3752 (Continued)

1004767642

Used oil transfer facility: No
 Used oil transporter: No

. Waste code: D001
 . Waste name: IGNITABLE WASTE

. Waste code: D018
 . Waste name: BENZENE

Historical Generators:

Date form received by agency: 06/16/2000
 Site name: RICH OIL # 3752
 Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
 . Waste name: IGNITABLE WASTE

. Waste code: D018
 . Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110004737429

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

J83
 WSW
 1/4-1/2
 0.283 mi.
 1494 ft.

RICH OIL #3752
1001 ALUM CREEK DR
COLUMBUS, OH
Site 6 of 16 in cluster J

RGA LUST S114784998
N/A

Relative:
 Higher

RGA LUST:

2006	RICH OIL #3752	1001 ALUM CREEK DR
2005	RICH OIL #3752	1001 ALUM CREEK DR
2004	RICH OIL #3752	1001 ALUM CREEK DR
2003	RICH OIL #3752	1001 ALUM CREEK DR
2002	RICH OIL #3752	1001 ALUM CREEK DR
2001	RICH OIL #3752	1001 ALUM CREEK DR

Actual:
 759 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RICH OIL #3752 (Continued)

S114784998

2000 RICH OIL #3752 1001 ALUM CREEK DR

J84
WSW
1/4-1/2
0.283 mi.
1494 ft.

SAVE MOR STORE
1001 ALUM CREEK DRIVE
COLUMBUS, OH

SPILLS **S106332734**
N/A

Site 7 of 16 in cluster J

Relative:
Higher

SPILLS:

Spill No.: 9106-25-2153
Spill Number: 2153
Spill Month/Year: 6/1991
Date Spill Reported: 06/03/1991
Reporter Name: COMPANY
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: GASOLINE
Lat/Long: Not reported

Actual:
759 ft.

J85
WSW
1/4-1/2
0.283 mi.
1494 ft.

ALUM CREEK MARATHON
1001 ALUM CREEK DR
COLUMBUS, OH 43209

LUST **U004099730**
UST **N/A**
ARCHIVE UST

Site 8 of 16 in cluster J

Relative:
Higher

LUST:

Release Number: 25000436-N00001
Release Date: Not reported
Facility Status: Inactive
LTF Status: 6 Closure of regulated UST
FR Status: NFA: No Further Action
Priority: 3
Review Date: 06/20/2000
Priority Decode: SUS/CON from AST
Class1 Decode: A viable RP have been identified
Class: Viable Responsible Party has been identified

Actual:
759 ft.

UST:

Facility Id: 25000436
Facility Type: Gas Station
Owner Name: GBS ALUM LLC
Owner Address: PO BOX 635
Owner City/State/Zip: 43216

Tank Number: T00001
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1974
Construction: JS - Jacketed Steel
Date Last Used: 04/01/1999
Date TCL Closed: Not reported
Date Removed: 06/29/1999
CAS Number: 8006-61-9
Abandoned Approved: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Cathodically Protected Steel;;Polyethylene Jacke
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: BM - Bare Metal
Piping Construction Comments: Galvanized Steel;Cathodically Pr
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00002
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1974
Construction: JS - Jacketed Steel
Date Last Used: 04/01/1999
Date TCL Closed: Not reported
Date Removed: 06/29/1999
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Cathodically Protected Steel;;Polyethylene Jacke
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: BM - Bare Metal
Piping Construction Comments: Galvanized Steel;Cathodically Pr
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00003
Status: REM - Removed
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 01/01/1974
Construction: JS - Jacketed Steel
Date Last Used: 04/01/1999
Date TCL Closed: Not reported
Date Removed: 06/29/1999
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Cathodically Protected Steel;;Polyethylene Jacke
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: BM - Bare Metal
Piping Construction Comments: Galvanized Steel;Cathodically Pr
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: NP - None Present
Spill Prevention Manhole Comments: No
OverFill Prevention: Not reported
OverFill Prevention Comment: OverFill Spill: No
Comments: Not reported

Tank Number: T00004
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 10/06/2006
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

UST Configurations: SC- Secondarily Contained
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00005
Status: CIU - Currently In Use
UST Capacity: 8000
Tank Content: Diesel
Installation Date: 10/06/2006
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SC- Secondarily Contained
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

Comments: Not reported

Tank Number: T00006
Status: CIU - Currently In Use
UST Capacity: 6000
Tank Content: Gasoline
Installation Date: 10/06/2006
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SC- Secondarily Contained
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

ARCHIVE UST:

Facility Number: 25000436
Owner Name: ALUM CREEK ARC LLC
Owner Address: PO Box 635
Owner City,St,Zip: COLUMBUS, OH 43216

Permit:

Facility Id: 25000436
Permit Id: P00001
Permit Status: Closed
Issued Date: 6/29/1999
LFD Permit Id: Not reported

Facility Id: 25000436
Permit Id: P00002
Permit Status: Closed
Issued Date: 12/15/2005
LFD Permit Id: 13722

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

Inspection:

Facility Id: 25000436
Permit Number: P00002
Code: 203
Inspection Type: Preliminary

Facility Id: 25000436
Permit Number: P00001
Code: 103
Inspection Type: Final

Facility Id: 25000436
Permit Number: P00002
Code: 203
Inspection Type: Preliminary

Facility Id: 25000436
Permit Number: P00002
Code: 203
Inspection Type: Final

Tank ID: T00001
Tank Type: Cathodically Protected Steel;;Polyethylene Jacke
Tank Status: Removed
Install Date: 1/1/1974
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 6/29/1999
Date Last Use: 4/1/1999
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Galvanized Steel;Cathodically Pr
Piping Type: Pressure
Release Detection On Piping: Not reported

Tank ID: T00002
Tank Type: Cathodically Protected Steel;;Polyethylene Jacke
Tank Status: Removed
Install Date: 1/1/1974
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 6/29/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

Date Last Use: 4/1/1999
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Galvanized Steel;Cathodically Pr
Piping Type: Pressure
Release Detection On Piping: Not reported

Tank ID: T00003
Tank Type: Cathodically Protected Steel;;Polyethylene Jacke
Tank Status: Removed
Install Date: 1/1/1974
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: Not reported
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 6/29/1999
Date Last Use: 4/1/1999
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Galvanized Steel;Cathodically Pr
Piping Type: Pressure
Release Detection On Piping: Not reported

Tank ID: T00004
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/6/2006
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Double Walled
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00005
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/6/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALUM CREEK MARATHON (Continued)

U004099730

Content: Gasoline
Capacity: 8000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Double Walled
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00006
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 10/6/2006
Content: Gasoline
Capacity: 6000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Double Walled
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

J86
WSW
1/4-1/2
0.283 mi.
1496 ft.

SCHALL C & C SUPER SERVICE STATION
1931 E LIVINGSTON AV
COLUMBUS, OH
Site 9 of 16 in cluster J

EDR Hist Auto 1009039028
N/A

Relative:
Higher

EDR Hist Auto

Actual:
759 ft.

Year: Name:
1932 SCHALL C & C SUPER SERVICE STAT

Type:
GASOLINE AND OIL SERVICE STATIONS

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

J87 WSW 1/4-1/2 0.287 mi. 1515 ft.	S LIVINGSTON INC 1937 E LIVINGSTON AVE COLUMBUS, OH Site 10 of 16 in cluster J	RGA LUST	S114786456 N/A
---	---	-----------------	---------------------------------

Relative: Lower	RGA LUST:	2012 S LIVINGSTON INC 1937 E LIVINGSTON AVE 2011 S LIVINGSTON INC 1937 E LIVINGSTON AVE 2010 S LIVINGSTON INC 1937 E LIVINGSTON AVE 2009 S LIVINGSTON INC 1937 E LIVINGSTON AVE	
----------------------------------	-----------	--	--

J88 WSW 1/4-1/2 0.287 mi. 1515 ft.	SHELL GDF 234-1793-0106 1937 E LIVINGSTON AVE COLUMBUS, OH 43209 Site 11 of 16 in cluster J	FINDS	1005806119 N/A
---	--	--------------	---------------------------------

Relative: Lower	FINDS:	Registry ID: 110006323148 Environmental Interest/Information System The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.	
----------------------------------	--------	---	--

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

J89 WSW 1/4-1/2 0.287 mi. 1515 ft.	LIVINGSTON SHELL 1937 E LIVINGSTON AVE COLUMBUS, OH 43209 Site 12 of 16 in cluster J	LUST UST ARCHIVE UST	U000695707 N/A
---	---	---	---------------------------------

Relative: Lower	LUST:	Release Number: 25000129-N00001 Release Date: 11/04/2005 Facility Status: Inactive LTF Status: 1 SUS/CON from regulated UST FR Status: NFA: No Further Action Priority: 2 Review Date: 04/19/2011 Priority Decode: SUS/CON from non-regulated UST Class1 Decode: A viable RP have been identified Class: Viable Responsible Party has been identified
----------------------------------	-------	--

UST:	Facility Id: 25000129 Facility Type: Gas Station Owner Name: S LIVINGSTON INC Owner Address: 1937 E LIVINGSTON AVE Owner City/State/Zip: 43209
------	--

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON SHELL (Continued)

U000695707

Tank Number: T00001
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 03/01/1974
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00002
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 03/01/1974
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON SHELL (Continued)

U000695707

Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

Tank Number: T00003
Status: CIU - Currently In Use
UST Capacity: 10000
Tank Content: Gasoline
Installation Date: 03/01/1974
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported
CAS Number: 8006-61-9
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: ATG - Automatic Tank Gauging
Secondary Release Detection: ATG - Automatic Tank Gauging
Release Detection Comments: Not reported
Piping Configuration: SC - Secondarily Contained
Piping Configuration Comments: Not reported
Piping Styles: P - Pressure
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: ELLD - Electronic Line Leak Detector
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Not reported

ARCHIVE UST:

Facility Number: 25000129
Owner Name: S LIVINGSTON INC
Owner Address: 1937 E LIVINGSTON AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIVINGSTON SHELL (Continued)

U000695707

Owner City,St,Zip: COLUMBUS, OH 43209

Permit:

Facility Id: 25000129
Permit Id: P00001
Permit Status: Expired
Issued Date: 11/7/1995
LFD Permit Id: Not reported

Facility Id: 25000129
Permit Id: P00002
Permit Status: Closed
Issued Date: 12/11/1996
LFD Permit Id: 03499

Facility Id: 25000129
Permit Id: P00003
Permit Status: Closed
Issued Date: 5/8/2006
LFD Permit Id: 13747

Inspection:

Facility Id: 25000129
Permit Number: P00003
Code: 504
Inspection Type: Final

Facility Id: 25000129
Permit Number: P00001
Code: 502
Inspection Type: Final

Tank ID: T00001
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 3/1/1974
Content: Gasoline
Capacity: 10000
Corrosion Protection Tank: None Required
CAS #: 8006-61-9
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Fiberglass Reinforced Plastic
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00002
Tank Type: Fiberglass Reinforced Plastic

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LIVINGSTON SHELL (Continued)

U000695707

Tank Status: **Currently In Use**
 Install Date: 3/1/1974
 Content: Gasoline
 Capacity: 10000
 Corrosion Protection Tank: None Required
 CAS #: 8006-61-9
 Regulated: Yes
 Overfill Device Installed: Yes
 Spill Device Installed: Yes
 Release Detection On Tank: Automatic Tank Gauging
 Date Removed: Not reported
 Date Last Use: Not reported
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: None Required
 Piping Material: Fiberglass Reinforced Plastic
 Piping Type: Pressure
 Release Detection On Piping: Electronic Line Leak Detector

Tank ID: T00003
 Tank Type: Fiberglass Reinforced Plastic
Tank Status: **Currently In Use**
 Install Date: 3/1/1974
 Content: Gasoline
 Capacity: 10000
 Corrosion Protection Tank: None Required
 CAS #: 8006-61-9
 Regulated: Yes
 Overfill Device Installed: Yes
 Spill Device Installed: Yes
 Release Detection On Tank: Automatic Tank Gauging
 Date Removed: Not reported
 Date Last Use: Not reported
 Date Abandoned/Closed: Not reported
 AST/UST: UST
 Corrosion Protection Piping: None Required
 Piping Material: Fiberglass Reinforced Plastic
 Piping Type: Pressure
 Release Detection On Piping: Electronic Line Leak Detector

J90
WSW
1/4-1/2
0.287 mi.
1515 ft.

TRUE NORTH #613
1937 E LIVINGSTON AVE
COLUMBUS, OH
Site 13 of 16 in cluster J

RGA LUST S114794789
N/A

Relative:
Lower

Actual:
758 ft.

RGA LUST:
 2008 TRUE NORTH #613 1937 E LIVINGSTON AVE
 2007 TRUE NORTH #613 1937 E LIVINGSTON AVE
 2006 TRUE NORTH #613 1937 E LIVINGSTON AVE

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

J91
WSW
1/4-1/2
0.287 mi.
1515 ft.

SHELL OIL CO. #23417930130
1937 E LIVINGSTON AVE
COLUMBUS, OH

RGALUST **S114787831**
N/A

Site 14 of 16 in cluster J

Relative:
Lower

RGALUST:

2005 SHELL OIL CO. #23417930130 1937 E LIVINGSTON AVE

Actual:
758 ft.

J92
WSW
1/4-1/2
0.287 mi.
1515 ft.

MACCULOH CHAD
1937 E LIVINGSTON AVE
COLUMBUS, OH 43209

EDR Hist Auto **1020228030**
N/A

Site 15 of 16 in cluster J

Relative:
Lower

EDR Hist Auto

Actual:
758 ft.

Year:	Name:	Type:
1982	RON EASTSIDE CAR WASH INC	Gasoline Service Stations
1983	RON EASTSIDE CAR WASH INC	Gasoline Service Stations
1985	RON EASTSIDE CAR WASH INC	Gasoline Service Stations
1986	RON EASTSIDE CAR WASH INC	Gasoline Service Stations
1987	RON EASTSIDE CAR WASH INC	Gasoline Service Stations
1988	RON EASTSIDE CAR WASH INC	Gasoline Service Stations
1989	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
1990	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
1991	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
1992	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
1993	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
1994	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
1995	RON EASTSIDE CAR WASH INC	Gasoline Service Stations, NEC
2001	SHELL SERVICE STATION CAR WASH	Gasoline Service Stations
2002	SHELL SERVICE STATION CAR WASH	Gasoline Service Stations
2003	SHELL SERVICE STATION CAR WASH	Gasoline Service Stations
2004	SHELL SERVICE STATION CAR WASH	Gasoline Service Stations
2005	MACCULOH CHAD	Gasoline Service Stations, NEC
2006	MACCULOH CHAD	Gasoline Service Stations, NEC
2007	MACCULOH CHAD	Gasoline Service Stations, NEC
2008	MACCULOH CHAD	Gasoline Service Stations, NEC
2009	MACCULOH CHAD	Gasoline Service Stations, NEC
2009	SHELL TRUE NORTH	Gasoline Service Stations
2010	MACCULOH CHAD	Gasoline Service Stations, NEC
2010	SHELL TRUE NORTH	Gasoline Service Stations
2011	MACCULOH CHAD	Gasoline Service Stations, NEC
2011	SHELL TRUE NORTH	Gasoline Service Stations
2012	SHELL TRUE NORTH	Gasoline Service Stations
2012	MACCULOH CHAD	Gasoline Service Stations, NEC
2013	SHELL TRUE NORTH	Gasoline Service Stations
2013	MACCULOH CHAD	Gasoline Service Stations, NEC
2014	MACCULOH CHAD	Gasoline Service Stations, NEC
2014	S LIVINGSTON INC	Gasoline Service Stations
2014	SHELL TRUE NORTH	Gasoline Service Stations, NEC

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

L93 SW 1/4-1/2 0.287 mi. 1515 ft.	LOGISTICS TRUCKING CO 1100 ALUM CREEK DR COLUMBUS, OH Site 1 of 2 in cluster L	SPILLS	S102893699 N/A
--	---	---------------	---------------------------------

Relative: Higher Actual: 763 ft.	SPILLS: Spill No.: 9306-25-2599 Spill Number: 2599 Spill Month/Year: 6/1993 Date Spill Reported: 06/28/1993 Reporter Name: LOCAL Confidential: No District Code: CD Employee Number: 1786 District C Decode: Central Product Spilled Name: DIESEL FUEL Lat/Long: 395640 / 825641
---	--

J94 WSW 1/4-1/2 0.291 mi. 1539 ft.	RICH OIL NO 3752 * 1001 ALUM CREEK DR COLUMBUS, OH 43209 Site 16 of 16 in cluster J	ECHO	1017435551 N/A
---	--	-------------	---------------------------------

Relative: Higher Actual: 760 ft.	ECHO: Envid: 1017435551 Registry ID: 110004737429 DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004737429
---	--

95 WNW 1/4-1/2 0.294 mi. 1551 ft.	FREMONT CONTRACT CARRIERS INC ODOT ROW N OF 1954 CLAY CRT COLUMBUS, OH	SPILLS	S110636932 N/A
--	---	---------------	---------------------------------

Relative: Lower Actual: 758 ft.	SPILLS: Spill No.: 1008-25-2335 Spill Number: 2335 Spill Month/Year: 8/2010 Date Spill Reported: 08/14/2010 Reporter Name: PAT Confidential: Not reported District Code: CD Employee Number: 1785 District C Decode: Central Product Spilled Name: DIESEL FUEL Lat/Long: 3957061 / 8256451
--	--

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M96
SSE
1/4-1/2
0.295 mi.
1558 ft.

HERITAGE TOWER
1151 COLLEGE AVE
COLUMBUS, OH -0-
Site 1 of 3 in cluster M

UNREG LTANKS **S105904071**
NPDES **N/A**

Relative:
Lower

UNREG LTANKS:

Facility Status: Deficiency

Facility Id: Not reported
Facility Track: 0
Report Number: 2581593
RP Status: Not reported
Inspector: Not reported
Revised Date: Not reported
Class: D
Vacant: Not reported
Emrgncy Resp: 2
Authorized By: GILL
Added Date: 12/09/98
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: OH
Owner Phone: Not reported
Operator Name: Not reported
Operator Address: Not reported
Operator C,S,Z: OH
Operator Phone: Not reported
Remarks: Not reported
Summary: Not reported

Facility County #: 049
Facility Phone: Not reported
Incident Number: 258159300
RP Search Date: Not reported
Coordinator: FICHE
Fiscal Tracking: FY98
Priority: 2
Lust Trust Fund: 2
ER By: Not reported
Authorized Date: 11/24/98
Entry By: SMITH

Actual:
748 ft.

OH NPDES:

Issue Date: 08/19/2003
Township: Not reported
Facility Npdes Permit: 4GC00227*AG
Applicant Name: CREEKSIDE AT THE VILLAGE
Applicant Address: 1151 COLLEGE AVE COLUMBUSOH 43209

M97
SSE
1/4-1/2
0.295 mi.
1558 ft.

WEXNER HERITAGE HOUSE
1151 COLLEGE AVE
COLUMBUS, OH 43209
Site 2 of 3 in cluster M

UST **U001964025**
ARCHIVE UST **N/A**

Relative:
Lower

UST:

Facility Id: 25002626
Facility Type: Hospital
Owner Name: WEXNER HERITAGE HOUSE
Owner Address: 1151 COLLEGE AVE
Owner City/State/Zip: 43209

Tank Number: T00001
Status: CIU - Currently In Use
UST Capacity: 2000
Tank Content: Diesel
Installation Date: 06/01/1988
Construction: FRP-Fiberglass Reinforced Plastic
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: Not reported

Actual:
748 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEXNER HERITAGE HOUSE (Continued)

U001964025

CAS Number: 68334-30-5
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: SW - Single Wall
Construction Comments: Not reported
Corrosion Protections: NR - None Required by Rule
Corrosion Protection Comments: Not reported
Primary Release Detection: NR - None Required by Rule
Secondary Release Detection: NR - None Required by Rule
Release Detection Comments: Not reported
Piping Configuration: SW - Single Wall
Piping Configuration Comments: Not reported
Piping Styles: S - Suction
Piping Constructions: FRP - Fiberglass Reinforced Plastic
Piping Construction Comments: Not reported
Piping Corrosion Protections: NR - None required by rule
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: SS - Safe Suction
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment: Not reported
Comments: Generator UST

ARCHIVE UST:

Facility Number: 25002626
Owner Name: WEXNER HERITAGE HOUSE
Owner Address: 1151 COLLEGE AVE
Owner City,St,Zip: COLUMBUS, OH 43209

Tank ID: T00001
Tank Type: Fiberglass Reinforced Plastic
Tank Status: Currently In Use
Install Date: 6/1/1988
Content: Diesel
Capacity: 2700
Corrosion Protection Tank: Field Galvanic Anodes
CAS #: 68334-30-5
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Automatic Tank Gauging
Date Removed: Not reported
Date Last Use: Not reported
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: None Required
Piping Material: Double Walled
Piping Type: Pressure
Release Detection On Piping: Electronic Line Leak Detector

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

M98
SSE
1/4-1/2
0.295 mi.
1558 ft.

HERITAGE TOWER
1151 COLLEGE AVE
COLUMBUS, OH

Site 3 of 3 in cluster M

RGA LUST **S114768688**
N/A

Relative:
Lower

RGA LUST:
1999 HERITAGE TOWER 1151 COLLEGE AVE

Actual:
748 ft.

99
NW
1/4-1/2
0.301 mi.
1588 ft.

UNK
807 LYMAN AVE
COLUMBUS, OH

SPILLS **S103778178**
N/A

Relative:
Lower

SPILLS:
Spill No.: 9801-25-0113
Spill Number: 0113
Spill Month/Year: 1/1998
Date Spill Reported: 01/08/1998
Reporter Name: LEUT WASHINGTON
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: GAOLINE
Product Spilled Name: GAOLINE
Lat/Long: Not reported

Actual:
750 ft.

N100
West
1/4-1/2
0.310 mi.
1637 ft.

CLARK OIL CO
1910 E LIVINGSTON AVE
COLUMBUS, OH

Site 1 of 2 in cluster N

EDR Hist Auto **1009038477**
N/A

Relative:
Higher

EDR Hist Auto

Actual:
760 ft.

Year:	Name:	Type:
1971	CLARK OIL CO	GASOLINE STATIONS
1976	CLARK OIL CO	GASOLINE STATIONS

O101
ESE
1/4-1/2
0.311 mi.
1643 ft.

2326 BERWICK RD.
COLUMBUS, OH 43209

Site 1 of 4 in cluster O

LEAD **S118273967**
N/A

Relative:
Higher

LEAD:
License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 11
Summary Year: 2008
Summary Number: 125985
Detail Number: 137255

Actual:
771 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S118273967

Activity Performed: Partial Inspection
Reason For Activity: Owner Requested

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 12
Summary Year: 2008
Summary Number: 126292
Detail Number: 138099
Activity Performed: Inspection
Reason For Activity: Owner Requested

O102
ESE
1/4-1/2
0.311 mi.
1643 ft.

2326 BERWICK
COLUMBUS, OH 43209
Site 2 of 4 in cluster O

LEAD S116284548
N/A

Relative:
Higher

LEAD:

Actual:
771 ft.

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175753
Activity Performed: Clearance Testing
Reason For Activity: Lead Safe Renovation

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175753
Activity Performed: Clearance Testing
Reason For Activity: Owner Requested

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175791
Activity Performed: Clearance Testing
Reason For Activity: Lead Safe Renovation

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175791
Activity Performed: Clearance Testing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S116284548

Reason For Activity: Owner Requested

K103
SE
1/4-1/2
0.311 mi.
1643 ft.

OLEG LUNIN
1145 COLLEGE AVE APT 501
COLUMBUS, OH

SPILLS S110482438
N/A

Site 2 of 3 in cluster K

Relative:
Higher

SPILLS:
Spill No.: 1008-25-2323
Spill Number: 2323
Spill Month/Year: 8/2010
Date Spill Reported: 08/13/2010
Reporter Name: OLEG LUNIN
Confidential: Not reported
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: MERCURY
Lat/Long: 3956420 / 8256161

Actual:
766 ft.

K104
SE
1/4-1/2
0.311 mi.
1643 ft.

HERITAGE TOWER
1145 COLLEGE AVE
COLUMBUS, OH 43209

UST U004275373
N/A

Site 3 of 3 in cluster K

Relative:
Higher

UST:
Facility Id: 25011135
Facility Type: Other
Owner Name: Not reported
Owner Address: Not reported
Owner City/State/Zip: Not reported

Tank Number: T00001
Status: REM - Removed
UST Capacity: 100
Tank Content: Diesel
Installation Date: 01/01/1900
Construction: Not reported
Date Last Used: Not reported
Date TCL Closed: Not reported
Date Removed: 08/25/1998
CAS Number: Not reported
Abandoned Approved: Not reported
Regulated: YES
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Not reported
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: Not reported
Secondary Release Detection: Not reported
Release Detection Comments: Not reported
Piping Configuration: Not reported

Actual:
766 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HERITAGE TOWER (Continued)

U004275373

Piping Configuration Comments: Not reported
Piping Styles: Not reported
Piping Constructions: Not reported
Piping Construction Comments: Not reported
Piping Corrosion Protections: Not reported
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: Not reported
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: Not reported
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: Not reported
OverFill Prevention Comment: Not reported
Comments: Not reported

**L105
SW
1/4-1/2
0.318 mi.
1677 ft.**

**OBERFIELDS INC
1165 ALUM CREEK DR
COLUMBUS, OH 43209**

**RCRA-CESQG 1004767474
FINDS OHR000039222
ECHO**

Site 2 of 2 in cluster L

**Relative:
Higher**

RCRA-CESQG:

Date form received by agency: 12/08/1999

Facility name: OBERFIELDS'S INC

Facility address: 1165 ALUM CREEK DR
COLUMBUS, OH 43209

EPA ID: OHR000039222

Mailing address: 528 LONDON RD
PO BOX 362

DELAWARE, OH 43015

Contact: DAN HODGE

Contact address: 528 LONDON RD PO BOX 362
DELAWARE, OH 43015

Contact country: US

Contact telephone: 614-252-0955

Contact email: Not reported

EPA Region: 05

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: WILLIAM OBERFIELD

Owner/operator address: PO BOX 362
DELAWARE, OH 43015

Owner/operator country: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OBERFIELDS INC (Continued)

1004767474

Owner/operator telephone: 740-369-7644
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110004735500

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OBERFIELDS INC (Continued)

1004767474

ECHO:

Envid: 1004767474
Registry ID: 110004735500
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004735500>

P106
WSW
1/4-1/2
0.321 mi.
1697 ft.

PERMA-FLEX MOLD CO INC
1919 E LIVINGSTON AVE
COLUMBUS, OH 43209

FINDS 1006212684
N/A

Site 1 of 2 in cluster P

Relative:
Lower

FINDS:

Registry ID: 110009604151

Actual:
758 ft.

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

P107
WSW
1/4-1/2
0.321 mi.
1697 ft.

PERMA-FLEX MOLD CO
1919 EAST LIVINGSTON
COLUMBUS, OH

SPILLS S106332397
N/A

Site 2 of 2 in cluster P

Relative:
Lower

SPILLS:

Spill No.: 9103-25-0668
Spill Number: 0668
Spill Month/Year: 3/1991
Date Spill Reported: 03/05/1991
Reporter Name: CITIZEN
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: CHEMICALS
Lat/Long: Not reported

Actual:
758 ft.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

Q108
West
1/4-1/2
0.322 mi.
1702 ft.

1905 GAULT
COLUMBUS, OH 43205
Site 1 of 2 in cluster Q

LEAD S116284144
N/A

Relative:
Higher

LEAD:
License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 10
Summary Year: 2013
Summary Number: 144682
Detail Number: 177849
Activity Performed: Clearance Testing
Reason For Activity: Lead Safe Renovation

Actual:
759 ft.

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 10
Summary Year: 2013
Summary Number: 144682
Detail Number: 177849
Activity Performed: Clearance Testing
Reason For Activity: Non-Abatement

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 10
Summary Year: 2013
Summary Number: 144682
Detail Number: 177849
Activity Performed: Clearance Testing
Reason For Activity: Owner Requested

N109
West
1/4-1/2
0.324 mi.
1710 ft.

FAMILY DOLLAR #10063
1900 E LIVINGSTON AVE
COLUMBUS, OH 43209
Site 2 of 2 in cluster N

RCRA-CESQG 1017788437
FINDS OHR000194175
ECHO

Relative:
Higher

RCRA-CESQG:
Date form received by agency: 03/13/2015
Facility name: FAMILY DOLLAR #10063
Facility address: 1900 E LIVINGSTON AVE
COLUMBUS, OH 43209
EPA ID: OHR000194175
Mailing address: PO BOX 1017
CHARLOTTE, NC 28201
Contact: KEVIN STRAIGHT
Contact address: PO BOX 1017
CHARLOTTE, NC 28201
Contact country: US
Contact telephone: 704-708-1909
Contact email: KSTRAIGHT@FAMILYDOLLAR.COM
EPA Region: 05
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar

Actual:
759 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAMILY DOLLAR #10063 (Continued)

1017788437

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: FAMILY DOLLAR STORES
Owner/operator address: PO BOX 1017
CHARLOTTE, NC 28201
Owner/operator country: US
Owner/operator telephone: 866-377-6420
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 08/14/2014
Owner/Op end date: Not reported

Owner/operator name: FAMILY DOLLAR STORES
Owner/operator address: PO BOX 1017
CHARLOTTE, NC 28201
Owner/operator country: US
Owner/operator telephone: 866-377-6420
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 08/14/2014
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAMILY DOLLAR #10063 (Continued)

1017788437

Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D016
. Waste name: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

Violation Status: No violations found

FINDS:

Registry ID: 110064462594

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FAMILY DOLLAR #10063 (Continued)

1017788437

ECHO:

Envid: 1017788437
Registry ID: 110064462594
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110064462594>

O110
ESE
1/4-1/2
0.332 mi.
1751 ft.

2338 BERWICK
COLUMBUS, OH 43219
Site 3 of 4 in cluster O

LEAD S116284559
N/A

Relative:
Higher

LEAD:

Actual:
771 ft.

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175790
Activity Performed: Clearance Testing
Reason For Activity: Lead Safe Renovation

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175790
Activity Performed: Clearance Testing
Reason For Activity: Non-Abatement

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2013
Summary Number: 143628
Detail Number: 175790
Activity Performed: Clearance Testing
Reason For Activity: Owner Requested

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 11
Summary Year: 2008
Summary Number: 125985
Detail Number: 137254
Activity Performed: Partial Inspection
Reason For Activity: Owner Requested

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

O111
ESE
1/4-1/2
0.332 mi.
1751 ft.

2353 E. LIVINGSTON AVE.
COLUMBUS, OH 43209

Site 4 of 4 in cluster O

LEAD S118274088
N/A

Relative:
Higher

LEAD:

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 7
Summary Year: 2011
Summary Number: 136494
Detail Number: 161776
Activity Performed: Clearance Testing
Reason For Activity: Non-Abatement

Actual:
774 ft.

Q112
West
1/4-1/2
0.342 mi.
1807 ft.

SUPERIOR WELDING CO INC
906 S NELSON RD
COLUMBUS, OH

Site 2 of 2 in cluster Q

NPDES S118118759
N/A

Relative:
Lower

OH NPDES:

Issue Date: 08/07/2015
Township: Not reported
Facility Npdes Permit: 4GRN00785*EG
Applicant Name: SUPERIOR WELDING CO INC
Applicant Address: 906 S NELSON RD COLUMBUS,OH 43205

Actual:
758 ft.

113
ESE
1/4-1/2
0.345 mi.
1820 ft.

POLSON RESIDENCE - RM - NO SPILL
2372 EAST LIVINGSTON
BEXELY, OH

SPILLS S109050607
N/A

Relative:
Higher

SPILLS:

Spill No.: 0803-25-0982
Spill Number: 982
Spill Month/Year: 3/2008
Date Spill Reported: 03/05/2008
Reporter Name: LIN POLSON
Confidential: Not reported
District Code: CD
Employee Number: 1786
District C Decode: Central
Product Spilled Name: NO SPILL
Lat/Long: 3956329 / 8256017

Actual:
776 ft.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

114
 North
 1/4-1/2
 0.346 mi.
 1825 ft.

64 66 WISCONSIN LLC
 681 COLLEGE AVE
 COLUMBUS, OH 43209

EDR Hist Auto

1020458379
 N/A

Relative:
 Higher

EDR Hist Auto

Year: Name: Type:
 2011 64 66 WISCONSIN LLC Gasoline Service Stations, NEC
 2012 64 66 WISCONSIN LLC Gasoline Service Stations, NEC

R115
 SSW
 1/4-1/2
 0.347 mi.
 1834 ft.

NATIONWIDE TRUCK BROKERS
 1156 ALUM CREEK DR
 COLUMBUS, OH

SPILLS

S102900892
 N/A

Site 1 of 3 in cluster R

Relative:
 Higher

SPILLS:

Spill No.: 9709-25-3694
 Spill Number: 3694
 Spill Month/Year: 9/1997
 Date Spill Reported: 09/10/1997
 Reporter Name: RK LEVY
 Confidential: No
 District Code: CD
 Employee Number: Not reported
 District C Decode: Central
 Product Spilled Name: DIESEL FUEL
 Lat/Long: Not reported

S116
 SW
 1/4-1/2
 0.362 mi.
 1913 ft.

PREFAB TRANSIT
 1185 ALUM CREEK DR
 COLUMBUS, OH 43217

LUST

U004099101
 N/A

Site 1 of 2 in cluster S

Relative:
 Lower

LUST:

Release Number: 25010172-N00001
 Release Date: Not reported
Facility Status: Inactive
 LTF Status: 1 SUS/CON from regulated UST
FR Status: NFA: No Further Action
 Priority: 2
 Review Date: 06/20/2000
 Priority Decode: SUS/CON from non-regulated UST
 Class1 Decode: A viable RP have been identified
 Class: Viable Responsible Party has been identified

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

S117
SW
1/4-1/2
0.362 mi.
1913 ft.

PREFAB TRANSIT
1185 ALUM CREEK DR
COLUMBUS, OH
Site 2 of 2 in cluster S

RGA LUST **S114783578**
N/A

Relative:
Lower

RGA LUST:

2012	PREFAB TRANSIT	1185 ALUM CREEK DR
2011	PREFAB TRANSIT	1185 ALUM CREEK DR
2010	PREFAB TRANSIT	1185 ALUM CREEK DR
2009	PREFAB TRANSIT	1185 ALUM CREEK DR
2008	PREFAB TRANSIT	1185 ALUM CREEK DR
2007	PREFAB TRANSIT	1185 ALUM CREEK DR
2006	PREFAB TRANSIT	1185 ALUM CREEK DR
2005	PREFAB TRANSIT	1185 ALUM CREEK DR
2004	PREFAB TRANSIT	1185 ALUM CREEK DR
2003	PREFAB TRANSIT	1185 ALUM CREEK DR
2002	PREFAB TRANSIT	1185 ALUM CREEK DR
2001	PREFAB TRANSIT	1185 ALUM CREEK DR
2000	PREFAB TRANSIT	1185 ALUM CREEK DR
1999	PREFAB TRANSIT	1185 ALUM CREEK DR
1998	PREFAB TRANSIT	1185 ALUM CREEK DR
1997	PREFAB TRANSIT	1185 ALUM CREEK DR
1996	PREFAB TRANSIT	1185 ALUM CREEK DR
1995	PREFAB TRANSIT	1185 ALUM CREEK DR
1994	PREFAB TRANSIT	1185 ALUM CREEK DR

Actual:
755 ft.

118
WNW
1/4-1/2
0.369 mi.
1949 ft.

VERIZON WIRELESS - NELSON RD
861 NELSON RD
COLUMBUS, OH 43215

FINDS **1015794432**
N/A

Relative:
Lower

FINDS:

Registry ID: 110046559032

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

T119
NNW
1/4-1/2
0.371 mi.
1959 ft.

UNK
KENTON AVE E END AT ALUM CREEK
COLUMBUS, OH
Site 1 of 4 in cluster T

SPILLS **S106309101**
N/A

Relative:
Lower

SPILLS:

Spill No.: 9906-25-2166

Spill Number: 2166

Actual:
750 ft.

Spill Month/Year: 6/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNK (Continued)

S106309101

Date Spill Reported: 06/14/1999
Reporter Name: MIKE DALTON
Confidential: No
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: MATERIAL BLUE
Lat/Long: 395715.6 / 825638.3

**T120
NNW
1/4-1/2
0.376 mi.
1986 ft.**

**2052 KENTON AVE.
COLUMBUS, OH 43215
Site 2 of 4 in cluster T**

**LEAD S118272518
N/A**

**Relative:
Lower**

LEAD:

License Number: LA003091
Contractor Last Name: Weisberg
Contractor First Name: Lisa
Summary Month: 1
Summary Year: 2010
Summary Number: 130845
Detail Number: 148513
Activity Performed: Clearance Testing
Reason For Activity: Abatement

**Actual:
751 ft.**

**T121
NNW
1/4-1/2
0.376 mi.
1986 ft.**

**2052 KENTON AVENUE
COLUMBUS, OH 43205
Site 3 of 4 in cluster T**

**LEAD S118272519
N/A**

**Relative:
Lower**

LEAD:

License Number: LA006799
Contractor Last Name: Twaits
Contractor First Name: Benjamin
Summary Month: 11
Summary Year: 2007
Summary Number: 121494
Detail Number: 127035
Activity Performed: Inspection/Risk Assessment
Reason For Activity: Lead Safe Renovation

**Actual:
751 ft.**

**T122
NNW
1/4-1/2
0.377 mi.
1990 ft.**

**2052 KENTON ST
COLUMBUS, OH 43205
Site 4 of 4 in cluster T**

**LEAD S118272520
N/A**

**Relative:
Lower**

LEAD:

License Number: LA007462
Contractor Last Name: KUPPER
Contractor First Name: ANDREW
Summary Month: 7
Summary Year: 2007

**Actual:
746 ft.**

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site _____ Database(s) _____ EDR ID Number
 _____ EPA ID Number

(Continued)

S118272520

Summary Number: 119794
 Detail Number: 123392
 Activity Performed: Risk Assessment
 Reason For Activity: EBL Investigation

U123 BYNUM HOBERT EDR Hist Auto 1009039181
WSW 1889 E LIVINGSTON AVE N/A
1/4-1/2 COLUMBUS, OH
0.381 mi.
2012 ft. Site 1 of 2 in cluster U

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
754 ft. 1952 BYNUM HOBERT GASOLINE STATIONS

U124 UNK SPILLS S106312291
WSW MEMORY LANE BETWEEN 1909 AND 1889 LIVINGSTON N/A
1/4-1/2 COLUMBUS, OH
0.381 mi.
2012 ft. Site 2 of 2 in cluster U

Relative: SPILLS:
Lower Spill No.: 9205-25-1802
 Spill Number: 1802

Actual: Spill Month/Year: 5/1992
754 ft. Date Spill Reported: 05/08/1992
 Reporter Name: COHD
 Confidential: No
 District Code: CD
 Employee Number: 1786
 District C Decode: Central
 Product Spilled Name: ORPHAN DRUM
 Lat/Long: 395650 / 825648

R125 COMMUNITY BUS SERVICES FINDS 1012145654
SSW 1160 ALUM CREEK DR N/A
1/4-1/2 COLUMBUS, OH 43219
0.381 mi.
2014 ft. Site 2 of 3 in cluster R

Relative: FINDS:
Lower

Actual: Registry ID: 110039154081
758 ft. Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMUNITY BUS SERVICES (Continued)

1012145654

Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

R126
SSW
1/4-1/2
0.381 mi.
2014 ft.

SENTEK CORP
1160B ALUM CREEK DR
COLUMBUS, OH
Site 3 of 3 in cluster R

SPILLS S105729003
NPDES N/A

Relative:
Lower

SPILLS:

Spill No.: 0201-25-0273
Spill Number: 273
Spill Month/Year: 1/2002
Date Spill Reported: 01/29/2002
Reporter Name: MIKE DALTON
Confidential: Not reported
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: WASTE WATER
Product Spilled Name: WASTE WATER
Lat/Long: 3956086 / 8247154

Actual:
758 ft.

OH NPDES:

Issue Date: 11/20/2014
Township: Not reported
Facility Npdes Permit: 4GRN00739*EG
Applicant Name: SENTEK CORP
Applicant Address: 1160B ALUM CREEK DR COLUMBUS,OH 42309

V127
NW
1/4-1/2
0.389 mi.
2056 ft.

OHIO POWER
1993 KENTON ST
COLUMBUS, OH
Site 1 of 4 in cluster V

SPILLS S115813955
N/A

Relative:
Higher

SPILLS:

Spill No.: 1401-25-0121
Spill Number: 121
Spill Month/Year: 1/2014
Date Spill Reported: 01/20/2014
Reporter Name: RAY WIRT
Confidential: Not reported
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: TRANSFORMER OIL
Lat/Long: Not reported

Actual:
761 ft.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

V128
NW **1993 KENTON ST**
1/4-1/2 **COLUMBUS, OH**
0.389 mi.
2056 ft. **Site 2 of 4 in cluster V**

ERNS **2014071690**
 N/A

Relative: [Click this hyperlink](#) while viewing on your computer to access
Higher additional ERNS detail in the EDR Site Report.

Actual: **OBERFIELD'S INC PLANT NO 4**
761 ft. **1221 ALUM CREEK DR**
129 **COLUMBUS, OH 43209**
SW
1/4-1/2
0.397 mi.
2094 ft.

FINDS **1006213842**
 N/A

Relative: **FINDS:**
Lower Registry ID: 110009617664

Actual: Environmental Interest/Information System
756 ft. The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

W130 **BAYLOR TRUCKING INC**
SW **1245 ALUM CREEK DR**
1/4-1/2 **COLUMBUS, OH**
0.400 mi.
2113 ft. **Site 1 of 5 in cluster W**

SPILLS **S113866540**
 N/A

Relative: **SPILLS:**
Lower Spill No.: 1304-25-0884
 Spill Number: 884
Actual: Spill Month/Year: 4/2013
757 ft. Date Spill Reported: 04/23/2013
 Reporter Name: CALLAHAN
 Confidential: Not reported
 District Code: CD
 Employee Number: 1752
 District C Decode: Central
 Product Spilled Name: DIESEL FUEL
 Lat/Long: 3956391 / 8256044

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

W131 SW 1/4-1/2 0.400 mi. 2113 ft.	USA TRUCK 1245 ALUM CREEK DR COLUMBUS, OH Site 2 of 5 in cluster W	SPILLS	S114040370 N/A
---	---	---------------	---------------------------------

Relative: Lower	SPILLS: Spill No.: 1309-25-2079 Spill Number: 2079 Actual: 757 ft.
	Spill Month/Year: 9/2013 Date Spill Reported: 09/11/2013 Reporter Name: ANDREW BARAN Confidential: Not reported District Code: CD Employee Number: 1752 District C Decode: Central Product Spilled Name: DIESEL FUEL Lat/Long: 3956390 / 8256415

W132 SW 1/4-1/2 0.400 mi. 2113 ft.	1245 ALUM CREEK DR COLUMBUS, OH Site 3 of 5 in cluster W	ERNS	2013059907 N/A
---	---	-------------	---------------------------------

Relative: Lower	Click this hyperlink while viewing on your computer to access additional ERNS detail in the EDR Site Report.
----------------------------------	--

Actual: 757 ft. W133 SW 1/4-1/2 0.402 mi. 2122 ft.	BFGOODRICH ARROWHEAD COLUMBUS 1251 ALUM CREEK DR. COLUMBUS, OH 43209 Site 4 of 5 in cluster W	RCRA NonGen / NLR FINDS ECHO	1000834397 OHD987052495
---	--	---	--

Relative: Lower	RCRA NonGen / NLR: Date form received by agency: 11/13/1998 Facility name: ARROWHEAD INDUSTRIAL WATER INC Actual: 757 ft.
	Facility address: 1251 ALUM CREEK DR COLUMBUS, OH 43209 EPA ID: OHD987052495 Contact: THOMAS KNODE Contact address: 1251 ALUM CREEK DR COLUMBUS, OH 43209 Contact country: US Contact telephone: 614-253-8551 Contact email: Not reported EPA Region: 05 Land type: Private Classification: Non-Generator Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:	
Owner/operator name:	BF GOODRICH COMPANY
Owner/operator address:	3925 EMBASSY PKWY AKRON, OH 44313
Owner/operator country:	Not reported
Owner/operator telephone:	216-374-2000
Owner/operator email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BFGOODRICH ARROWHEAD COLUMBUS (Continued)

1000834397

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: DOYLE JOSEPH M KOHR ROYER GRIFFITH INC
Owner/operator address: NOT REPORTED
NOR REPORTED, OH 00000

Owner/operator country: Not reported
Owner/operator telephone: 614-228-2471
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D000
. Waste name: Not Defined

. Waste code: D007
. Waste name: CHROMIUM

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/21/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110002316921

Environmental Interest/Information System

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BFGOODRICH ARROWHEAD COLUMBUS (Continued)

1000834397

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000834397
Registry ID: 110002316921
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002316921>

**W134
SW
1/4-1/2
0.402 mi.
2122 ft.**

**BF GOODRICH ARROWHEAD IND WATER CO
1251 ALUM CREEK DR
COLUMBUS, OH**

**SPILLS S102893436
N/A**

Site 5 of 5 in cluster W

**Relative:
Lower**

SPILLS:

Spill No.: 9305-25-1956
Spill Number: 1956
Spill Month/Year: 5/1993
Date Spill Reported: 05/19/1993
Reporter Name: CITIZEN
Confidential: No
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: RESIN EXCHANGE BEADS
Lat/Long: 395638 / 825646

**Actual:
757 ft.**

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

V135 NW 1/4-1/2 0.409 mi. 2159 ft.	CURTIS LESTER F 2018 KENTON AV HANFORD COLUMBUS, OH Site 3 of 4 in cluster V	EDR Hist Auto	1009040327 N/A
Relative:	EDR Hist Auto		
Higher			
Actual:	Year: 1942	Name: CURTIS LESTER F	Type: AUTOMOBILE REPAIRING
762 ft.			

136 NE 1/4-1/2 0.412 mi. 2174 ft.	CAPITAL UNIVERSITY 789 EUCLAIRE AVE OFF OF MAIN ST BEXLEY, OH	SPILLS	S110339844 N/A
Relative:	SPILLS:		
Higher			
Actual:	Spill No.: 1002-25-0333		
779 ft.	Spill Number: 333		
	Spill Month/Year: 2/2010		
	Date Spill Reported: 02/16/2010		
	Reporter Name: KIMBERLY HEYM		
	Confidential: Not reported		
	District Code: CD		
	Employee Number: 1752		
	District C Decode: Central		
	Product Spilled Name: FUEL OIL		
	Lat/Long: 3957206 / 8236194		

X137 NNW 1/4-1/2 0.418 mi. 2206 ft.	THE FINE LINE AUTO BODY INC 2071 PAYNE AVE COLUMBUS, OH 43205 Site 1 of 2 in cluster X	RCRA-SQG FINDS ECHO	1000561726 OHD987025590
Relative:	RCRA-SQG:		
Lower	Date form received by agency: 08/13/2009		
Actual:	Facility name:	THE FINE LINE AUTO BODY INC	
752 ft.	Facility address:	2071 PAYNE AVE	
		COLUMBUS, OH 43205	
	EPA ID:	OHD987025590	
	Contact:	TIGRAN R SAFARYAN	
	Contact address:	2071 PAYNE AVE	
		COLUMBUS, OH 43205	
	Contact country:	US	
	Contact telephone:	614-258-5555	
	Contact email:	TIGRANUSA@YAHOO.COM	
	EPA Region:	05	
	Land type:	Private	
	Classification:	Small Small Quantity Generator	
	Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time	

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE FINE LINE AUTO BODY INC (Continued)

1000561726

Owner/Operator Summary:

Owner/operator name: TIGRAN R SAFARYAN
Owner/operator address: 2071 PAYNE AVE
COLUMBUS, OH 43205
Owner/operator country: US
Owner/operator telephone: 614-258-5555
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: 5
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 10/19/2007
Owner/Op end date: Not reported

Owner/operator name: TIGRAN R SAFARYAN
Owner/operator address: 2071 PAYNE AVE
COLUMBUS, OH 43205
Owner/operator country: US
Owner/operator telephone: 614-258-5555
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: 5
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 10/19/2007
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE FINE LINE AUTO BODY INC (Continued)

1000561726

ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F004
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 01/14/1999

Site name: FINE LINE THE

Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE FINE LINE AUTO BODY INC (Continued)

1000561726

THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SR - 3745-52-11
Area of violation: Generators - General
Date violation determined: 10/29/1998
Date achieved compliance: 01/27/1999
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/10/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 10/29/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 01/27/1999
Evaluation lead agency: State

FINDS:

Registry ID: 110004686821

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000561726
Registry ID: 110004686821
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004686821>

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X138
NNW
1/4-1/2
0.418 mi.
2206 ft.

FINE LINE AUTO
2071 PAYNE AVE OFF LIVINGSTON
COLUMBUS, OH

SPILLS **S106959619**
N/A

Site 2 of 2 in cluster X

Relative:
Lower

SPILLS:

Spill No.: 0505-25-2206
Spill Number: 2206
Spill Month/Year: 5/2005
Date Spill Reported: 05/16/2005
Reporter Name: ANONYMOUS
Confidential: Not reported
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: PAINT WASTE
Product Spilled Name: PAINT WASTE
Lat/Long: Not reported

Actual:
752 ft.

V139
NW
1/4-1/2
0.427 mi.
2252 ft.

LISTONS PAINTING INC
1982 KENTON AVE
COLUMBUS, OH 43205

RCRA-CESQG **1004765144**
FINDS **OHD987015005**
ECHO

Site 4 of 4 in cluster V

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 03/22/1991
Facility name: LISTONS PAINTING INC
Facility address: 1982 KENTON AVE
COLUMBUS, OH 43205
EPA ID: OHD987015005
Contact: MICHAEL LISTON
Contact address: 1982 KENTON AVE
COLUMBUS, OH 43205
Contact country: US
Contact telephone: 614-252-4286
Contact email: Not reported
EPA Region: 05
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Actual:
756 ft.

Owner/Operator Summary:

Owner/operator name: CAL LIMITED
Owner/operator address: 1982 KENTON AVE
COLUMBUS, OH 43205

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LISTONS PAINTING INC (Continued)

1004765144

Owner/operator country: Not reported
Owner/operator telephone: 614-252-4286
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LISTONS PAINTING INC (Continued)

1004765144

ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110004679624

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1004765144
Registry ID: 110004679624
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004679624>

Y140
West
1/4-1/2
0.428 mi.
2260 ft.

CONTAINER MANAGEMENT CO
1826 EAST LIVINGSTON AVE
COLUMBUS, OH 43205
Site 1 of 5 in cluster Y

FINDS 1016200781
ECHO N/A

Relative:
Lower

FINDS:

Registry ID: 110004588438

Actual:
758 ft.

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONTAINER MANAGEMENT CO (Continued)

1016200781

facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016200781
 Registry ID: 110004588438
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110004588438>

Y141
West
1/4-1/2
0.428 mi.
2260 ft.

HOFFMAN CONTAINER
1826 EAST LIVINGSTON AVENUE
COLUMBUS, OH 00000

US BROWNFIELDS

1014949049
N/A

Site 2 of 5 in cluster Y

Relative:
Lower

US BROWNFIELDS:

Actual:
758 ft.

Property Name:	HOFFMAN CONTAINER
Recipient Name:	Columbus, City of
Grant Type:	Assessment
Property Number:	Not reported
Parcel size:	4
Latitude:	39.9488
Longitude:	-82.948574
HCM Label:	Address Matching-House Number
Map Scale:	100000
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Not reported
Datum:	World Geodetic System of 1984
Acres Property ID:	12664
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completion Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	N/A
Accomplishment Type:	Phase I Environmental Assessment
Accomplishment Count:	0
Cooperative Agreement Number:	98538701
Start Date:	09/30/2002 00:00:00
Ownership Entity:	Not reported
Completion Date:	09/30/2002 00:00:00
Current Owner:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOFFMAN CONTAINER (Continued)

1014949049

Did Owner Change:	N
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	Not reported
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	U
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Not reported
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Not reported
Lead cleaned up:	Not reported
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Not reported
Other metals cleaned:	Not reported
Other contaminants found:	Not reported
Other contams found description:	Not reported
PAHs found:	Not reported
PAHs cleaned up:	Not reported
PCBs found:	Not reported
PCBs cleaned up:	Not reported
Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Not reported
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Surface Water:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HOFFMAN CONTAINER (Continued)

1014949049

Greenspace acreage and type:	Not reported
Superfund Fed. landowner flag:	Not reported
Arsenic cleaned up:	Not reported
Cadmium cleaned up:	Not reported
Chromium cleaned up:	Not reported
Copper cleaned up:	Not reported
Iron cleaned up:	Not reported
mercury cleaned up:	Not reported
Nickel Cleaned Up:	Not reported
No clean up:	Not reported
Pesticides cleaned up:	Not reported
Selenium cleaned up:	Not reported
SVOCs cleaned up:	Not reported
Unknown clean up:	Not reported
Arsenic contaminant found:	Not reported
Cadmium contaminant found:	Not reported
Chromium contaminant found:	Not reported
Copper contaminant found:	Not reported
Iron contaminant found:	Not reported
Mercury contaminant found:	Not reported
Nickel contaminant found:	Not reported
No contaminant found:	Not reported
Pesticides contaminant found:	Not reported
Selenium contaminant found:	Not reported
SVOCs contaminant found:	Not reported
Unknown contaminant found:	Not reported
Future Use: Multistory	Not reported
Media affected Bluiding Material:	Not reported
Media affected indoor air:	Not reported
Building material media cleaned up:	Not reported
Indoor air media cleaned up:	Not reported
Unknown media cleaned up:	Not reported
Past Use: Multistory	Not reported
Property Description:	Drum Recycling property, cold storage
Below Poverty Number:	1017
Below Poverty Percent:	33.9%
Meidan Income:	2543
Meidan Income Number:	1822
Meidan Income Percent:	60.8%
Vacant Housing Number:	409
Vacant Housing Percent:	23.9%
Unemployed Number:	363
Unemployed Percent:	12.1%

Y142
 West
 1/4-1/2
 0.428 mi.
 2260 ft.

HOFFMAN CONTAINER CO FORMER, COLUMBUS
1826 LIVINGSTON AVE
COLUMBUS, OH 43205
 Site 3 of 5 in cluster Y

DERR S106200941
VAPOR N/A

Relative:
 Lower

DERR:
 DERR ID: 125002255
 District: CDO
 Alias: Hoffman Container Co Former, Columbus
 Lat/Long: 39.949714 -82.94854
 CERCLIS ID: Not reported
Program: Clean Ohio Fund
 Decode for Activity: Clean Ohio Fund

Actual:
 758 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Y143
West
1/4-1/2
0.428 mi.
2260 ft.

GENERAL THEMING CONTRACTORS
1826 E LIVINGSTON AVE
COLUMBUS, OH 43205

RCRA-SQG 1000229729
OHD000817064

Site 4 of 5 in cluster Y

Relative:
Lower

RCRA-SQG:

Date form received by agency: 12/06/2004

Facility name: GENERAL THEMING CONTRACTORS

Facility address: 1826 E LIVINGSTON AVE

COLUMBUS, OH 43205

EPA ID: OHD000817064

Contact: PHILIP REYNOLDS

Contact address: 1826 E LIVINGSTON AVE

COLUMBUS, OH 43205

Contact country: US

Contact telephone: 614-252-6342

Telephone ext.: 204

Contact email: PHILR@THEMING.NET

EPA Region: 05

Land type: Private

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: GENERAL THEMING CONTRACTOR

Owner/operator address: 1826 E LIVINGSTON AVE

COLUMBUS, OH 43205

Owner/operator country: US

Owner/operator telephone: Not reported

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 07/02/2000

Owner/Op end date: Not reported

Owner/operator name: GENERAL THEMING CONTRACTORS

Owner/operator address: 1826 E LIVINGSTON AVE

COLUMBUS, OH 43205

Owner/operator country: US

Owner/operator telephone: 614-252-6342

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 01/01/1900

Owner/Op end date: Not reported

Owner/operator name: MARMAX

Owner/operator address: 1200 CORRUGATED WAY

COLUMBUS, OH 43201

Owner/operator country: US

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL THEMING CONTRACTORS (Continued)

1000229729

Owner/operator telephone: Not reported
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/08/1988
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 10/06/2004
Site name: GENERAL THEMING CONTRACTORS
Classification: Small Quantity Generator

. Waste code: D001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL THEMING CONTRACTORS (Continued)

1000229729

- . Waste name: IGNITABLE WASTE

- . Waste code: D007
- . Waste name: CHROMIUM

- . Waste code: D008
- . Waste name: LEAD

- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- Date form received by agency: 04/16/1998
- Site name: CONTAINER MANAGEMENT CO
- Classification: Small Quantity Generator

- . Waste code: D001
- . Waste name: IGNITABLE WASTE

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL THEMING CONTRACTORS (Continued)

1000229729

LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SR - 3745-52-34(A)(3) & (D)(4)
Area of violation: Generators - Pre-transport
Date violation determined: 10/06/2004
Date achieved compliance: 12/17/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/15/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-52-11
Area of violation: Generators - General
Date violation determined: 10/06/2004
Date achieved compliance: 12/17/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/15/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-52-34(D)(5)(b)
Area of violation: Generators - Pre-transport
Date violation determined: 10/06/2004
Date achieved compliance: 12/17/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/15/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-66-74
Area of violation: Generators - Pre-transport
Date violation determined: 10/06/2004
Date achieved compliance: 12/17/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/15/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL THEMING CONTRACTORS (Continued)

1000229729

Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-52-12
Area of violation: Generators - General
Date violation determined: 10/06/2004
Date achieved compliance: 12/17/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 11/15/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 12/20/2004
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 10/06/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 12/17/2004
Evaluation lead agency: State

Evaluation date: 10/06/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/17/2004
Evaluation lead agency: State

Y144
West
1/4-1/2
0.428 mi.
2260 ft.

GENERAL THEMING CONTRACTORS
1826 E LIVINGSTON AVE
COLUMBUS, OH
Site 5 of 5 in cluster Y

NPDES S111440253
N/A

Relative:
Lower

OH NPDES:
Issue Date: 10/31/2007
Township: Not reported
Facility Npdes Permit: 4GRN00195*DG
Applicant Name: GENERAL THEMING CONTRACTORS
Applicant Address: 1826 E LIVINGSTON COLUMBUS,OH 43205

Actual:
758 ft.

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

145 NE 1/4-1/2 0.429 mi. 2263 ft.	728 FRANCIS AVENUE BEXLEY, OH 43209	LEAD	S118286125 N/A
--	--	-------------	---------------------------------

Relative: Higher	LEAD:	
Actual: 779 ft.	License Number:	LA003091
	Contractor Last Name:	Weisberg
	Contractor First Name:	Lisa
	Summary Month:	9
	Summary Year:	2011
	Summary Number:	137099
	Detail Number:	163236
	Activity Performed:	Inspection
	Reason For Activity:	Owner Requested

Z146 WNW 1/4-1/2 0.438 mi. 2314 ft.	COLUMBUS MARBLE PRODUCT INC 808 RHOADS AVE COLUMBUS, OH Site 1 of 2 in cluster Z	NPDES	S111440262 N/A
--	---	--------------	---------------------------------

Relative: Higher	OH NPDES:	
Actual: 763 ft.	Issue Date:	11/15/2007
	Township:	Not reported
	Facility Npdes Permit:	4GRN00207*DG
	Applicant Name:	COLUMBUS MARBLE PRODUCT INC
	Applicant Address:	808 RHOADS AVE , COLUMBUS, OH 43205

147 West 1/4-1/2 0.442 mi. 2335 ft.	COLUMBUS WWTP RHOADS AVE & GAULT ST COLUMBUS, OH	SPILLS	S105728959 N/A
--	---	---------------	---------------------------------

Relative: Lower	SPILLS:	
Actual: 757 ft.	Spill No.:	0112-25-4673
	Spill Number:	4673
	Spill Month/Year:	12/2001
	Date Spill Reported:	12/11/2001
	Reporter Name:	MIKE FOSTER
	Confidential:	Not reported
	District Code:	CD
	Employee Number:	Not reported
	District C Decode:	Central
	Product Spilled Name:	SEWAGE
	Product Spilled Name:	SEWAGE
	Lat/Long:	Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

Z148
WNW
1/4-1/2
0.448 mi.
2368 ft.

COLUMBUS MARBLE PRODUCT
808 RHOADS AVE
COLUMBUS, OH 43205

Site 2 of 2 in cluster Z

FINDS **1005799743**
N/A

Relative:
Higher

FINDS:

Registry ID: 110006326136

Actual:
761 ft.

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

149
NW
1/4-1/2
0.452 mi.
2388 ft.

NOBLE S INC
666 S NELSON RD
COLUMBUS, OH

EDR Hist Auto **1009037759**
N/A

Relative:
Higher

EDR Hist Auto

Actual:
762 ft.

Year:	Name:	Type:
1972	NOBLES SERVICE INC	Motor Vehicle Supplies And New Parts
1973	NOBLES SERVICE INC	Motor Vehicle Supplies And New Parts
1974	NOBLES SERVICE INC	General Automotive Repair Shops
1975	NOBLES SERVICE INC	General Automotive Repair Shops
1976	NOBLE S SERVICE INC	GASOLINE STATIONS
1976	NOBLES SERVICE INC	General Automotive Repair Shops
1977	NOBLES SERVICE INC	General Automotive Repair Shops
1978	NOBLES INC	General Automotive Repair Shops
1979	NOBLES INC	General Automotive Repair Shops
1980	NOBLES INC	General Automotive Repair Shops
1981	NOBLE S INC	AUTOMOBILE REPAIRING
1982	NOBLES INC	General Automotive Repair Shops
1983	NOBLES INC	General Automotive Repair Shops
1985	NOBLES INC	General Automotive Repair Shops
1986	NOBLES INC	General Automotive Repair Shops
1987	NOBLES INC	General Automotive Repair Shops
1988	NOBLES INC	General Automotive Repair Shops
1989	NOBLES INC	General Automotive Repair Shops
1990	NOBLES INC	General Automotive Repair Shops
1991	NOBLES INC	General Automotive Repair Shops
1992	NOBLES INC	General Automotive Repair Shops
1993	NOBLES INC	General Automotive Repair Shops
1994	NOBLES INC	General Automotive Repair Shops
1995	NOBLES INC	General Automotive Repair Shops
1996	NOBLES INC	General Automotive Repair Shops
1997	NOBLES INC	General Automotive Repair Shops
1998	NOBLES INC	General Automotive Repair Shops
1999	NOBLES INC	General Automotive Repair Shops
2000	NOBLES INC	General Automotive Repair Shops

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NOBLE S INC (Continued)

1009037759

2001	NOBLES INC	General Automotive Repair Shops
2002	NOBLES INC	General Automotive Repair Shops
2003	NOBLES INC	General Automotive Repair Shops
2004	NOBLES INC	General Automotive Repair Shops
2005	NOBLES INC	General Automotive Repair Shops
2006	NOBLES INC	General Automotive Repair Shops
2007	NOBLES INC	General Automotive Repair Shops
2008	NOBLES INC	General Automotive Repair Shops
2009	NOBLES INC	General Automotive Repair Shops

150
SSE
1/4-1/2
0.455 mi.
2400 ft.

COLUMBUS WWTP
MEDFORD PL & BROOKWOOD
COLUMBUS, OH

SPILLS **S103777317**
N/A

Relative:
Lower

SPILLS:

Spill No.: 9812-25-5005
Spill Number: 5005
Spill Month/Year: 12/1998
Date Spill Reported: 12/22/1998
Reporter Name: MIKE FOSTER
Confidential: No
District Code: CD
Employee Number: Not reported
District C Decode: Central
Product Spilled Name: SEWAGE
Lat/Long: Not reported

Actual:
757 ft.

151
SE
1/4-1/2
0.456 mi.
2406 ft.

AMP-OHIO GAS TURBINES - BOWLING GREEN (0387020378)
1225 COLLEGE DRIVE - 2600 AIRPORT DR
COLUMBUS, OH 43219

FINDS **1014822956**
N/A

Relative:
Higher

FINDS:

Registry ID: 110041071577
Environmental Interest/Information System
AIR EMISSIONS CLASSIFICATION UNKNOWN

Actual:
767 ft.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AA152
SSW
1/4-1/2
0.456 mi.
2406 ft.

CONNS POTATO CHIPS
1271 ALUM CREEK DR
COLUMBUS, OH
Site 1 of 5 in cluster AA

SPILLS **S106199853**
N/A

Relative:
Lower

SPILLS:
Spill No.: 0306-25-2087
Spill Number: 2087
Spill Month/Year: 6/2003
Date Spill Reported: 06/11/2003
Reporter Name: TAMMY VAN WALSEN
Confidential: Not reported
District Code: CD
Employee Number: 1786
District C Decode: Central
Product Spilled Name: FUEL OIL
Product Spilled Name: FUEL OIL
Lat/Long: Not reported

Actual:
758 ft.

AA153
SSW
1/4-1/2
0.456 mi.
2406 ft.

CONNS POTATO CHIPS
1271 ALUM CREEK DR
COLUMBUS, OH 43209
Site 2 of 5 in cluster AA

ARCHIVE UST **U004088212**
N/A

Relative:
Lower

ARCHIVE UST:
Facility Number: 25010851
Owner Name: CONNS POTATO CHIPS
Owner Address: CLIFFWOOD & NANCY AVE
Owner City,St,Zip: ZANESVILLE, OH 43701

Actual:
758 ft.

Permit:
Facility Id: 25010851
Permit Id: P00001
Permit Status: Closed
Issued Date: 11/12/2003
LFD Permit Id: 13203

Inspection:
Facility Id: 25010851
Permit Number: P00001
Code: 101
Inspection Type: Final

Tank ID: T00001
Tank Type: Bare Steel
Tank Status: Filled in Place With Solid Material
Install Date: Not reported
Content: Unknown
Capacity: 10000
Corrosion Protection Tank: Not reported
CAS #: Not reported
Regulated: Not reported
Overfill Device Installed: Not reported
Spill Device Installed: Not reported
Release Detection On Tank: Not reported
Date Removed: Not reported
Date Last Use: 11/12/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONNS POTATO CHIPS (Continued)

U004088212

Date Abandoned/Closed: 11/12/2003
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Bare Steel
Piping Type: Not reported
Release Detection On Piping: Not reported

AA154
SSW
1/4-1/2
0.456 mi.
2406 ft.

CONN'S POTATO CHIPS
1271 ALUM CREEK DR
COLUMBUS, OH

RGA LUST S114757409
N/A

Site 3 of 5 in cluster AA

Relative:
Lower

RGA LUST:

2012	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2011	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2010	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2009	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2008	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2007	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2006	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2005	CONN'S POTATO CHIPS	1271 ALUM CREEK DR
2004	CONN'S POTATO CHIPS	1271 ALUM CREEK DR

Actual:
758 ft.

AA155
SSW
1/4-1/2
0.456 mi.
2406 ft.

CONN'S POTATO CHIPS
1271 ALUM CREEK DR
COLUMBUS, OH 43209

LUST U004218222
UST N/A
NPDES

Site 4 of 5 in cluster AA

Relative:
Lower

LUST:

Release Number: 25010851-N00001
Release Date: 03/03/2004
Facility Status: Inactive
LTF Status: 6 Closure of regulated UST
FR Status: NFA: No Further Action
Priority: 2
Review Date: 03/29/2007
Priority Decode: SUS/CON from non-regulated UST
Class1 Decode: A viable RP have been identified
Class: Viable Responsible Party has been identified

Actual:
758 ft.

UST:

Facility Id: 25010851
Facility Type: Commercial
Owner Name: Not reported
Owner Address: Not reported
Owner City/State/Zip: Not reported

Tank Number: T00001
Status: CLO - In Place
UST Capacity: 10000
Tank Content: Unknown
Installation Date: Not reported
Construction: BM - Bare Metal
Date Last Used: 11/12/2003
Date TCL Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONN'S POTATO CHIPS (Continued)

U004218222

Date Removed: Not reported
CAS Number: Not reported
Abandoned Approved: Not reported
Regulated: NO
Sensitive Area: NO
Date Of Sensitivity: Not reported
UST Configurations: Not reported
Construction Comments: Bare Steel
Corrosion Protections: Not reported
Corrosion Protection Comments: Not reported
Primary Release Detection: AMO - Alternative Method (Other, explain)
Secondary Release Detection: Not reported
Release Detection Comments: RDTank: / RDLine:
Piping Configuration: Not reported
Piping Configuration Comments: Not reported
Piping Styles: NA - Not Applicable
Piping Constructions: BM - Bare Metal
Piping Construction Comments: Bare Steel
Piping Corrosion Protections: OTH - Other (explain)
Piping Corrosion Protection Comments: Not reported
Piping Release Detections: OTH - Other(explain)
Piping Release Detection Comments: Not reported
Spill Prevention Manholes: OTH - Other (Explain)
Spill Prevention Manhole Comments: Not reported
OverFill Prevention: Not reported
OverFill Prevention Comment: Not reported
Comments: Not reported

OH NPDES:

Issue Date: 12/16/2014
Township: Not reported
Facility Npdes Permit: 4GRN00743*EG
Applicant Name: CONNS POTATO CHIPS CO INC
Applicant Address: 1805 KEMPER CT ZANESVILLE,OH 43701

AB156
North
1/4-1/2
0.457 mi.
2415 ft.

CAPITAL UNIVERSITY
2199 E MAIN ST
COLUMBUS, OH 43209
Site 1 of 2 in cluster AB

ICIS 1018288062
N/A

Relative:
Higher

ICIS:
Enforcement Action ID: 05-000F000390490004300003
FRS ID: 110001623477
Action Name: CAPITAL UNIVERSITY 390490004300003
Facility Name: CAPITAL UNIVERSITY
Facility Address: 2199 E MAIN ST
COLUMBUS, OH 43209
Enforcement Action Type: Notice of Violation
Facility County: FRANKLIN
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: Not reported
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 39.95723
Longitude in Decimal Degrees: -82.93949

Actual:
780 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPITAL UNIVERSITY (Continued)

1018288062

Permit Type Desc: Not reported
Program System Acronym: OH0000000125042612
Facility NAICS Code: 611310
Tribal Land Code: Not reported

AB157
North
1/4-1/2
0.457 mi.
2415 ft.

CAPITAL UNIVERSITY
2199 E MAIN ST
COLUMBUS, OH 43209

RCRA-SQG **1000264220**
FTTS **OHD075002717**
HIST FTTS
FINDS
ECHO

Site 2 of 2 in cluster AB

Relative:
Higher

RCRA-SQG:

Date form received by agency: 02/16/1989
Facility name: CAPITAL UNIVERSITY
Facility address: 2199 E MAIN ST
COLUMBUS, OH 43209
EPA ID: OHD075002717
Contact: K RICHARDSON
Contact address: 2199 E MAIN ST
COLUMBUS, OH 43209
Contact country: US
Contact telephone: 614-236-6015
Contact email: Not reported
EPA Region: 05
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Actual:
780 ft.

Owner/Operator Summary:

Owner/operator name: EVANGELICAL LUTH CHURCH OF AMER
Owner/operator address: ADDRESS NOT REPORTED
CITY NOT REPORTED, AK 99998
Owner/operator country: Not reported
Owner/operator telephone: 312-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NAME NOT REPORTED
Owner/operator address: ADDRESS NOT REPORTED
CITY NOT REPORTED, AK 99998

Owner/operator country: Not reported
Owner/operator telephone: 312-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPITAL UNIVERSITY (Continued)

1000264220

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

Violation Status: No violations found

FTTS INSP:

Inspection Number: 19910726OH026 1
Region: 05
Inspection Date: 07/26/91
Inspector: NETZLY
Violation occurred: No
Investigation Type: Section 6 PCB State Conducted
Investigation Reason: Neutral Scheme, State
Legislation Code: TSCA
Facility Function: User

HIST FTTS INSP:

Inspection Number: 19910726OH026 1
Region: 05
Inspection Date: Not reported
Inspector: NETZLY
Violation occurred: No
Investigation Type: Section 6 PCB State Conducted
Investigation Reason: Neutral Scheme, State
Legislation Code: TSCA
Facility Function: User

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPITAL UNIVERSITY (Continued)

1000264220

FINDS:

Registry ID: 110001623477

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

AIR MINOR

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000264220
Registry ID: 110001623477
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110001623477>

158
SSW
1/4-1/2
0.459 mi.
2424 ft.

**CHARLES E MERRILL PUBLISHING CO
1300 ALUM CREEK DR
COLUMBUS, OH 43209**

**FINDS 1006218185
N/A**

**Relative:
Lower**

FINDS:

Registry ID: 110009667271

Environmental Interest/Information System

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

**Actual:
758 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHARLES E MERRILL PUBLISHING CO (Continued)

1006218185

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

159
SW
1/4-1/2
0.460 mi.
2428 ft.

UNK
MEMORY LANE N 500 FEET N OF MEMORY LANE
COLUMBUS, OH

SPILLS **S106311018**
N/A

Relative:
Lower

SPILLS:

Spill No.: 9511-25-4607
Spill Number: 4607
Spill Month/Year: 11/1995
Date Spill Reported: 11/13/1995
Reporter Name: BRAD CAMPBELL
Confidential: No
District Code: CD
Employee Number: 1752
District C Decode: Central
Product Spilled Name: ORPHAN DRUM
Lat/Long: 395639 / 825647

Actual:
756 ft.

AC160
NNW
1/4-1/2
0.472 mi.
2490 ft.

PLANT
580 HOLTZMAN AVE
COLUMBUS, OH
Site 1 of 8 in cluster AC

EDR Hist Cleaner **1009157395**
N/A

Relative:
Lower

EDR Hist Cleaner

Year:	Name:	Type:
1932	BUCKEYE CLEANING CO THE	CLOTHES PRESSERS AND CLEANERS
1947	PLANT	CLOTHES PRESSERS AND CLEANERS
1947	PLANT	DRY CLEANERS
1947	PLANT	CLEANERS-GARMENTS CURTAINS AND DRAPERIES
1952	BUCKEYE CLEANING CO	CLEANERS AND DYERS
1952	BUCKEYE CLEANING CO THE	DRY CLEANERS
1952	BUCKEYE CLEANING CO THE	CLEANERS
1960	BUCKEYE LANG CLEANERS INC OFFIC	CLEANERS AND DYERS

Actual:
755 ft.

AD161
West
1/4-1/2
0.476 mi.
2514 ft.

1799 BIDE A WEE PARK
COLUMBUS, OH 43205
Site 1 of 6 in cluster AD

LEAD **S118270889**
N/A

Relative:
Lower

LEAD:

License Number: LA9321
Contractor Last Name: Bragg
Contractor First Name: Chris
Summary Month: 7
Summary Year: 2015
Summary Number: 150694
Detail Number: 187230

Actual:
758 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S118270889

Activity Performed: Risk Assessment
Reason For Activity: EBL Investigation

AA162
SSW
1/4-1/2
0.478 mi.
2524 ft.

SIGNATURE CABINETRY INC
1285 ALUM CREEK DR
COLUMBUS, OH

NPDES S118118752
N/A

Site 5 of 5 in cluster AA

Relative:
Lower

OH NPDES:

Issue Date: 07/06/2015
Township: Not reported

Actual:
758 ft.

Facility Npdes Permit: 4GRN00776*EG
Applicant Name: SIGNATURE CABINETRY INC
Applicant Address: 1285 ALUM CREEK DR COLUMBUS,OH 43209

163
WSW
1/4-1/2
0.484 mi.
2557 ft.

DRIVING PARK RECREATIONAL CENTER
1100 RHOADS AVE
COLUMBUS, OH 43206

NPDES S117856163
N/A

Relative:
Lower

OH NPDES:

Issue Date: 03/20/2015
Township: Not reported

Actual:
755 ft.

Facility Npdes Permit: 4GC04848*AG
Applicant Name: COLUMBUS RECREATION & PARKS DEPARTMENT
Applicant Address: 1111 E BROAD STREET COLUMBUSOH 43205

AC164
NW
1/4-1/2
0.496 mi.
2618 ft.

MOBILE OIL PITSTOP LLC
572 S NELSON RD UNIT A
COLUMBUS, OH 43205

FINDS 1014824334
ECHO N/A

Site 2 of 8 in cluster AC

Relative:
Lower

FINDS:

Registry ID: 110043192087

Actual:
758 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1014824334
Registry ID: 110043192087

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBILE OIL PITSTOP LLC (Continued)

1014824334

DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110043192087>

**AC165
NW
1/4-1/2
0.496 mi.
2618 ft.**

**JERRY'S TRANSMISSIONS (FORMER)
572 S NELSON RD BLDG F
COLUMBUS, OH 43205**

RCRA NonGen / NLR

**1000290002
OHD013420112**

Site 3 of 8 in cluster AC

**Relative:
Lower**

RCRA NonGen / NLR:

Date form received by agency: 12/01/2010

Facility name: JERRY'S TRANSMISSIONS (FORMER)

Facility address: 572 S NELSON RD BLDG F
COLUMBUS, OH 43205

EPA ID: OHD013420112

Mailing address: 5220 LOLA WAY
C/O NELSON ROAD MANAGEMENT
COLUMBUS, OH 43235

Contact: SUSAN HUTSON
Contact address: 5220 LOLA WAY C/O NELSON ROAD MANAGEMENT
COLUMBUS, OH 43235

Contact country: US

Contact telephone: 614-451-0728

Contact email: SOHUTSON002@COLUMBUS.RR.COM

EPA Region: 05

Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NELSON ROAD MANAGEMENT

Owner/operator address: 5220 LOLA WAY
COLUMBUS, OH 43235

Owner/operator country: US

Owner/operator telephone: 614-451-0728

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 01/01/1900

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JERRY'S TRANSMISSIONS (FORMER) (Continued)

1000290002

Used oil transporter: No

Historical Generators:

Date form received by agency: 12/06/2006
Site name: JERRY'S TRANSMISSIONS (FORMER)
Classification: Not a generator, verified

Date form received by agency: 10/21/1998
Site name: GELLNER BUDD BODY SHOP
Classification: Not a generator, verified

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 12/06/2006
Date achieved compliance: 12/20/2006
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/20/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 12/06/2006
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Generators - General
Date achieved compliance: 12/20/2006
Evaluation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AC166
NW
1/4-1/2
0.496 mi.
2618 ft.

COLUMBUS AUTORAMA
572 S NELSON RD BLDG M
COLUMBUS, OH 43205

RCRA NonGen / NLR
FINDS
ECHO

1000426136
OHD982063695

Site 4 of 8 in cluster AC

Relative:
Lower

RCRA NonGen / NLR:

Date form received by agency: 10/21/1998

Facility name: COLUMBUS AUTORAMA

Facility address: 572 S NELSON RD BLDG M

COLUMBUS, OH 43205

EPA ID: OHD982063695

Contact: ROY BUCKLEY

Contact address: 572 S NELSON RD BLDG M

COLUMBUS, OH 43205

Contact country: US

Contact telephone: 614-258-2777

Contact email: Not reported

EPA Region: 05

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
758 ft.

Owner/Operator Summary:

Owner/operator name: BUCKLEY ROY

Owner/operator address: ADDRESS NOT REPORTED

CITY NOT REPORTED, AK 99998

Owner/operator country: Not reported

Owner/operator telephone: 312-555-1212

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: NAME NOT REPORTED

Owner/operator address: ADDRESS NOT REPORTED

CITY NOT REPORTED, AK 99998

Owner/operator country: Not reported

Owner/operator telephone: 312-555-1212

Owner/operator email: Not reported

Owner/operator fax: Not reported

Owner/operator extension: Not reported

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLUMBUS AUTORAMA (Continued)

1000426136

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110009425871

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000426136
Registry ID: 110009425871
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009425871>

MAP FINDINGS

Map ID Direction Distance Elevation		Database(s)	EDR ID Number EPA ID Number
--	--	-------------	--------------------------------

AC167 NW 1/4-1/2 0.496 mi. 2618 ft.	JERRY'S TRANSMISSIONS (FORMER) 572 S NELSON RD BLDG F COLUMBUS, OH 43205 Site 5 of 8 in cluster AC	FINDS ECHO	1015971014 N/A
--	---	-----------------------------	---------------------------------

Relative:
Lower

FINDS:

Registry ID: 110046260764

Actual:
758 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1015971014
 Registry ID: 110046260764
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110046260764>

AC168 NW 1/4-1/2 0.496 mi. 2618 ft.	MCCOMBE BODY SHOP 572 S NELSON RD BLDG G COLUMBUS, OH 43205 Site 6 of 8 in cluster AC	RCRA NonGen / NLR FINDS ECHO	1000416721 OHD981539497
--	--	---	--

Relative:
Lower

RCRA NonGen / NLR:

Date form received by agency: 09/27/2004
 Facility name: MCCOMBE BODY SHOP
 Facility address: 572 S NELSON RD BLDG G
 COLUMBUS, OH 43205
 EPA ID: OHD981539497
 Mailing address: 1965 E MAIN ST
 COLUMBUS, OH 43205
 Contact: LARRY HUSTON
 Contact address: 1965 E MAIN ST
 COLUMBUS, OH 43205
 Contact country: US
 Contact telephone: 614-252-3164
 Contact email: Not reported
 EPA Region: 05
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: HUSTON LARRY
 Owner/operator address: ADDRESS NOT REPORTED
 CITY NOT REPORTED, AK 99998
 Owner/operator country: Not reported
 Owner/operator telephone: 312-555-1212
 Owner/operator email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMBE BODY SHOP (Continued)

1000416721

Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NAME NOT REPORTED
Owner/operator address: ADDRESS NOT REPORTED
CITY NOT REPORTED, AK 99998

Owner/operator country: Not reported
Owner/operator telephone: 312-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 11/18/1998
Site name: MCCOMBE BODY SHOP
Classification: Small Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMBE BODY SHOP (Continued)

1000416721

- . Waste code: D001
- . Waste name: IGNITABLE WASTE

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SR - 3745-52-34(D)(4) & (C)(2)
Area of violation: Generators - Pre-transport
Date violation determined: 09/22/1998
Date achieved compliance: 11/19/1998
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/15/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-65-33
Area of violation: Generators - Pre-transport
Date violation determined: 09/22/1998
Date achieved compliance: 11/19/1998
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/15/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-52-11
Area of violation: Generators - General
Date violation determined: 09/22/1998
Date achieved compliance: 11/19/1998
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/15/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMBE BODY SHOP (Continued)

1000416721

Regulation violated: SR - 3745-52-34(D)(2) & 66-74
Area of violation: Generators - Pre-transport
Date violation determined: 09/22/1998
Date achieved compliance: 11/19/1998
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/15/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 3745-52-34(D)(5)(b)
Area of violation: Generators - Pre-transport
Date violation determined: 09/22/1998
Date achieved compliance: 11/19/1998
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/15/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 09/22/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 11/19/1998
Evaluation lead agency: State

Evaluation date: 09/22/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 11/19/1998
Evaluation lead agency: State

FINDS:

Registry ID: 110009425540

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

The OH-CORE (Ohio - Core) database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MCCOMBE BODY SHOP (Continued)

1000416721

common facility-related data. Specific programmatic details are maintained in programmatic databases.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000416721
Registry ID: 110009425540
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009425540>

AC169
NW
1/4-1/2
0.496 mi.
2618 ft.

MOBILE OIL PITSTOP LLC
572 S NELSON RD UNIT A
COLUMBUS, OH 43205

RCRA-CESQG 1014400443
OHR000162503

Site 7 of 8 in cluster AC

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 12/01/2010
Facility name: MOBILE OIL PITSTOP LLC
Facility address: 572 S NELSON RD UNIT A
COLUMBUS, OH 43205
EPA ID: OHR000162503
Contact: GARY L SOWDERS
Contact address: 572 S NELSON RD UNIT A
COLUMBUS, OH 43205
Contact country: US
Contact telephone: 614-560-6677
Contact email: GARY.S@OILPITSTOP.COM
EPA Region: 05
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Actual:
758 ft.

Owner/Operator Summary:

Owner/operator name: NELSON ROAD MANAGEMENT
Owner/operator address: 5220 LOLA WAY
COLUMBUS, OH 43235
Owner/operator country: US
Owner/operator telephone: 614-451-0728
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBILE OIL PITSTOP LLC (Continued)

1014400443

Owner/Operator Type: Owner
Owner/Op start date: 06/05/2003
Owner/Op end date: Not reported

Owner/operator name: SUSAN HUTSON
Owner/operator address: 5220 LOLA WAY
COLUMBUS, OH 43235

Owner/operator country: US
Owner/operator telephone: 614-451-0728
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 06/05/2003
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: Yes
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: Yes

Universal Waste Summary:

Waste type: Batteries
Accumulated waste on-site: Yes
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: Yes
Generated waste on-site: Not reported

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MOBILE OIL PITSTOP LLC (Continued)

1014400443

SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
 . Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**AC170
 NW
 1/4-1/2
 0.496 mi.
 2618 ft.**

**ME COMBE MOTORS
 572 S NELSON RD
 COLUMBUS, OH
 Site 8 of 8 in cluster AC**

**EDR Hist Auto 1009039170
 N/A**

**Relative:
 Lower**

EDR Hist Auto

**Actual:
 758 ft.**

Year:	Name:	Type:
1969	NELSON FRAME & AXLE SERVICE*	General Automotive Repair Shops
1970	NELSON FRAME & AXLE SERVICE*	General Automotive Repair Shops
1971	NELSON FRAME & AXLE SERVICE	General Automotive Repair Shops
1972	NELSON FRAME & AXLE SERVICE	General Automotive Repair Shops
1973	NELSON FRAME & AXLE SERVICE	General Automotive Repair Shops
1974	NELSON FRAME & AXLE SERVICE	General Automotive Repair Shops
1979	DIMAR JOHN	General Automotive Repair Shops
1979	DIMAR JOHN	General Automotive Repair Shops
1980	DIMAR JOHN	General Automotive Repair Shops
1981	PERFORMANCE ASSOCIATION	AUTOMOBILE REPAIRING
1981	ME COMBE MOTORS	AUTOMOBILE REPAIRING
1981	NELSON FRAME & AXLE SERVICE	AUTOMOBILE REPAIRING
1982	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1983	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1985	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1986	COLUMBUS CORVETTE CENTER	Automotive Repair Shops, NEC
1986	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1987	COLUMBUS CORVETTE CENTER	Automotive Repair Shops, NEC
1987	GELLNER BUDD BODY SHOP INC	Not reported
1987	MC COMBE JOHN INC	Not reported
1987	PERFORMANCE ASSOCIATES	Patent Owners And Lessors
1987	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1987	EASTWAY BODY SHOP	Not reported
1988	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1988	EASTWAY BODY SHOP	Not reported
1988	PERFORMANCE ASSOCIATES	Patent Owners And Lessors
1988	COLUMBUS CORVETTE CENTER	Automotive Repair Shops, NEC
1989	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops
1989	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1989	LEES SERVICE CENTER	General Automotive Repair Shops
1990	LEES SERVICE CENTER	General Automotive Repair Shops
1990	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops
1990	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1991	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ME COMBE MOTORS (Continued)

1009039170

1991	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1991	LEES SERVICE CENTER	General Automotive Repair Shops
1992	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops
1992	LEES SERVICE CENTER	General Automotive Repair Shops
1992	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1993	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1993	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops
1994	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops
1994	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1995	PENNINGTONS AUTO SERVICE	General Automotive Repair Shops
1995	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1995	COLUMBUS CORVETTE CENTER	General Automotive Repair Shops
1996	PENNINGTONS AUTO SERVICE	General Automotive Repair Shops
1996	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1996	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
1997	PENNINGTONS AUTO SERVICE	General Automotive Repair Shops
1997	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1997	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
1998	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1998	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
1998	CAR DOCTOR	Automotive Repair Shops, NEC
1999	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
1999	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2000	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2000	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2001	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2001	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2002	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2002	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2002	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2003	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2003	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2003	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2004	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2004	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2004	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2005	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2005	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2006	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2006	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2007	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2008	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2009	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2009	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2010	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2010	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2010	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2011	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2011	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2011	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2012	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2012	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2012	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2013	COLUMBUS CORVETTE CENTER INC	General Automotive Repair Shops
2013	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops
2013	JERRYS AUTOMATIC TRANSM SVC	Automotive Transmission Repair Shops
2014	BLUE DIAMOND ENTERPRISES INC	General Automotive Repair Shops

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ME COMBE MOTORS (Continued)

1009039170

2014 COLUMBUS CORVETTE CENTER INC General Automotive Repair Shops
2014 JERRYS AUTOMATIC TRANSM SVC Automotive Transmission Repair Shops

AD171
West
1/4-1/2
0.496 mi.
2618 ft.

CITY OF COLUMBUS
1800 LIVINGSTON AVE
COLUMBUS, OH 43205

ARCHIVE UST **U004087390**
N/A

Site 2 of 6 in cluster AD

Relative:
Lower

ARCHIVE UST:
Facility Number: 25000023
Owner Name: CITY OF COLUMBUS
Owner Address: 240 PARSONS AVE
Owner City,St,Zip: COLUMBUS, OH 43215

Actual:
758 ft.

Permit:
Facility Id: 25000023
Permit Id: P00001
Permit Status: Expired
Issued Date: 9/5/1996
LFD Permit Id: Not reported

Inspection:
Facility Id: 25000023
Permit Number: P00001
Code: 103
Inspection Type: Final

Tank ID: T00001
Tank Type: Steel
Tank Status: Removed
Install Date: 1/1/1980
Content: Diesel
Capacity: 550
Corrosion Protection Tank: Not reported
CAS #: 68334-30-5
Regulated: Yes
Overfill Device Installed: No
Spill Device Installed: No
Release Detection On Tank: Not reported
Date Removed: 2/8/1996
Date Last Use: 2/8/1996
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Galvanized Steel
Piping Type: Suction: no valve at tank
Release Detection On Piping: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AD172 **IGEL CONSTRUCTION**
West **1800 LIVINGSTON AVE**
1/4-1/2 **COLUMBUS, OH 43205**
0.496 mi.
2618 ft. **Site 3 of 6 in cluster AD**

SPIILLS **S102646521**
 N/A

Relative: **SPILLS:**
Lower Spill No.: 9212-25-5072
 Spill Number: 5072
Actual: Spill Month/Year: 12/1992
758 ft. Date Spill Reported: 12/01/1992
 Reporter Name: FD
 Confidential: No
 District Code: CD
 Employee Number: 1786
 District C Decode: Central
 Product Spilled Name: HYDRAULIC OIL
 Lat/Long: 395655 / 825658

AD173 **CITY OF COLUMBUS**
West **1800 LIVINGSTON AVE**
1/4-1/2 **COLUMBUS, OH**
0.496 mi.
2618 ft. **Site 4 of 6 in cluster AD**

RGA LUST **S114755065**
 N/A

Relative: **RGA LUST:**
Lower 2012 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2011 CITY OF COLUMBUS 1800 LIVINGSTON AVE
Actual: 2010 CITY OF COLUMBUS 1800 LIVINGSTON AVE
758 ft. 2009 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2008 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2007 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2006 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2005 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2004 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2003 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2002 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2001 CITY OF COLUMBUS 1800 LIVINGSTON AVE
 2000 CITY OF COLUMBUS 1800 LIVINGSTON AVE

AD174 **CITY OF COLUMBUS**
West **1800 LIVINGSTON AVE**
1/4-1/2 **COLUMBUS, OH 43205**
0.496 mi.
2618 ft. **Site 5 of 6 in cluster AD**

LUST **U004204386**
UST **N/A**

Relative: **LUST:**
Lower Release Number: 25000023-N00001
 Release Date: Not reported
Actual: **Facility Status: Inactive**
758 ft. LTF Status: 6 Closure of regulated UST
 FR Status: NFA: No Further Action
 Priority: 3
 Review Date: 06/20/2000
 Priority Decode: SUS/CON from AST
 Class1 Decode: A viable RP have been identified
 Class: Viable Responsible Party has been identified

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CITY OF COLUMBUS (Continued)

U004204386

UST:

Facility Id:	25000023
Facility Type:	Government
Owner Name:	CITY OF COLUMBUS
Owner Address:	90 W BROAD ST
Owner City/State/Zip:	43215
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	550
Tank Content:	Diesel
Installation Date:	01/01/1980
Construction:	BM - Bare Metal
Date Last Used:	02/08/1996
Date TCL Closed:	Not reported
Date Removed:	02/08/1996
CAS Number:	68334-30-5
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Steel
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	S - Suction
Piping Constructions:	BM - Bare Metal
Piping Construction Comments:	Galvanized Steel
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

AD175
West
1/4-1/2
0.496 mi.
2618 ft.

CITY OF COLUMBUS FIRE STAT #15
1800 LIVINGSTON AVE
COLUMBUS, OH

RGA LUST **S114755021**
N/A

Site 6 of 6 in cluster AD

Relative:
Lower

RGA LUST:

1999	CITY OF COLUMBUS FIRE STAT #15	1800 LIVINGSTON AVE
1998	CITY OF COLUMBUS FIRE STAT #15	1800 LIVINGSTON AVE
1997	CITY OF COLUMBUS FIRE STAT #15	1800 LIVINGSTON AVE
1996	CITY OF COLUMBUS FIRE STAT #15	1800 LIVINGSTON AVE

Actual:
758 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

176
SSW
1/2-1
0.677 mi.
3572 ft.

COLUMBUS CITY DUMP
1400 ALUM CREEK DR
COLUMBUS, OH 43207

SEMS-ARCHIVE 1003872161
DERR OHD980509814
HIST LF

Relative:
Lower

SEMS Archive:
Site ID: 504556
EPA ID: OHD980509814
Cong District: 12
FIPS Code: 39049
FF: N
NPL: Not on the NPL
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Actual:
749 ft.

SEMS Archive Detail:

Region: 5
Site ID: 504556
EPA ID: OHD980509814
Site Name: COLUMBUS CITY DUMP
NPL: N
FF: N
OU: 0
Action Code: VS
Action Name: ARCH SITE
SEQ: 1
Start Date: Not reported
Finish Date: 1990-03-28 00:00:00
Qual: Not reported
Current Action Lead: EPA Perf In-Hse

Region: 5
Site ID: 504556
EPA ID: OHD980509814
Site Name: COLUMBUS CITY DUMP
NPL: N
FF: N
OU: 0
Action Code: DS
Action Name: DISCVRY
SEQ: 1
Start Date: 1980-01-01 00:00:00
Finish Date: 1980-01-01 00:00:00
Qual: Not reported
Current Action Lead: EPA Perf

Region: 5
Site ID: 504556
EPA ID: OHD980509814
Site Name: COLUMBUS CITY DUMP
NPL: N
FF: N
OU: 0
Action Code: PA
Action Name: PA
SEQ: 2
Start Date: Not reported
Finish Date: 1990-03-28 00:00:00
Qual: N
Current Action Lead: EPA Perf

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLUMBUS CITY DUMP (Continued)

1003872161

Region: 5
Site ID: 504556
EPA ID: OHD980509814
Site Name: COLUMBUS CITY DUMP
NPL: N
FF: N
OU: 0
Action Code: PA
Action Name: PA
SEQ: 1
Start Date: Not reported
Finish Date: 1985-03-13 00:00:00
Qual: L
Current Action Lead: St Perf

DERR:

DERR ID: 125000194
District: CDO
Alias: Not reported
Lat/Long: 39.93722222 -82.93444444
CERCLIS ID: OHD980509814
Program: Site Assessment
Decode for Activity: Site Assessment

HIST LF:

Year closed: 1980
Publicly owned: Y
Object ID: Not reported
Location: Not reported
Latitude: 39 56 22
Longitude: 82 56 20
Site 2: Not reported
Site 3: Not reported
Site 4: Not reported
Site 5: Not reported
Site 6: Not reported
Waste Type: UNKNOWN
Capacity: 31 ACRES
SWF ID: N
Owner Name: CITY OF COLUMBUS
Owner Address: FRONT STREET
Owner City: COLUMBUS
Owner Zip: 43215
Ohio ID: 125-0194
District: 1
X Coord: Not reported
Y Coord: Not reported
Year Open: Not reported
Year Ceased: Not reported
Access: Not reported
Comments: Not reported
OEPADO: Not reported
Edit Date: Not reported
GIS ID: Not reported

Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NO SITES FOUND					

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/11/2017	Source: EPA
Date Data Arrived at EDR: 12/22/2017	Telephone: N/A
Date Made Active in Reports: 01/05/2018	Last EDR Contact: 02/06/2018
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/16/2018
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/11/2017	Source: EPA
Date Data Arrived at EDR: 12/22/2017	Telephone: N/A
Date Made Active in Reports: 01/05/2018	Last EDR Contact: 02/06/2018
Number of Days to Update: 14	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/11/2017	Source: EPA
Date Data Arrived at EDR: 12/22/2017	Telephone: N/A
Date Made Active in Reports: 01/05/2018	Last EDR Contact: 02/06/2018
Number of Days to Update: 14	Next Scheduled EDR Contact: 04/16/2018
	Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/05/2017	Telephone: 703-603-8704
Date Made Active in Reports: 04/07/2017	Last EDR Contact: 01/05/2018
Number of Days to Update: 92	Next Scheduled EDR Contact: 04/16/2018
	Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/11/2017	Source: EPA
Date Data Arrived at EDR: 12/22/2017	Telephone: 800-424-9346
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 02/06/2018
Number of Days to Update: 21	Next Scheduled EDR Contact: 04/30/2018
	Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 12/11/2017	Source: EPA
Date Data Arrived at EDR: 12/22/2017	Telephone: 800-424-9346
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 02/06/2018
Number of Days to Update: 21	Next Scheduled EDR Contact: 04/30/2018
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/11/2017	Source: EPA
Date Data Arrived at EDR: 12/26/2017	Telephone: 800-424-9346
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/11/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/26/2017	Telephone: 312-886-6186
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/11/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/26/2017	Telephone: 312-886-6186
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/11/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/26/2017	Telephone: 312-886-6186
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/11/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/26/2017	Telephone: 312-886-6186
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/22/2017	Source: Department of the Navy
Date Data Arrived at EDR: 06/13/2017	Telephone: 843-820-7326
Date Made Active in Reports: 09/15/2017	Last EDR Contact: 02/09/2018
Number of Days to Update: 94	Next Scheduled EDR Contact: 05/28/2018
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 11/13/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/27/2017	Telephone: 703-603-0695
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 74	Next Scheduled EDR Contact: 03/12/2018
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 11/13/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/27/2017	Telephone: 703-603-0695
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 74	Next Scheduled EDR Contact: 03/12/2018
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/18/2017

Source: National Response Center, United States Coast Guard

Date Data Arrived at EDR: 09/21/2017

Telephone: 202-267-2180

Date Made Active in Reports: 10/13/2017

Last EDR Contact: 01/19/2018

Number of Days to Update: 22

Next Scheduled EDR Contact: 04/09/2018

Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A

Source: Ohio EPA

Date Data Arrived at EDR: N/A

Telephone: 614-644-2924

Date Made Active in Reports: N/A

Last EDR Contact: 01/31/2018

Number of Days to Update: N/A

Next Scheduled EDR Contact: 05/21/2018

Data Release Frequency: N/A

DERR: Division of Emergency & Remedial Response's Database

The DERR listings contains sites from all of Ohio that are in the Division of Environmental Response and Revitalization (DERR) database, which is an index of sites for which our district offices maintain files. The database is NOT a record of contaminated sites or sites suspected of contamination. Not all sites in the database are contaminated, and a site's absence from the database does not imply that it is uncontaminated.

Date of Government Version: 09/18/2017

Source: Ohio EPA

Date Data Arrived at EDR: 11/08/2017

Telephone: 614-644-3538

Date Made Active in Reports: 01/08/2018

Last EDR Contact: 02/08/2018

Number of Days to Update: 61

Next Scheduled EDR Contact: 05/21/2018

Data Release Frequency: Semi-Annually

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Licensed Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 10/10/2017

Source: Ohio Environmental Protection Agency

Date Data Arrived at EDR: 10/19/2017

Telephone: 614-644-2621

Date Made Active in Reports: 12/01/2017

Last EDR Contact: 01/08/2018

Number of Days to Update: 43

Next Scheduled EDR Contact: 04/23/2018

Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank File

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 08/13/2017

Source: Department of Commerce

Date Data Arrived at EDR: 08/17/2017

Telephone: 614-752-8200

Date Made Active in Reports: 09/26/2017

Last EDR Contact: 02/15/2018

Number of Days to Update: 40

Next Scheduled EDR Contact: 05/28/2018

Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/26/2017	Source: EPA, Region 5
Date Data Arrived at EDR: 07/27/2017	Telephone: 312-886-7439
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 78	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/14/2017	Source: EPA Region 7
Date Data Arrived at EDR: 07/27/2017	Telephone: 913-551-7003
Date Made Active in Reports: 10/06/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/25/2017	Source: EPA Region 10
Date Data Arrived at EDR: 11/07/2017	Telephone: 206-553-2857
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 31	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/13/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/27/2017	Telephone: 415-972-3372
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 78	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/14/2017	Source: EPA Region 1
Date Data Arrived at EDR: 07/27/2017	Telephone: 617-918-1313
Date Made Active in Reports: 10/06/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 10/14/2016	Source: EPA Region 4
Date Data Arrived at EDR: 01/27/2017	Telephone: 404-562-8677
Date Made Active in Reports: 05/05/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 98	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/24/2017	Source: EPA Region 6
Date Data Arrived at EDR: 07/27/2017	Telephone: 214-665-6597
Date Made Active in Reports: 10/06/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/01/2017	Source: EPA Region 8
Date Data Arrived at EDR: 07/27/2017	Telephone: 303-312-6271
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 78	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

UNREG LTANKS: Ohio Leaking UST File

A suspected or confirmed release of petroleum from a non-regulated UST.

Date of Government Version: 08/25/1999	Source: Department of Commerce
Date Data Arrived at EDR: 08/19/2003	Telephone: 614-752-7938
Date Made Active in Reports: 08/26/2003	Last EDR Contact: 08/01/2003
Number of Days to Update: 7	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017	Source: FEMA
Date Data Arrived at EDR: 05/30/2017	Telephone: 202-646-5797
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/09/2018
Number of Days to Update: 136	Next Scheduled EDR Contact: 04/23/2018
	Data Release Frequency: Varies

UST: Underground Storage Tank Tank File

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 01/04/2018	Source: Department of Commerce
Date Data Arrived at EDR: 01/05/2018	Telephone: 614-752-8200
Date Made Active in Reports: 01/08/2018	Last EDR Contact: 02/15/2018
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/28/2018
	Data Release Frequency: Quarterly

AST: Above Ground Storage Tanks

A listing of aboveground storage tank site locations in the state.

Date of Government Version: 08/04/2017	Source: Department of Commerce
Date Data Arrived at EDR: 08/08/2017	Telephone: 614-752-7037
Date Made Active in Reports: 09/26/2017	Last EDR Contact: 02/05/2018
Number of Days to Update: 49	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/14/2017	Source: EPA, Region 1
Date Data Arrived at EDR: 07/27/2017	Telephone: 617-918-1313
Date Made Active in Reports: 10/06/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 10/14/2016	Source: EPA Region 4
Date Data Arrived at EDR: 01/27/2017	Telephone: 404-562-9424
Date Made Active in Reports: 05/05/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 98	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Semi-Annually

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/25/2017	Source: EPA Region 10
Date Data Arrived at EDR: 07/27/2017	Telephone: 206-553-2857
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 78	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/13/2017	Source: EPA Region 9
Date Data Arrived at EDR: 07/27/2017	Telephone: 415-972-3368
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 78	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/26/2017	Source: EPA Region 5
Date Data Arrived at EDR: 07/27/2017	Telephone: 312-886-6136
Date Made Active in Reports: 10/06/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/24/2017	Source: EPA Region 6
Date Data Arrived at EDR: 07/27/2017	Telephone: 214-665-7591
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 134	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 05/02/2017	Source: EPA Region 7
Date Data Arrived at EDR: 07/27/2017	Telephone: 913-551-7003
Date Made Active in Reports: 10/06/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/01/2017	Source: EPA Region 8
Date Data Arrived at EDR: 07/27/2017	Telephone: 303-312-6137
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/23/2018
Number of Days to Update: 78	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

HIST INST CONTROLS: Institutional Controls Database

"Institutional control" is a restriction that is recorded in the same manner as a deed which limits access to or use of the property such that exposure to hazardous substances or petroleum are effectively and reliably eliminated or mitigated. Examples of institutional controls include land and water use restrictions. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005	Source: Ohio EPA
Date Data Arrived at EDR: 04/06/2006	Telephone: 614-644-2306
Date Made Active in Reports: 05/04/2006	Last EDR Contact: 06/02/2008
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

HIST ENG CONTROLS: Operation & Maintenance Agreements Database

Volunteers that complete a voluntary action that relies on the ongoing operation and maintenance (O&M) of an engineered control to make the site protective (e.g. cap systems and ground water treatment systems) must enter into a legally binding agreement with the Ohio EPA before the director issues a covenant not to sue. This O&M Agreement must describe how the remedy is constructed and how it will be monitored, maintained and repaired. It also lays out inspection opportunities for the agency. Companies must document that they have the financial capability to operate any remedy relied on, before the agency will agree to enter into the O&M Agreement. The statute requires that the agency be notified of any change in ownership. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005	Source: Ohio EPA
Date Data Arrived at EDR: 04/04/2006	Telephone: 614-644-2306
Date Made Active in Reports: 05/04/2006	Last EDR Contact: 06/02/2008
Number of Days to Update: 30	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

ENG CONTROLS: Sites with Engineering Controls

A database that tracks properties with engineering controls.

Date of Government Version: 09/18/2017	Source: Ohio EPA
Date Data Arrived at EDR: 11/08/2017	Telephone: 614-644-2306
Date Made Active in Reports: 01/08/2018	Last EDR Contact: 02/08/2018
Number of Days to Update: 61	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Semi-Annually

INST CONTROL: Sites with Institutional Engineering Controls

A database that tracks properties with institutional controls.

Date of Government Version: 09/18/2017	Source: Ohio Environmental Protection Agency
Date Data Arrived at EDR: 11/08/2017	Telephone: 614-644-2306
Date Made Active in Reports: 01/09/2018	Last EDR Contact: 02/08/2018
Number of Days to Update: 62	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Semi-Annually

State and tribal voluntary cleanup sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

VCP: Voluntary Action Program Sites

Site involved in the Voluntary Action Program.

Date of Government Version: 09/18/2017	Source: Ohio EPA, Voluntary Action Program
Date Data Arrived at EDR: 11/08/2017	Telephone: 614-728-1298
Date Made Active in Reports: 01/09/2018	Last EDR Contact: 02/08/2018
Number of Days to Update: 62	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 12/20/2017
Number of Days to Update: 142	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Ohio Brownfield Inventory

A statewide brownfields inventory. A brownfield is an abandoned, idled or under-used industrial or commercial property where expansion or redevelopment is complicated by known or potential releases of hazardous substances and/or petroleum.

Date of Government Version: 12/11/2017	Source: Ohio EPA
Date Data Arrived at EDR: 12/13/2017	Telephone: 614-644-3748
Date Made Active in Reports: 01/08/2018	Last EDR Contact: 12/13/2017
Number of Days to Update: 26	Next Scheduled EDR Contact: 03/26/2018
	Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 01/19/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/19/2018	Telephone: 202-566-2777
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 21	Next Scheduled EDR Contact: 04/02/2018
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST LF: Old Solid Waste Landfill

A list of about 1200 old abandoned dumps or landfills. This database was developed from Ohio EPA staff notebooks and other information dating from the mid-1970s

Date of Government Version: 09/25/2017
Date Data Arrived at EDR: 10/03/2017
Date Made Active in Reports: 12/19/2017
Number of Days to Update: 77

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 10/03/2017
Next Scheduled EDR Contact: 01/15/2018
Data Release Frequency: No Update Planned

SWRCY: Recycling Facility Listing

A listing of recycling facility locations.

Date of Government Version: 09/14/2017
Date Data Arrived at EDR: 10/03/2017
Date Made Active in Reports: 10/10/2017
Number of Days to Update: 7

Source: Ohio EPA
Telephone: 614-728-5357
Last EDR Contact: 01/22/2018
Next Scheduled EDR Contact: 04/23/2018
Data Release Frequency: Quarterly

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 01/30/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/22/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 02/02/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 01/19/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 16

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 03/12/2018
Data Release Frequency: No Update Planned

CDL: Clandestine Drug Lab Locations

A list of clandestine drug lab sites with environmental impact. This list is extracted from the SPILLS database based on the "product" type.

Date of Government Version: 05/12/2017
Date Data Arrived at EDR: 05/16/2017
Date Made Active in Reports: 09/26/2017
Number of Days to Update: 133

Source: Ohio EPA
Telephone: 614-644-2080
Last EDR Contact: 02/05/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 01/09/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 02/09/2018
Number of Days to Update: 16

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 03/12/2018
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

ARCHIVE UST: Archived Underground Storage Tank Sites

Underground storage tank records that have been removed from the Underground Storage Tank database.

Date of Government Version: 01/04/2018
Date Data Arrived at EDR: 01/05/2018
Date Made Active in Reports: 01/08/2018
Number of Days to Update: 3

Source: Department of Commerce, Division of State Fire Marshal
Telephone: 614-752-7938
Last EDR Contact: 02/15/2018
Next Scheduled EDR Contact: 05/28/2018
Data Release Frequency: Quarterly

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/21/2017	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 09/21/2017	Telephone: 202-366-4555
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 22	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

SPILLS: Emergency Response Database

Incidents reported to the Emergency Response Unit. The focus of the ER program is to minimize the impact on the environment from accidental releases, spills, and unauthorized discharges from any fixed or mobile sources. Incidents involving petroleum products, hazardous materials, hazardous waste, abandoned drums, or other materials which may pose as a pollution threat to the state's water, land, or air should be reported immediately. Not all incidents included in the database are actual SPILLS, they can simply be reported incidents.

Date of Government Version: 05/12/2017	Source: Ohio EPA
Date Data Arrived at EDR: 05/16/2017	Telephone: 614-644-2084
Date Made Active in Reports: 09/26/2017	Last EDR Contact: 02/05/2018
Number of Days to Update: 133	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Varies

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 09/13/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/27/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 55	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 04/24/2004	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 03/01/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 57	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/11/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/26/2017	Telephone: 312-886-6186
Date Made Active in Reports: 02/09/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 45	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 07/08/2015	Telephone: 202-528-4285
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 02/21/2018
Number of Days to Update: 97	Next Scheduled EDR Contact: 06/04/2018
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 10/13/2017
Number of Days to Update: 62	Next Scheduled EDR Contact: 01/22/2018
	Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 10/11/2017
Number of Days to Update: 339	Next Scheduled EDR Contact: 01/22/2018
	Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/03/2017	Telephone: 615-532-8599
Date Made Active in Reports: 04/07/2017	Last EDR Contact: 02/16/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/28/2018
	Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 10/17/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/01/2017	Telephone: 202-566-1917
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 37	Next Scheduled EDR Contact: 04/09/2018
	Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 01/31/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/08/2018
Next Scheduled EDR Contact: 05/21/2018
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/21/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 198

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 12/22/2017
Next Scheduled EDR Contact: 04/02/2018
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 01/10/2018
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 2

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 01/10/2018
Next Scheduled EDR Contact: 03/05/2018
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/25/2018
Next Scheduled EDR Contact: 05/07/2018
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/11/2017
Date Data Arrived at EDR: 12/22/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 21

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 02/06/2018
Next Scheduled EDR Contact: 03/19/2018
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/02/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/17/2017	Telephone: 202-564-8600
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/06/2018
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/01/2017	Source: EPA
Date Data Arrived at EDR: 06/09/2017	Telephone: 202-566-0500
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 01/12/2018
Number of Days to Update: 126	Next Scheduled EDR Contact: 04/23/2018
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 01/09/2018
Number of Days to Update: 79	Next Scheduled EDR Contact: 04/23/2018
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 09/08/2016	Telephone: 301-415-7169
Date Made Active in Reports: 10/21/2016	Last EDR Contact: 01/19/2018
Number of Days to Update: 43	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 12/05/2017
Number of Days to Update: 76	Next Scheduled EDR Contact: 03/19/2018
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/08/2017
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/19/2018
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/30/2017	Telephone: 202-566-0517
Date Made Active in Reports: 12/15/2017	Last EDR Contact: 01/26/2018
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/07/2018
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/02/2017
Date Data Arrived at EDR: 10/05/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 01/04/2018
Next Scheduled EDR Contact: 04/16/2018
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 01/19/2018
Next Scheduled EDR Contact: 05/14/2018
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 11/10/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 63

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 01/04/2018
Next Scheduled EDR Contact: 04/02/2018
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 09/28/2017
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 11/20/2017
Next Scheduled EDR Contact: 03/05/2018
Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014	Source: USGS
Date Data Arrived at EDR: 07/14/2015	Telephone: 202-208-3710
Date Made Active in Reports: 01/10/2017	Last EDR Contact: 01/09/2018
Number of Days to Update: 546	Next Scheduled EDR Contact: 04/23/2018
	Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 12/23/2016	Source: Department of Energy
Date Data Arrived at EDR: 12/27/2016	Telephone: 202-586-3559
Date Made Active in Reports: 02/17/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017	Source: Department of Energy
Date Data Arrived at EDR: 10/11/2017	Telephone: 505-845-0011
Date Made Active in Reports: 11/03/2017	Last EDR Contact: 11/22/2017
Number of Days to Update: 23	Next Scheduled EDR Contact: 03/05/2018
	Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 10/10/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/03/2017	Telephone: 703-603-8787
Date Made Active in Reports: 12/15/2017	Last EDR Contact: 02/06/2018
Number of Days to Update: 42	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001	Source: American Journal of Public Health
Date Data Arrived at EDR: 10/27/2010	Telephone: 703-305-6451
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/02/2009
Number of Days to Update: 36	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 10/29/2017
Date Data Arrived at EDR: 11/28/2017
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 45

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 11/28/2017
Next Scheduled EDR Contact: 03/12/2018
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 12/01/2017
Next Scheduled EDR Contact: 03/12/2018
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 12/01/2017
Next Scheduled EDR Contact: 03/12/2018
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/25/2017
Date Data Arrived at EDR: 09/26/2017
Date Made Active in Reports: 10/20/2017
Number of Days to Update: 24

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 12/19/2017
Next Scheduled EDR Contact: 03/26/2018
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/23/2017	Source: EPA
Date Data Arrived at EDR: 09/06/2017	Telephone: (312) 353-2000
Date Made Active in Reports: 09/15/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 9	Next Scheduled EDR Contact: 03/19/2018
	Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/02/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/06/2017	Telephone: 202-564-2280
Date Made Active in Reports: 10/20/2017	Last EDR Contact: 01/19/2018
Number of Days to Update: 44	Next Scheduled EDR Contact: 03/19/2018
	Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 06/27/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/21/2017	Telephone: 202-564-0527
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 01/19/2018
Number of Days to Update: 52	Next Scheduled EDR Contact: 03/12/2018
	Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/30/2016	Source: Department of Defense
Date Data Arrived at EDR: 10/31/2017	Telephone: 703-704-1564
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 01/02/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 04/30/2018
	Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/20/2017	Source: EPA
Date Data Arrived at EDR: 11/20/2017	Telephone: 800-385-6164
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 02/21/2018
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/04/2018
	Data Release Frequency: Quarterly

AIRS: Title V Permits Listing

A listing of Title V Permits issued by the Division of Air Pollution Control. It is a federal operating permit program adopted and implemented by the state. The basic program elements typically specify that major sources will submit an operating application to the specified state environmental regulatory agency according to a schedule.

Date of Government Version: 12/19/2017	Source: Ohio EPA
Date Data Arrived at EDR: 12/20/2017	Telephone: 614-644-2270
Date Made Active in Reports: 01/08/2018	Last EDR Contact: 12/18/2017
Number of Days to Update: 19	Next Scheduled EDR Contact: 04/02/2018
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 04/13/2015

Date Data Arrived at EDR: 04/16/2015

Date Made Active in Reports: 05/29/2015

Number of Days to Update: 43

Source: Ohio EPA

Telephone: 614-644-2134

Last EDR Contact: 01/08/2018

Next Scheduled EDR Contact: 04/23/2018

Data Release Frequency: Varies

CRO: Cessation of Regulated Operations Facility Listing

"Cessation of Regulated Operations" means the discontinuation or termination of regulated operations or the finalizing of any transaction or proceeding through which those operations are discontinued. "Regulated Operations" means the production, use, storage or handling of regulated substances.

Date of Government Version: 09/27/2017

Date Data Arrived at EDR: 11/09/2017

Date Made Active in Reports: 01/08/2018

Number of Days to Update: 60

Source: Ohio EPA

Telephone: 614-644-3065

Last EDR Contact: 02/09/2018

Next Scheduled EDR Contact: 05/21/2018

Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing

A listing of drycleaner facility locations.

Date of Government Version: 09/28/2017

Date Data Arrived at EDR: 09/28/2017

Date Made Active in Reports: 11/30/2017

Number of Days to Update: 63

Source: Ohio EPA

Telephone: 614-644-3469

Last EDR Contact: 01/08/2018

Next Scheduled EDR Contact: 04/09/2018

Data Release Frequency: Semi-Annually

Financial Assurance: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 12/05/2017

Date Data Arrived at EDR: 12/08/2017

Date Made Active in Reports: 01/08/2018

Number of Days to Update: 31

Source: Ohio EPA

Telephone: 614-644-2955

Last EDR Contact: 01/08/2018

Next Scheduled EDR Contact: 04/23/2018

Data Release Frequency: Semi-Annually

HIST USD: Urban Setting Designations Database

A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005

Date Data Arrived at EDR: 04/25/2006

Date Made Active in Reports: 05/11/2006

Number of Days to Update: 16

Source: Ohio EPA

Telephone: 614-644-3749

Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008

Data Release Frequency: No Update Planned

LEAD: Lead Inspections Listing

Department of Health lead inspections included in the Environmental Licensing System.

Date of Government Version: 12/18/2017

Date Data Arrived at EDR: 12/20/2017

Date Made Active in Reports: 01/09/2018

Number of Days to Update: 20

Source: Department of Health

Telephone: 614-644-8649

Last EDR Contact: 12/20/2017

Next Scheduled EDR Contact: 04/02/2018

Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPDES: NPDES General Permit List

General information regarding NPDES (National Pollutant Discharge Elimination System) permits.

Date of Government Version: 11/06/2017	Source: Ohio EPA
Date Data Arrived at EDR: 11/08/2017	Telephone: 614-644-2031
Date Made Active in Reports: 01/09/2018	Last EDR Contact: 02/08/2018
Number of Days to Update: 62	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Quarterly

VAPOR: Vapor Intrusion

A listing of vapor intrusion related sites.

Date of Government Version: 09/18/2017	Source: Ohio EPA
Date Data Arrived at EDR: 09/19/2017	Telephone: 614-644-2924
Date Made Active in Reports: 01/24/2018	Last EDR Contact: 01/25/2018
Number of Days to Update: 127	Next Scheduled EDR Contact: 04/02/2018
	Data Release Frequency: Varies

TOWNGAS: DERR Towngas Database

The database includes 82 very old sites (circa 1895) which produced gas from coal for street lighting. Most visual evidence of these sites has disappeared, however the potential for buried coal tar remains. The database is no longer in active use.

Date of Government Version: 07/28/1992	Source: Ohio EPA
Date Data Arrived at EDR: 02/21/2003	Telephone: 614-644-3749
Date Made Active in Reports: 03/05/2003	Last EDR Contact: 02/12/2003
Number of Days to Update: 12	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

UIC: Underground Injection Wells Listing

A listing of underground injection well locations.

Date of Government Version: 04/08/2016	Source: Ohio EPA
Date Data Arrived at EDR: 05/12/2016	Telephone: 614-644-2752
Date Made Active in Reports: 07/18/2016	Last EDR Contact: 02/09/2018
Number of Days to Update: 67	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Varies

USD: Urban Setting Designation Sites

A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined.

Date of Government Version: 11/06/2017	Source: Ohio EPA
Date Data Arrived at EDR: 11/08/2017	Telephone: 614-644-3749
Date Made Active in Reports: 01/09/2018	Last EDR Contact: 02/08/2018
Number of Days to Update: 62	Next Scheduled EDR Contact: 05/21/2018
	Data Release Frequency: Semi-Annually

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Ohio Environmental Protection Agency in Ohio.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Ohio Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Commerce in Ohio.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/20/2013
Number of Days to Update: 172

Source: Department of Commerce
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/11/2017	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 11/14/2017	Telephone: 860-424-3375
Date Made Active in Reports: 12/18/2017	Last EDR Contact: 02/14/2018
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/28/2018
	Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016	Source: Department of Environmental Protection
Date Data Arrived at EDR: 04/11/2017	Telephone: N/A
Date Made Active in Reports: 07/27/2017	Last EDR Contact: 01/05/2018
Number of Days to Update: 107	Next Scheduled EDR Contact: 04/23/2018
	Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 10/01/2017	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/01/2017	Telephone: 518-402-8651
Date Made Active in Reports: 11/13/2017	Last EDR Contact: 01/31/2018
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/14/2018
	Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/25/2017	Telephone: 717-783-8990
Date Made Active in Reports: 09/25/2017	Last EDR Contact: 01/16/2018
Number of Days to Update: 62	Next Scheduled EDR Contact: 04/30/2018
	Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013	Source: Department of Environmental Management
Date Data Arrived at EDR: 06/19/2015	Telephone: 401-222-2797
Date Made Active in Reports: 07/15/2015	Last EDR Contact: 02/21/2018
Number of Days to Update: 26	Next Scheduled EDR Contact: 06/04/2018
	Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 01/12/2018	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/19/2018	Telephone: 802-241-3443
Date Made Active in Reports: 02/13/2018	Last EDR Contact: 01/12/2018
Number of Days to Update: 25	Next Scheduled EDR Contact: 04/30/2018
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016

Date Data Arrived at EDR: 04/13/2017

Date Made Active in Reports: 07/14/2017

Number of Days to Update: 92

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 12/11/2017

Next Scheduled EDR Contact: 03/26/2018

Data Release Frequency: Annually

Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Day Care Facilities

Source: Department of Job & Family Services

Telephone: 614-466-6282

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

BEXLEY FERNDALE
921 FERNDALE PLACE
COLUMBUS, OH 43209

TARGET PROPERTY COORDINATES

Latitude (North):	39.94929 - 39° 56' 57.44"
Longitude (West):	82.940317 - 82° 56' 25.14"
Universal Tranverse Mercator:	Zone 17
UTM X (Meters):	334242.7
UTM Y (Meters):	4423721.5
Elevation:	759 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5964751 SOUTHEAST COLUMBUS, OH
Version Date:	2013

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General South

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
39049C0329K	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
39049C0333K	FEMA FIRM Flood data
39049C0265G	FEMA Q3 Flood data
39049C0341K	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
SOUTHEAST COLUMBUS	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
B15	0 - 1/8 Mile SE	SW
D22	1/4 - 1/2 Mile WSW	S
J91	1/2 - 1 Mile NE	VARIES
1G	1/2 - 1 Mile NE	VARIES
2G	1/4 - 1/2 Mile WSW	S
3G	0 - 1/8 Mile SE	SW

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Paleozoic
System:	Devonian
Series:	Upper Devonian
Code:	D3 (<i>decoded above as Era, System & Series</i>)

GEOLOGIC AGE IDENTIFICATION


Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 5196641.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: Bexley Ferndale
ADDRESS: 921 Ferndale Place
Columbus OH 43209
LAT/LONG: 39.94929 / 82.940317

CLIENT: Pandey Environmental, LLC
CONTACT: Nick Vallera
INQUIRY #: 5196641.2s
DATE: February 22, 2018 11:40 am

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Cardington
 Soil Surface Texture: silt loam
 Hydrologic Group: Not reported
 Soil Drainage Class:
 Hydric Status: Partially hydric
 Corrosion Potential - Uncoated Steel: High
 Depth to Bedrock Min: > 0 inches
 Depth to Watertable Min: > 76 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 7.3 Min: 4.5
2	5 inches	33 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 4.23 Min: 1.41	Max: 7.8 Min: 4.5
3	33 inches	70 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 4.23 Min: 1.41	Max: 8.4 Min: 7.4

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: Bennington
 Soil Surface Texture: silt loam
 Hydrologic Group: Not reported
 Soil Drainage Class:
 Hydric Status: Partially hydric
 Corrosion Potential - Uncoated Steel: High
 Depth to Bedrock Min: > 0 inches
 Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 6.5 Min: 5.1
2	9 inches	35 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 4.23 Min: 0.42	Max: 7.8 Min: 4.5
3	35 inches	70 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 1.41 Min: 0.42	Max: 8.4 Min: 7.4

Soil Map ID: 3

Soil Component Name: Eel
 Soil Surface Texture: silt loam
 Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.
 Soil Drainage Class: Moderately well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 137 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 7.8 Min: 6.1
2	7 inches	42 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 8.4 Min: 6.1
3	42 inches	70 inches	stratified sandy loam to silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 8.4 Min: 7.4

Soil Map ID: 4

Soil Component Name: Water

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 5

Soil Component Name: Udorthents

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 6

Soil Component Name: Bennington

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14.11 Min: 4.23	Max: 6.5 Min: 5.1

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	9 inches	35 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 4.23 Min: 0.42	Max: 7.8 Min: 4.5
3	35 inches	70 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 1.41 Min: 0.42	Max: 8.4 Min: 7.4

Soil Map ID: 7

Soil Component Name: Eldean

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 7.3 Min: 5.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
2	7 inches	35 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 1.41	Max: 7.8 Min: 5.6
3	35 inches	70 inches	stratified gravelly sand to gravelly loamy sand	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.4

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.500 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
A1	OHDM10000018955	0 - 1/8 Mile SW
A2	OHDM10000018954	0 - 1/8 Mile SW
A3	OHDM10000018953	0 - 1/8 Mile SW
A4	OHD700000431293	0 - 1/8 Mile SW
A5	OHDM10000018957	0 - 1/8 Mile SW
A6	OHDM10000018956	0 - 1/8 Mile SW
B7	OHD700000019291	0 - 1/8 Mile SE
B8	OHDM10000018943	0 - 1/8 Mile SE
B9	OHDM10000018942	0 - 1/8 Mile SE
B10	OHDM10000018941	0 - 1/8 Mile SE
B11	OHDM10000018944	0 - 1/8 Mile SE
B12	OHD700000423444	0 - 1/8 Mile SE
B13	OHDM10000018946	0 - 1/8 Mile SE
B14	OHDM10000018945	0 - 1/8 Mile SE
C16	OHD700000022400	1/8 - 1/4 Mile ESE
D18	OHD700000016368	1/8 - 1/4 Mile WSW
D19	OHD700000016365	1/8 - 1/4 Mile WSW
D20	OHD700000016366	1/8 - 1/4 Mile WSW
D21	OHD700000016367	1/8 - 1/4 Mile WSW
D23	OHD700000118537	1/4 - 1/2 Mile WSW
D24	OHDM10000018933	1/4 - 1/2 Mile WSW
D25	OHDM10000018932	1/4 - 1/2 Mile WSW
D26	OHDM10000018931	1/4 - 1/2 Mile WSW
D27	OHDM10000018934	1/4 - 1/2 Mile WSW
D28	OHD700000406890	1/4 - 1/2 Mile WSW
D29	OHDM10000018936	1/4 - 1/2 Mile WSW
D30	OHDM10000018935	1/4 - 1/2 Mile WSW
D31	OHDM10000018911	1/4 - 1/2 Mile WSW
D32	OHDM10000018910	1/4 - 1/2 Mile WSW
D33	OHDM10000018909	1/4 - 1/2 Mile WSW
D34	OHDM10000018912	1/4 - 1/2 Mile WSW
D35	OHD700000406832	1/4 - 1/2 Mile WSW
D36	OHDM10000018914	1/4 - 1/2 Mile WSW
D37	OHDM10000018913	1/4 - 1/2 Mile WSW
38	OHD700000175359	1/4 - 1/2 Mile SE
D39	OHD700000339484	1/4 - 1/2 Mile West
D40	OHD700000339486	1/4 - 1/2 Mile West
D41	OHD700000339487	1/4 - 1/2 Mile West
D42	OHDM10000018949	1/4 - 1/2 Mile West
D43	OHDM10000018948	1/4 - 1/2 Mile West
D44	OHDM10000018947	1/4 - 1/2 Mile West
D45	OHDM10000018952	1/4 - 1/2 Mile West
D46	OHDM10000018951	1/4 - 1/2 Mile West
D47	OHDM10000018950	1/4 - 1/2 Mile West
D48	OHD700000180553	1/4 - 1/2 Mile WSW
49	OHD700000180554	1/4 - 1/2 Mile WSW
E50	OHD700000021726	1/4 - 1/2 Mile SW
E51	OHD700000021721	1/4 - 1/2 Mile SW
53	OHD700000175360	1/2 - 1 Mile SW
54	OHD700000311643	1/2 - 1 Mile ENE
55	OHD700000175376	1/2 - 1 Mile NW
F56	OHDM10000019398	1/2 - 1 Mile NNW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
F57	OHDM10000019397	1/2 - 1 Mile NNW
F58	OHDM10000019399	1/2 - 1 Mile NNW
F59	OHD700000434311	1/2 - 1 Mile NNW
F60	OHDM10000019400	1/2 - 1 Mile NNW
F61	OHD700000091656	1/2 - 1 Mile NNW
F62	OHD700000091658	1/2 - 1 Mile NNW
F63	OHD700000091659	1/2 - 1 Mile NNW
F64	OHD700000022506	1/2 - 1 Mile NNW
F65	OHD700000022507	1/2 - 1 Mile NNW
66	OHD700000024669	1/2 - 1 Mile WNW
67	OHD700000367025	1/2 - 1 Mile North
68	OHD700000302595	1/2 - 1 Mile NW
69	OHD700000025587	1/2 - 1 Mile NNW
70	OHD700000025146	1/2 - 1 Mile NW
G71	OHD700000337268	1/2 - 1 Mile South
72	OHD700000018859	1/2 - 1 Mile NNW
H73	OHD700000175377	1/2 - 1 Mile NE
H74	OHD700000175378	1/2 - 1 Mile NE
I75	OHD700000311647	1/2 - 1 Mile ESE
G76	OHD700000021722	1/2 - 1 Mile South
I77	OHD700000311833	1/2 - 1 Mile ESE
I78	OHD700000311834	1/2 - 1 Mile ESE
I79	OHD700000311646	1/2 - 1 Mile ESE
J80	OHD700000086641	1/2 - 1 Mile NE
I81	OHD700000311832	1/2 - 1 Mile ESE
K82	OHD700000311648	1/2 - 1 Mile ESE
K83	OHD700000311649	1/2 - 1 Mile ESE
K84	OHD700000311650	1/2 - 1 Mile ESE
K85	OHD700000311651	1/2 - 1 Mile ESE
K86	OHD700000311642	1/2 - 1 Mile ESE
K87	OHD700000119419	1/2 - 1 Mile ESE
K88	OHD700000312119	1/2 - 1 Mile ESE
K89	OHD700000312120	1/2 - 1 Mile ESE
K90	OHD700000312121	1/2 - 1 Mile ESE
K92	OHD700000119306	1/2 - 1 Mile ESE
L93	OHD700000311644	1/2 - 1 Mile ESE
L94	OHD700000311645	1/2 - 1 Mile ESE
L95	OHD700000312122	1/2 - 1 Mile ESE
J96	OHD700000088064	1/2 - 1 Mile NE
J97	OHD700000089955	1/2 - 1 Mile NE
L98	OHD700000119307	1/2 - 1 Mile ESE
M99	OHD700000175355	1/2 - 1 Mile SW
M100	OHD700000175356	1/2 - 1 Mile SW
101	OHD700000024915	1/2 - 1 Mile NE
N102	OHD700000024887	1/2 - 1 Mile NW
N103	OHD700000024888	1/2 - 1 Mile NW
N104	OHD700000024886	1/2 - 1 Mile NW
105	OHD700000024441	1/2 - 1 Mile West

PHYSICAL SETTING SOURCE MAP - 5196641.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location

<p>SITE NAME: Bexley Ferndale ADDRESS: 921 Ferndale Place Columbus OH 43209 LAT/LONG: 39.94929 / 82.940317</p>	<p>CLIENT: Pandey Environmental, LLC CONTACT: Nick Vallera INQUIRY #: 5196641.2s DATE: February 22, 2018 11:40 am</p>
---	--

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
SW
0 - 1/8 Mile
Lower

OH WELLS OHDM10000018955

Well log n:	2031523		
Well type :	W	U version:	Not Reported
End user i:	795		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SRW
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SGR
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2080		
St name:	LIVINGSTON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844658.7		
Horiz y:	709991.79		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94849		
Longitude:	-82.94171		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-MAR-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	MW-2		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	23		
Screened 1:	13		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018955		

**A2
SW
0 - 1/8 Mile
Lower**

OH WELLS OHDM10000018954

Well log n:	2031523		
Well type :	W	U version:	Not Reported
End user i:	795		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SRW
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SGR
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2080		
St name:	LIVINGSTON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844658.7		
Horiz y:	709991.79		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94849		
Longitude:	-82.94171		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	23		
Date of co:	07-MAR-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	MW-2		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	13		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018954		

**A3
SW
0 - 1/8 Mile
Lower**

OH WELLS OHDM10000018953

Well log n:	2031523		
Well type :	W	U version:	Not Reported
End user i:	795		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SRW
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SGR
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2080		
St name:	LIVINGSTON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844658.7		
Horiz y:	709991.79		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.94849		
Longitude:	-82.94171		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-MAR-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	MW-2		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	13		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD10000018953		

**A4
SW
0 - 1/8 Mile
Lower**

OH WELLS OHD700000431293

Well log n:	2031523		
Well type :	WATER WELL	U version:	Not Reported
End user i:	795		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SRW
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2080		
St name:	LIVINGSTON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1844658.7		
Horiz y:	709991.79		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94849		
Longitude:	-82.94171		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	20110307	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	MW-2		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	13		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000431293		

**A5
SW
0 - 1/8 Mile
Lower**

OH WELLS OHDM10000018957

Well log n:	2031523		
Well type :	W	U version:	Not Reported
End user i:	795		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SRW
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SGR
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2080		
St name:	LIVINGSTON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844658.7		
Horiz y:	709991.79		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94849		
Longitude:	-82.94171		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-MAR-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	MW-2		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	13		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018957		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A6
SW
0 - 1/8 Mile
Lower

OH WELLS OHDM10000018956

Well log n:	2031523		
Well type :	W	U version:	Not Reported
End user i:	795		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SRW
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SGR
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2080		
St name:	LIVINGSTON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844658.7		
Horiz y:	709991.79		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94849		
Longitude:	-82.94171		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-MAR-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	MW-2		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	23		
Screened 1:	13		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	GLOBAL POSITIONING SYSTEM		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018956		

**B7
SE
0 - 1/8 Mile
Higher**

OH WELLS OHD700000019291

Well log n:	715871		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	STERLING MOTORS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1845404.17		
Horiz y:	709926.23		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94832		
Longitude:	-82.93905		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	15		
Date of co:	19910515	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000019291		

**B8
SE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000018943

Well log n:	2035409		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DISCOUNT AUTO GLASS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	03-OCT-11
Cas ht:	0		
Screen len:	10		
Total dept:	21		
Date of co:	03-OCT-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018943		

**B9
SE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000018942

Well log n:	2035409		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DISCOUNT AUTO GLASS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	03-OCT-11
Cas ht:	0		
Screen len:	10		
Total dept:	21		
Date of co:	03-OCT-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018942		

**B10
SE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000018941

Well log n:	2035409		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DISCOUNT AUTO GLASS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	03-OCT-11
Cas ht:	0		
Screen len:	10		
Total dept:	21		
Date of co:	03-OCT-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018941		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

B11
SE
0 - 1/8 Mile
Higher

OH WELLS OHDM10000018944

Well log n:	2035409	U version:	Not Reported
Well type :	W	Orig own 1:	DISCOUNT AUTO GLASS
End user i:	4225	Test type :	B
Cnty code:	49	Aquifer ty:	SND
Orig owner:	Not Reported	Loc area:	Not Reported
Drill type:	A	Sub map ye:	Not Reported
Well use c:	M	Permit no:	Not Reported
Loc map ye:	Not Reported	Lot no:	Not Reported
Loc no:	0	St type co:	AVE
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON		
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS		
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	03-OCT-11
Cas ht:	0		
Screen len:	10		
Total dept:	21		
Date of co:	03-OCT-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018944		

**B12
SE
0 - 1/8 Mile
Higher**

OH WELLS OHD700000423444

Well log n:	2035409		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DISCOUNT AUTO GLASS
Drill type:	AUGER	Test type :	B
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well Loc:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	20111003
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	21		
Date of co:	20111003	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000423444		

**B13
SE
0 - 1/8 Mile
Higher**

OH WELLS OHDM1000018946

Well log n:	2035409		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DISCOUNT AUTO GLASS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	03-OCT-11
Cas ht:	0		
Screen len:	10		
Total dept:	21		
Date of co:	03-OCT-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018946		

**B14
SE
0 - 1/8 Mile
Higher**

OH WELLS OHDM10000018945

Well log n:	2035409		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DISCOUNT AUTO GLASS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2182		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1845420.97		
Horiz y:	709922.5		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.948314		
Longitude:	-82.938994		
Source of :	GEOCODE	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	03-OCT-11
Cas ht:	0		
Screen len:	10		
Total dept:	21		
Date of co:	03-OCT-11	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	11		
Screened 1:	21		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018945		

B15 SE 0 - 1/8 Mile Higher	Site ID: 2520702-00		
	Groundwater Flow: SW	AQUIFLOW	19825
	Shallow Water Depth: 9.75		
	Deep Water Depth: 12.25		
	Average Water Depth: Not Reported		
	Date: 4/1994		

C16 ESE 1/8 - 1/4 Mile Higher		OH WELLS	OHD700000022400
--	--	-----------------	------------------------

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	768062	U version:	!
Well type :	WATER WELL		
End user i:	1407		
Cnty code:	49	Twp code:	1620
Orig owner:	Not Reported	Orig own 1:	UNO-VEN
Drill type:	AUGER	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	2253		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1845852.12		
Horiz y:	709792.91		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	766		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94796		
Longitude:	-82.93745		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	18		
Date of co:	19950621	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000022400		

C17 ESE 1/8 - 1/4 Mile Higher	Site ID:	259019		
	Groundwater Flow:	NOT REPORTED	AQUIFLOW	13410
	Shallow Water Depth:	3.32		
	Deep Water Depth:	12.06		
	Average Water Depth:	Not Reported		
	Date:	10/1996		

D18 WSW 1/8 - 1/4 Mile Higher			OH WELLS	OHD700000016368
	Well log n:	758422		
	Well type :	WATER WELL	U version:	!
	End user i:	1514		
	Cnty code:	49	Twp code:	668
	Orig owner:	Not Reported	Orig own 1:	BP OIL
	Drill type:	AUGER	Test type :	Not Reported
	Well use c:	MONITOR	Aquifer ty:	GRAVEL/SAND/CLAY
	Loc map ye:	Not Reported	Loc area:	Not Reported
	Loc no:	0		
	Sub name:	Not Reported	Sub map ye:	Not Reported
	Sub no:	Not Reported	Permit no:	Not Reported
	Sec owner :	Not Reported	Lot no:	Not Reported
	Sect no:	0		
	St dir cod:	E		
	St no:	1971		
	St name:	LIVINGSTON	St type co:	AVE
	Sec add:	Not Reported		
	Sec add no:	0		
	City:	Not Reported	State code:	OH
	Zip:	Not Reported		
	Zone code:	Not Reported		
	Horiz x:	1843845.37		
	Horiz y:	709941.14		
	Horiz datu:	Not Reported		
	Horiz acc :	0		
	Horiz acc1:	0		
	Horiz ac 1:	Not Reported		
	Vert loc:	759		
	Vert acc:	0		
	Vert acc u:	Not Reported		
	Latitude:	39.94834		
Longitude:	-82.94461			
Source of :	Not Reported	Flowing we:	N	
Test rate:	0			
Draw down:	0			
Draw down :	0			
S water le:	19.3			
S water me:	Not Reported	S water 1:	18991230	
Cas ht:	0			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	26		
Date of co:	19920729	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000016368		

**D19
WSW
1/8 - 1/4 Mile
Higher**

OH WELLS OHD700000016365

Well log n:	758419		
Well type :	WATER WELL	U version:	!
End user i:	1514		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1971		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843845.37		
Horiz y:	709941.14		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.94834		
Longitude:	-82.94461		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19.4		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	23		
Date of co:	19920729	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000016365		

**D20
WSW
1/8 - 1/4 Mile
Higher**

OH WELLS OHD700000016366

Well log n:	758420	U version:	!
Well type :	WATER WELL		
End user i:	1514		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL/SAND/CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1971		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1843845.37		
Horiz y:	709941.14		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94834		
Longitude:	-82.94461		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19920729	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000016366		

**D21
WSW
1/8 - 1/4 Mile
Higher**

OH WELLS OHD700000016367

Well log n:	758421		
Well type :	WATER WELL	U version:	!
End user i:	1514		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	BP OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL/SAND/CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1971		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843845.37		
Horiz y:	709941.14		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94834		
Longitude:	-82.94461		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	18.9		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	26		
Date of co:	19920729	Located in:	Not Reported
Assoc rpt :	Y		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000016367		

**D22
WSW
1/4 - 1/2 Mile
Higher**

Site ID:	2591191-00	
Groundwater Flow:	S	AQUIFLOW 13729
Shallow Water Depth:	Not Reported	
Deep Water Depth:	18.04	
Average Water Depth:	Not Reported	
Date:	3/1993	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D23
WSW
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000118537

Well log n:	967373		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	1790
Orig owner:	Not Reported	Orig own 1:	TIMKEN
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1025		
St name:	ALUM CREEK	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843620.8		
Horiz y:	709887.61		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94819		
Longitude:	-82.94541		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	5		
Total dept:	18		
Date of co:	20030425	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20030826	Added by:	DENNIS CRIST
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	13		
Screened 1:	18		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000118537		

**D24
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018933

Well log n:	2005003		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018933		

**D25
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018932

Well log n:	2005003		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018932		

**D26
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018931

Well log n:	2005003		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018931		

**D27
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018934

Well log n:	2005003		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018934		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D28
WSW
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000406890

Well log n:	2005003	U version:	Not Reported
Well type :	WATER WELL		
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	20060907	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000406890		

**D29
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018936

Well log n:	2005003		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018936		

**D30
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018935

Well log n:	2005003		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843623.55		
Horiz y:	709876.66		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.94816		
Longitude:	-82.9454		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018935		

**D31
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018911

Well log n:	2004992		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018911		

**D32
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018910

Well log n:	2004992		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018910		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D33
WSW
1/4 - 1/2 Mile
Higher

OH WELLS OHDM10000018909

Well log n:	2004992	U version:	Not Reported
Well type :	W	Orig own 1:	SHELL STATION
End user i:	4221	Test type :	Not Reported
Cnty code:	49	Aquifer ty:	SND
Orig owner:	Not Reported	Loc area:	Not Reported
Drill type:	A	Sub map ye:	Not Reported
Well use c:	M	Permit no:	Not Reported
Loc map ye:	Not Reported	Lot no:	Not Reported
Loc no:	0	St type co:	AVE
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported		
Sec owner :	Not Reported		
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON		
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS		
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018909		

**D34
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018912

Well log n:	2004992		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018912		

**D35
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHD700000406832

Well log n:	2004992		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	20060907	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000406832		

**D36
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018914

Well log n:	2004992		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018914		

**D37
WSW
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018913

Well log n:	2004992		
Well type :	W	U version:	Not Reported
End user i:	4221		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHELL STATION
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	SND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	43209		
Well loc d:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843639.96		
Horiz y:	709792.8		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94793		
Longitude:	-82.94534		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	23		
Date of co:	07-SEP-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	23		
Screened 1:	11		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018913		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

38
SE
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000175359

Well log n:	210792	U version:	!
Well type :	WATER WELL		
End user i:	800		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	JEWISH CENTER
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	232		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1125		
St name:	COLLEGE	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1846014.08		
Horiz y:	709078.14		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	763		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.945997		
Longitude:	-82.93686		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	52		
Date of co:	19590710	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175359		

D39
West
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000339484

Well log n:	2002934		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	22		
Date of co:	20060510	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000339484		

**D40
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHD700000339486

Well log n:	2002936		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL OIL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	22		
Date of co:	20060510	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000339486		

**D41
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHD700000339487

Well log n:	2002937		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	22		
Date of co:	20060510	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000339487		

**D42
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018949

Well log n:	2002934		
Well type :	W	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Well loc d:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	22		
Date of co:	10-MAY-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018949		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D43
West
1/4 - 1/2 Mile
Higher

OH WELLS OHDM10000018948

Well log n:	2002934	U version:	Not Reported
Well type :	W	Orig own 1:	SHELL OIL
End user i:	1407	Test type :	Not Reported
Cnty code:	49	Aquifer ty:	CLA
Orig owner:	Not Reported	Loc area:	Not Reported
Drill type:	A	Sub map ye:	Not Reported
Well use c:	M	Permit no:	Not Reported
Loc map ye:	Not Reported	Lot no:	Not Reported
Loc no:	0	St type co:	AVE
Sub name:	Not Reported	State code:	OH
Sub no:	Not Reported	Flowing we:	N
Sec owner :	Not Reported	Test rate:	0
Sect no:	0	Draw down:	0
St dir cod:	Not Reported	Draw down :	0
St no:	1937	S water le:	0
St name:	LIVINGSTON	S water me:	Not Reported
Sec add:	Not Reported	Cas ht:	0
Sec add no:	0	Screen len:	10
City:	COLUMBUS	Total dept:	22
Zip:	Not Reported	Date of co:	10-MAY-06
Well loc d:	Not Reported	Assoc rpt :	N
Zone code:	S	Depth to b:	0
Horiz x:	1843509.04	Drill year:	Not Reported
Horiz y:	709964.66	Comments:	Not Reported
Horiz datu:	NAD27	Well seal :	0
Horiz acc :	0	Date added:	30-DEC-99
Horiz acc1:	0	Date chang:	15-AUG-06
Horiz ac 1:	Not Reported	Added by:	Not Reported
Vert loc:	760	Changed by:	Not Reported
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM		
S water 1:	30-DEC-99		
Located in:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018948		

**D44
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018947

Well log n:	2002937		
Well type :	W	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Well loc d:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	22		
Date of co:	10-MAY-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018947		

**D45
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018952

Well log n:	2002937		
Well type :	W	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Well loc d:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	22		
Date of co:	10-MAY-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDH10000018952		

**D46
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHDH10000018951

Well log n:	2002936		
Well type :	W	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	22		
Date of co:	10-MAY-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018951		

**D47
West
1/4 - 1/2 Mile
Higher**

OH WELLS OHDM10000018950

Well log n:	2002936		
Well type :	W	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	980
Orig owner:	Not Reported	Orig own 1:	SHELL OIL
Drill type:	A	Test type :	Not Reported
Well use c:	M	Aquifer ty:	CLA
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1937		
St name:	LIVINGSTON	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Well loc d:	Not Reported		
Zone code:	S		
Horiz x:	1843509.04		
Horiz y:	709964.66		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9484		
Longitude:	-82.94581		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	30-DEC-99
Cas ht:	0		
Screen len:	10		
Total dept:	22		
Date of co:	10-MAY-06	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	Not Reported		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	15-AUG-06	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	22		
Screened 1:	12		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	2		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000018950		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

D48
WSW
1/4 - 1/2 Mile
Lower

OH WELLS OHD700000180553

Well log n:	43499	U version:	!
Well type :	WATER WELL		
End user i:	800		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	NATIONAL ALUMINUM CO
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	1904		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1133		
St name:	ALUM CREEK	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1843460.44		
Horiz y:	709775.47		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	758		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.947876		
Longitude:	-82.945981		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	78		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	300		
Date of co:	18991230	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000180553		

49
WSW
1/4 - 1/2 Mile
Higher

OH WELLS OHD700000180554

Well log n:	43498		
Well type :	WATER WELL	U version:	!
End user i:	800		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	NATIONAL ALUMINUM CO
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	1905		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1133		
St name:	ALUM CREEK	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1843446.15		
Horiz y:	709720.9		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.947731		
Longitude:	-82.946033		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	17		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	39		
Date of co:	18991230	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000180554		

**E50
SW
1/4 - 1/2 Mile
Higher**

OH WELLS OHD700000021726

Well log n:	183372		
Well type :	WATER WELL	U version:	!
End user i:	0		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	NATIONAL ALUMINUM CO
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	GRAVEL/SAND/CLAY
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1130		
St name:	ALUM CREEK	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843785.63		
Horiz y:	709198.3		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	761		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.9463		
Longitude:	-82.94481		
Source of :	Not Reported	Flowing we:	N
Test rate:	100		
Draw down:	5		
Draw down :	4		
S water le:	22		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	45		
Date of co:	19570330	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000021726		

**E51
SW
1/4 - 1/2 Mile
Higher**

OH WELLS OHD700000021721

Well log n:	735058	U version:	!
Well type :	WATER WELL		
End user i:	1081		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	PRE-FAB TRANSIT
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1185		
St name:	ALUM CREEK	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1843674.13		
Horiz y:	709329.99		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94666		
Longitude:	-82.94521		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	26		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	10		
Total dept:	29		
Date of co:	19920319	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	19		
Screened 1:	29		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000021721		

52	Site ID:	2522904-02	
SSW	Groundwater Flow:	NOT REPORTED	AQUIFLOW 17140
1/4 - 1/2 Mile	Shallow Water Depth:	10.7 FT.	
Lower	Deep Water Depth:	12.85 FT.	
	Average Water Depth:	Not Reported	
	Date:	6/93	

53		
SW		OH WELLS OHD700000175360
1/2 - 1 Mile		
Lower		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	162198	U version:	!
Well type :	WATER WELL		
End user i:	1875		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	COLUMBUS CEMENT
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	GRAVEL
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	233		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1165		
St name:	ALUM CREEK	St type co:	DR
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1843266.28		
Horiz y:	707933.17		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	752		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.942815		
Longitude:	-82.946635		
Source of :	Digitized	Flowing we:	N
Test rate:	50		
Draw down:	10		
Draw down :	8		
S water le:	27		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	12		
Total dept:	40		
Date of co:	19570101	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	731		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175360		

**54
ENE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311643

Well log n:	965839	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1221		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1847715.56		
Horiz y:	711335.79		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	782		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95222		
Longitude:	-82.93083		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	G	S water 1:	20031215
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031215	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311643		

**55
NW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000175376

Well log n:	136665		
Well type :	WATER WELL	U version:	!
End user i:	2320		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DIEBEL & SHANK MFG C
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	242		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	556		
St name:	NELSON	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1843385.12		
Horiz y:	712690.1		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.955878		
Longitude:	-82.946305		
Source of :	Digitized	Flowing we:	N
Test rate:	24		
Draw down:	4		
Draw down :	0		
S water le:	20		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	31		
Date of co:	19541123	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	740		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175376		

**F56
NNW
1/2 - 1 Mile
Lower**

OH WELLS OHDM10000019398

Well log n:	2045418		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN PROPERTY GROUPS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SGC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1844383		
Horiz y:	713232.7		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	752		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.957383		
Longitude:	-82.94275		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	05-NOV-13
Cas ht:	0		
Screen len:	10		
Total dept:	25		
Date of co:	05-NOV-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	AQUIFER IS ACTUALLY CLAY AND GRAVEL. ODNR SITE DOES NOT RECOGNIZE THIS IN THE "AQUIFER TYPE" FIELD		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1.5		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000019398		

**F57
NNW
1/2 - 1 Mile
Lower**

OH WELLS OHDM10000019397

Well log n:	2045418		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN PROPERTY GROUPS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SGC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1844383		
Horiz y:	713232.7		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	752		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.957383		
Longitude:	-82.94275		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	05-NOV-13
Cas ht:	0		
Screen len:	10		
Total dept:	25		
Date of co:	05-NOV-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	AQUIFER IS ACTUALLY CLAY AND GRAVEL. ODNR SITE DOES NOT RECOGNIZE THIS IN THE "AQUIFER TYPE" FIELD		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1.5		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000019397		

**F58
NNW
1/2 - 1 Mile
Lower**

OH WELLS OHDM10000019399

Well log n:	2045418		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN PROPERTY GROUPS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SGC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1844383		
Horiz y:	713232.7		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	752		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.957383		
Longitude:	-82.94275		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	05-NOV-13
Cas ht:	0		
Screen len:	10		
Total dept:	25		
Date of co:	05-NOV-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	AQUIFER IS ACTUALLY CLAY AND GRAVEL. ODNR SITE DOES NOT RECOGNIZE THIS IN THE "AQUIFER TYPE" FIELD		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1.5		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDM10000019399		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

F59
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000434311

Well log n:	2045418		
Well type :	WATER WELL	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN PROPERTY GROUPS
Drill type:	AUGER	Test type :	B
Well use c:	MONITOR	Aquifer ty:	CLAY/GRAVEL/SILT
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	43209		
Well Loc:	MW-7		
Zone code:	Not Reported		
Horiz x:	1844383		
Horiz y:	713232.7		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	752		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.957383		
Longitude:	-82.94275		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	20131105
Cas ht:	0		
Screen len:	10		
Total dept:	25		
Date of co:	20131105	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	AQUIFER IS ACTUALLY CLAY AND GRAVEL. ODNR SITE DOES NOT RECOGNIZE THIS IN THE "AQUIFER TYPE" FIELD		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.01		
Screened i:	15		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1.5		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000434311		

**F60
NNW
1/2 - 1 Mile
Lower**

OH WELLS OHD10000019400

Well log n:	2045418		
Well type :	W	U version:	Not Reported
End user i:	4225		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN PROPERTY GROUPS
Drill type:	A	Test type :	B
Well use c:	M	Aquifer ty:	SGC
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	43209		
Well loc d:	MW-7		
Zone code:	Not Reported		
Horiz x:	1844383		
Horiz y:	713232.7		
Horiz datu:	NAD83		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	752		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.957383		
Longitude:	-82.94275		
Source of :	GLOBAL POSITION SYSTEM	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	T	S water 1:	05-NOV-13
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	25		
Date of co:	05-NOV-13	Located in:	Not Reported
Assoc rpt :	N		
Depth to b:	0		
Drill year:	Not Reported		
Comments:	AQUIFER IS ACTUALLY CLAY AND GRAVEL. ODNR SITE DOES NOT RECOGNIZE THIS IN THE "AQUIFER TYPE" FIELD		
Well seal :	0		
Date added:	30-DEC-99	Added by:	Not Reported
Date chang:	30-DEC-99	Changed by:	Not Reported
Screen slo:	.01		
Screened i:	15		
Screened 1:	25		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	1.5		
Screen typ:	MACHINE SLOTTED	Screen mat:	PVC
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHDHM10000019400		

**F61
NNW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000091656

Well log n:	862424		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SHOTTENSTEIN
Drill type:	AUGER	Test type :	P
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	00-052
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844444.86		
Horiz y:	713271.38		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	762		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.95749		
Longitude:	-82.94253		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20000216
Cas ht:	0		
Screen len:	0		
Total dept:	23		
Date of co:	20000216	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000091656		

**F62
NNW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000091658

Well log n:	862423		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN
Drill type:	AUGER	Test type :	P
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	00-032
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1844444.86		
Horiz y:	713271.38		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	762		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95749		
Longitude:	-82.94253		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20000215
Cas ht:	0		
Screen len:	0		
Total dept:	24		
Date of co:	20000215	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000091658		

**F63
NNW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000091659

Well log n:	862422		
Well type :	WATER WELL	U version:	Not Reported
End user i:	1407		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	SCHOTTENSTEIN
Drill type:	AUGER	Test type :	P
Well use c:	MONITOR	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	00-032
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	2106		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844444.86		
Horiz y:	713271.38		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	762		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95749		
Longitude:	-82.94253		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	20000215
Cas ht:	0		
Screen len:	0		
Total dept:	22		
Date of co:	20000215	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000091659		

F64
 NNW
 1/2 - 1 Mile
 Lower

OH WELLS OHD700000022506

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	9925012	U version:	!
Well type :	WATER WELL		
End user i:	0		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	HARMONY FARMS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	2050		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844313.13		
Horiz y:	713275.67		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	743		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9575		
Longitude:	-82.943		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	54		
Date of co:	19540115	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000022506		

**F65
NNW
1/2 - 1 Mile
Lower**

OH WELLS OHD700000022507

Well log n:	9925013	U version:	!
Well type :	WATER WELL		
End user i:	0		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	HARMONY FARMS
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	2050		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844313.13		
Horiz y:	713275.67		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	743	Flowing we:	N
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9575		
Longitude:	-82.943		
Source of :	Not Reported		
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	55		
Date of co:	19531221	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000022507		

66
WNW
1/2 - 1 Mile
Higher

OH WELLS OHD700000024669

Well log n:	72333		
Well type :	WATER WELL	U version:	!
End user i:	1118		
Cnty code:	49	Twp code:	2175
Orig owner:	J	Orig own 1:	BOULTON
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	5		
St dir cod:	Not Reported		
St no:	679		
St name:	RHOADS	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1842473.26		
Horiz y:	711976.98		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	766		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95391		
Longitude:	-82.94954		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	90		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	190		
Date of co:	19520222	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000024669		

**67
North
1/2 - 1 Mile
Higher**

OH WELLS OHD700000367025

Well log n:	9925101		
Well type :	WATER WELL	U version:	!
End user i:	800		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	DREXEL THEATRE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	243		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	0		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1845588.7		
Horiz y:	713284.01		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	782		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.957544		
Longitude:	-82.93845		
Source of :	Digitized	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	98		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	280		
Date of co:	19440505	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	683		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000367025		

**68
NW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000302595

Well log n:	74422	U version:	!
Well type :	WATER WELL		
End user i:	2507		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	COLUMBUS GLOVE MFG.
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	1074		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1836		
St name:	FULTON	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1842627.33		
Horiz y:	712515.36		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	766		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.955385		
Longitude:	-82.948996		
Source of :	Digitized	Flowing we:	N
Test rate:	25		
Draw down:	3		
Draw down :	3		
S water le:	23		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	47		
Date of co:	19490716	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000302595		

69
NNW
1/2 - 1 Mile
Lower

OH WELLS OHD700000025587

Well log n:	803486		
Well type :	WATER WELL	U version:	!
End user i:	1311		
Cnty code:	49	Twp code:	2255
Orig owner:	JOHN/BETTY	Orig own 1:	WOLFORD
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	S		
St no:	1983		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843404.46		
Horiz y:	713200		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	756		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95728		
Longitude:	-82.94624		
Source of :	Not Reported	Flowing we:	N
Test rate:	20		
Draw down:	0		
Draw down :	0		
S water le:	47		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	147		
Date of co:	19950924	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000025587		

70
NW
1/2 - 1 Mile
Higher

OH WELLS OHD700000025146

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	9925425	U version:	!
Well type :	WATER WELL		
End user i:	1532		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	THE CITY ICE&FUEL CO
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	1046		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	1890		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1842816.35		
Horiz y:	713319.48		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	759		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9576		
Longitude:	-82.94834		
Source of :	Not Reported	Flowing we:	N
Test rate:	300		
Draw down:	20		
Draw down :	0		
S water le:	13		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	37		
Date of co:	19490416	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000025146		

G71
South
1/2 - 1 Mile
Lower

OH WELLS OHD700000337268

Well log n:	257183	U version:	!
Well type :	WATER WELL		
End user i:	1136		
Cnty code:	49	Twp code:	668
Orig owner:	J	Orig own 1:	CROSON
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	230		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	2120		
St name:	FRANKLIN	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1844882.1		
Horiz y:	706362.46		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	753	Flowing we:	N
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.938532		
Longitude:	-82.940848		
Source of :	Digitized		
Test rate:	20		
Draw down:	0		
Draw down :	0		
S water le:	8	S water 1:	18991230
S water me:	Not Reported		
Cas ht:	0		
Screen len:	0		
Total dept:	30		
Date of co:	19620502	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	746		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000337268		

**72
NNW
1/2 - 1 Mile
Lower**

OH WELLS OHD700000018859

Well log n:	734542		
Well type :	WATER WELL	U version:	!
End user i:	1246		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	COLUMBUS SOUTHERN PO
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	GRAVEL AND SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	422		
St name:	HOLTZMAN	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1843643.53		
Horiz y:	713927.38		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	753		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95928		
Longitude:	-82.9454		
Source of :	Not Reported	Flowing we:	N
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	12.5		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	22		
Date of co:	19920415	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	12		
Screened 1:	22		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000018859		

**H73
NE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000175377

Well log n:	28424		
Well type :	WATER WELL	U version:	!
End user i:	705		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KROGER CO.
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	GRAVEL
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	244		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2532		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1847659.95		
Horiz y:	713193.9		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	790		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.957318		
Longitude:	-82.931061		
Source of :	Digitized	Flowing we:	N
Test rate:	31		
Draw down:	40		
Draw down :	0		
S water le:	32		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	95		
Date of co:	19490910	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	758		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175377		

**H74
NE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000175378

Well log n:	61953		
Well type :	WATER WELL	U version:	!
End user i:	705		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KROGER BAKING CO.
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	244		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	13		
St dir cod:	E		
St no:	2532		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1847659.95		
Horiz y:	713193.9		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	790		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.957318		
Longitude:	-82.931061		
Source of :	Digitized	Flowing we:	N
Test rate:	1		
Draw down:	130		
Draw down :	0		
S water le:	80		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	342		
Date of co:	19500126	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	710		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175378		

**I75
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311647

Well log n:	965849		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1273		
St name:	ROOSEVELT	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848514.13		
Horiz y:	708282.96		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	771		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94385		
Longitude:	-82.927933		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031210	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311647		

G76
South
1/2 - 1 Mile
Lower

OH WELLS OHD700000021722

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	680978	U version:	!
Well type :	WATER WELL		
End user i:	1223		
Cnty code:	49	Twp code:	668
Orig owner:	J	Orig own 1:	CROSON
Drill type:	CABLE TOOL	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SHALE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	2130		
St name:	FRANKLIN	St type co:	RD
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1844738.63		
Horiz y:	706268.45		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	751		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.93827		
Longitude:	-82.94136		
Source of :	Not Reported	Flowing we:	N
Test rate:	15		
Draw down:	9		
Draw down :	1		
S water le:	11		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	46		
Date of co:	19890223	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000021722		

**I77
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311833

Well log n:	965827	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	HADDON/ROOSEVELT	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848451.63		
Horiz y:	708112.05		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	772		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94338		
Longitude:	-82.92815		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031209	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040220	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311833		

**I78
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311834

Well log n:	965828		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DOMESTIC	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	ROOSEVELT/HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848541.61		
Horiz y:	708166.26		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	772		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94353		
Longitude:	-82.92783		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	2		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	40		
Date of co:	20031209	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040220	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311834		

**I79
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311646

Well log n:	965850		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1273		
St name:	ROOSEVELT	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848592.27		
Horiz y:	708206.09		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	771		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.94364		
Longitude:	-82.92765		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031210	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311646		

**J80
NE
1/2 - 1 Mile
Higher**

OH WELLS OHD70000086641

Well log n:	813237	U version:	#
Well type :	WATER WELL		
End user i:	541		
Cnty code:	97	Twp code:	465
Orig owner:	Not Reported	Orig own 1:	RITCHEY CONST INC
Drill type:	CABLE TOOL	Test type :	B
Well use c:	DOMESTIC	Aquifer ty:	LIMESTONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2615		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	PLAIN CITY	State code:	OH
Zip:	43209		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1848309.33		
Horiz y:	712983.16		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	789		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95675		
Longitude:	-82.92874		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	12		
Draw down:	0		
Draw down :	2		
S water le:	20		
S water me:	T	S water 1:	19970528
Cas ht:	0		
Screen len:	0		
Total dept:	171		
Date of co:	19970528	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	1997		
Well seal :	0		
Date added:	19980116	Added by:	CUTLER
Date chang:	19980120	Changed by:	CUTLER
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000086641		

**181
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311832

Well log n:	965826		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	0		
St name:	HADDON/ROOSEVELT	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848661.75		
Horiz y:	708074.62		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	772		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94328		
Longitude:	-82.9274		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20041209	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040220	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311832		

**K82
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311648

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	965848	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1241		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848938.35		
Horiz y:	708459.45		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94434		
Longitude:	-82.92642		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	Not Reported	S water 1:	20041219
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031210	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311648		

**K83
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311649

Well log n:	965847	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1241		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848938.35		
Horiz y:	708459.45		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94434		
Longitude:	-82.92642		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	G	S water 1:	20031211
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031211	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311649		

**K84
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311650

Well log n:	965846		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1239		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1848960.82		
Horiz y:	708466.63		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94436		
Longitude:	-82.92634		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	Not Reported	S water 1:	20031211
Cas ht:	2		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	40		
Date of co:	20031211	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311650		

**K85
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311651

Well log n:	965841		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1227		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849126.65		
Horiz y:	708553.28		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.9446		
Longitude:	-82.92575		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	G	S water 1:	20031215
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031215	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311651		

**K86
ESE
1/2 - 1 Mile
Higher**

OH WELLS

OHD700000311642

Well log n:	965840		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DOMESTIC	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1221		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	S		
Horiz x:	1849157.62		
Horiz y:	708578.63		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94467		
Longitude:	-82.92564		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	G	S water 1:	20031215
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031215	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040220	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311642		

**K87
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000119419

Well log n:	965838		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1215		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1849185.76		
Horiz y:	708600.35		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94473		
Longitude:	-82.92554		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	G	S water 1:	20031216
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031216	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040224	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000119419		

**K88
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000312119

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	965837	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1211		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849205.45		
Horiz y:	708614.83		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94477		
Longitude:	-82.92547		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	22		
S water me:	G	S water 1:	20031216
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031216	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040224	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000312119		

**K89
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000312120

Well log n:	965836	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1211		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849205.45		
Horiz y:	708614.83		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94477		
Longitude:	-82.92547		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	20031216
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031216	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040224	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000312120		

**K90
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000312121

Well log n:	965835		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1205		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849236.4		
Horiz y:	708636.54		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94483		
Longitude:	-82.92536		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	G	S water 1:	20031217
Cas ht:	2		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	20		
Total dept:	40		
Date of co:	20031217	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040224	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000312121		

J91 NE 1/2 - 1 Mile Higher	Site ID:	259922-00		
	Groundwater Flow:	VARIES	AQUIFLOW	16287
	Shallow Water Depth:	5.87		
	Deep Water Depth:	11.90		
	Average Water Depth:	Not Reported		
	Date:	9/1993		

K92 ESE 1/2 - 1 Mile Higher			OH WELLS	OHD700000119306
	Well log n:	965831		
	Well type :	WATER WELL	U version:	Not Reported
	End user i:	956		
	Cnty code:	49	Twp code:	668
	Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported	
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL	
Loc map ye:	Not Reported	Loc area:	Not Reported	
Loc no:	0			
Sub name:	Not Reported	Sub map ye:	Not Reported	
Sub no:	Not Reported	Permit no:	Not Reported	
Sec owner :	Not Reported	Lot no:	Not Reported	
Sect no:	0			
St dir cod:	Not Reported			
St no:	1191			
St name:	HADDON	St type co:	Not Reported	
Sec add:	Not Reported			
Sec add no:	0			
City:	COLUMBUS	State code:	OH	
Zip:	Not Reported			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1849295.53		
Horiz y:	708690.91		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94498		
Longitude:	-82.92515		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	12		
S water me:	G	S water 1:	20031218
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031218	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000119306		

**L93
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000311644

Well log n:	965833		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1197		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849270.18		
Horiz y:	708665.53		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94491		
Longitude:	-82.92524		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	G	S water 1:	20031218
Cas ht:	2		
Screen len:	20		
Total dept:	42		
Date of co:	20031218	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attach st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311644		

L94
ESE
1/2 - 1 Mile
Higher

OH WELLS OHD700000311645

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	965832	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1197		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849270.18		
Horiz y:	708665.53		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94491		
Longitude:	-82.92524		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	G	S water 1:	20031218
Cas ht:	2		
Screen len:	20		
Total dept:	42		
Date of co:	20031218	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000311645		

**L95
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000312122

Well log n:	965834	U version:	Not Reported
Well type :	WATER WELL		
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1197		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1849270.18		
Horiz y:	708665.53		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94491		
Longitude:	-82.92524		
Source of :	GLOBAL POSITIONING SYSTEM	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	13		
S water me:	G	S water 1:	20031217
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031217	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040224	Added by:	BROWN,CLEVE
Date chang:	20060815	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000312122		

**J96
NE
1/2 - 1 Mile
Higher**

OH WELLS OHD70000088064

Well log n:	857069		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	49	Twp code:	2220
Orig owner:	Not Reported	Orig own 1:	SHELL OIL STATION
Drill type:	AUGER	Test type :	Not Reported
Well use c:	MONITOR	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2656		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1848618.28		
Horiz y:	713105.56		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	790		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95709		
Longitude:	-82.92764		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	10		
Total dept:	21		
Date of co:	19981202	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990813	Added by:	CUTLER
Date chang:	19990813	Changed by:	CUTLER
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000088064		

**J97
NE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000089955

Well log n:	857070		
Well type :	WATER WELL	U version:	!
End user i:	1407		
Cnty code:	49	Twp code:	2220
Orig owner:	Not Reported	Orig own 1:	SHELL OIL STATION
Drill type:	AUGER	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	Not Reported
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2656		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	BEXLEY	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1848618.28		
Horiz y:	713105.56		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	790		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.95709		
Longitude:	-82.92764		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	0		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	25		
Date of co:	19981201	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	19990820	Added by:	BROWN
Date chang:	19990820	Changed by:	BROWN
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000089955		

**L98
ESE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000119307

Well log n:	965829		
Well type :	WATER WELL	U version:	Not Reported
End user i:	956		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	KOKOSING
Drill type:	OTHER	Test type :	Not Reported
Well use c:	DEWATERING WELL	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1181		
St name:	HADDON	St type co:	Not Reported
Sec add:	Not Reported		
Sec add no:	0		
City:	COLUMBUS	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1849340.6		
Horiz y:	708734.41		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	770		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9451		
Longitude:	-82.92499		
Source of :	Not Reported	Flowing we:	Not Reported
Test rate:	0		
Draw down:	0		
Draw down :	0		
S water le:	12		
S water me:	G	S water 1:	20031218
Cas ht:	2		
Screen len:	20		
Total dept:	40		
Date of co:	20031218	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	20040223	Added by:	BROWN,CLEVE
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	.04		
Screened i:	20		
Screened 1:	40		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000119307		

**M99
SW
1/2 - 1 Mile
Lower**

OH WELLS OHD700000175355

Well log n:	210758		
Well type :	WATER WELL	U version:	!
End user i:	800		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	WESLEYAN UNIVERSITY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	228		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1250		
St name:	FAIRWOOD	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1841410.8		
Horiz y:	706962.5		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	758		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.940132		
Longitude:	-82.953244		
Source of :	Digitized	Flowing we:	N
Test rate:	250		
Draw down:	113		
Draw down :	0		
S water le:	80		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	425		
Date of co:	19580726	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	680		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175355		

**M100
SW
1/2 - 1 Mile
Lower**

OH WELLS OHD700000175356

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well log n:	210757	U version:	!
Well type :	WATER WELL		
End user i:	800		
Cnty code:	49	Twp code:	668
Orig owner:	Not Reported	Orig own 1:	WESLEYAN UNIVERSITY
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	1989	Loc area:	Not Reported
Loc no:	228		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1250		
St name:	FAIRWOOD	St type co:	AVE
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	S		
Horiz x:	1841410.8		
Horiz y:	706962.5		
Horiz datu:	NAD27		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	758		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.940132		
Longitude:	-82.953244		
Source of :	Digitized	Flowing we:	N
Test rate:	200		
Draw down:	90		
Draw down :	4		
S water le:	38		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	394		
Date of co:	19580726	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	20060815	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	722		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000175356		

**101
NE
1/2 - 1 Mile
Higher**

OH WELLS OHD700000024915

Well log n:	339795	U version:	!
Well type :	WATER WELL		
End user i:	1000		
Cnty code:	49	Twp code:	2865
Orig owner:	MARG	Orig own 1:	GORNELL
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	E		
St no:	2704		
St name:	MAIN	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1849069.54		
Horiz y:	713088.85		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	789	Flowing we:	N
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95705		
Longitude:	-82.92603		
Source of :	Not Reported		
Test rate:	10		
Draw down:	35		
Draw down :	1		
S water le:	32		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	42		
Date of co:	19660722	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	\\NRAS1\		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000024915		

**N102
NW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000024887

Well log n:	398334		
Well type :	WATER WELL	U version:	!
End user i:	1136		
Cnty code:	49	Twp code:	2220
Orig owner:	ROGER	Orig own 1:	HATCH
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	STONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1705		
St name:	WALNUT	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1841653.47		
Horiz y:	713980.99		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.9594		
Longitude:	-82.9525		
Source of :	Not Reported	Flowing we:	N
Test rate:	8		
Draw down:	0		
Draw down :	0		
S water le:	4		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen len:	0		
Total dept:	20		
Date of co:	19700923	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000024887		

**N103
NW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000024888

Well log n:	438408		
Well type :	WATER WELL	U version:	!
End user i:	1136		
Cnty code:	49	Twp code:	2220
Orig owner:	ROGER	Orig own 1:	HATCH
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	STONE
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1705		
St name:	WALNUT	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1841653.47		
Horiz y:	713980.99		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Vert acc u:	Not Reported		
Latitude:	39.9594		
Longitude:	-82.9525		
Source of :	Not Reported	Flowing we:	N
Test rate:	4		
Draw down:	0		
Draw down :	0		
S water le:	15		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	77		
Date of co:	19720920	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000024888		

**N104
NW
1/2 - 1 Mile
Higher**

OH WELLS OHD700000024886

Well log n:	398335	U version:	!
Well type :	WATER WELL		
End user i:	1136		
Cnty code:	49	Twp code:	2220
Orig owner:	JOE	Orig own 1:	SCHYBOL
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	SAND AND GRAVEL
Loc map ye:	Not Reported	Loc area:	Not Reported
Loc no:	0		
Sub name:	Not Reported	Sub map ye:	Not Reported
Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1700		
St name:	WALNUT	St type co:	ST
Sec add:	Not Reported		
Sec add no:	0		
City:	Not Reported	State code:	OH
Zip:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Zone code:	Not Reported		
Horiz x:	1841637.14		
Horiz y:	714079.43		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	760		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.95967		
Longitude:	-82.95256		
Source of :	Not Reported	Flowing we:	N
Test rate:	8		
Draw down:	0		
Draw down :	0		
S water le:	19		
S water me:	Not Reported	S water 1:	18991230
Cas ht:	0		
Screen len:	0		
Total dept:	29		
Date of co:	19701007	Located in:	Not Reported
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000024886		

**105
West
1/2 - 1 Mile
Higher**

OH WELLS OHD700000024441

Well log n:	9925222		
Well type :	WATER WELL	U version:	!
End user i:	800		
Cnty code:	49	Twp code:	270
Orig owner:	Not Reported	Orig own 1:	DICKARDS DRUG STORE
Drill type:	Not Reported	Test type :	Not Reported
Well use c:	Not Reported	Aquifer ty:	LIMESTONE
Loc map ye:	1945	Loc area:	Not Reported
Loc no:	128		
Sub name:	Not Reported	Sub map ye:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sub no:	Not Reported	Permit no:	Not Reported
Sec owner :	Not Reported	Lot no:	Not Reported
Sect no:	0		
St dir cod:	Not Reported		
St no:	1440	St type co:	AVE
St name:	LIVINGSTON		
Sec add:	Not Reported		
Sec add no:	0	State code:	OH
City:	Not Reported		
Zip:	Not Reported		
Zone code:	Not Reported		
Horiz x:	1839821.14		
Horiz y:	710321.91		
Horiz datu:	Not Reported		
Horiz acc :	0		
Horiz acc1:	0		
Horiz ac 1:	Not Reported		
Vert loc:	769		
Vert acc:	0		
Vert acc u:	Not Reported		
Latitude:	39.94933		
Longitude:	-82.95897	Flowing we:	N
Source of :	Not Reported		
Test rate:	20		
Draw down:	0		
Draw down :	0		
S water le:	45	S water 1:	18991230
S water me:	Not Reported		
Cas ht:	0		
Screen len:	0		
Total dept:	275		
Date of co:	19440505	Located in:	Y
Assoc rpt :	Not Reported		
Depth to b:	0		
Drill year:	Not Reported		
Well seal :	0		
Date added:	18991230	Added by:	Not Reported
Date chang:	18991230	Changed by:	Not Reported
Screen slo:	0		
Screened i:	0		
Screened 1:	0		
Sustained :	0		
Attatch st:	Not Reported		
Screen dia:	0		
Screen typ:	Not Reported	Screen mat:	Not Reported
Pump type:	Not Reported		
Pump capac:	0		
Pump set a:	0		
Pitless ty:	Not Reported	Pump inst :	Not Reported
Elev sourc:	Not Reported		
Water leve:	0		
Well drill:	Not Reported	Subcon odh:	Not Reported
Site id:	OHD700000024441		

**1G
NE
1/2 - 1 Mile
Lower**

Site ID: 259922-00
 Groundwater Flow: VARIES
 Shallow Water Depth: 5.87
 Deep Water Depth: 11.90
 Average Water Depth: Not Reported
 Date: 9/1993

AQUIFLOW 16287

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

2G WSW 1/4 - 1/2 Mile Lower	Site ID:	2591191-00	AQUIFLOW	13729
	Groundwater Flow:	S		
	Shallow Water Depth:	Not Reported		
	Deep Water Depth:	18.04		
	Average Water Depth:	Not Reported		
Date:	3/1993			
<hr/>				
3G SE 0 - 1/8 Mile Lower	Site ID:	2520702-00	AQUIFLOW	19825
	Groundwater Flow:	SW		
	Shallow Water Depth:	9.75		
	Deep Water Depth:	12.25		
	Average Water Depth:	Not Reported		
Date:	4/1994			
<hr/>				
4G ESE 1/8 - 1/4 Mile Lower	Site ID:	259019	AQUIFLOW	13410
	Groundwater Flow:	NOT REPORTED		
	Shallow Water Depth:	3.32		
	Deep Water Depth:	12.06		
	Average Water Depth:	Not Reported		
Date:	10/1996			
<hr/>				
5G SSW 1/4 - 1/2 Mile Lower	Site ID:	2522904-02	AQUIFLOW	17140
	Groundwater Flow:	NOT REPORTED		
	Shallow Water Depth:	10.7 FT.		
	Deep Water Depth:	12.85 FT.		
	Average Water Depth:	Not Reported		
Date:	6/93			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: OH Radon

Radon Test Results

Zipcode	Num Tests	Maximum	Minimum	Arith Mean	Geo Mean
43209	845	48.7	0.1	6.5	4.03

Federal EPA Radon Zone for FRANKLIN County: 1

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 43209

Number of sites tested: 3

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	9.067 pCi/L	33%	67%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Public Water System Data

Source: Ohio Environmental Protection Agency

Telephone: 614-644-2752

The database includes community, transient noncommunity and nontransient noncommunity water wells; and source treatment unit locations.

Water Well Database

Source: Department of Natural Resources

Telephone: 614-265-6740

OTHER STATE DATABASE INFORMATION

Oil and Gas Wells Listing

Department of Natural Resources

A listing of oil and gas well locations in the state.

RADON

State Database: OH Radon

Source: Department of Health

Telephone: 614-644-2727

Radon Statistics for Zip Code Areas

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX I
FREEDOM OF INFORMATION ACT LETTERS & RESPONSES

Nick Vallera

From: Nick Vallera
Sent: Thursday, September 13, 2018 10:01 AM
To: EnvironmentalReportRequest@columbus.gov
Subject: FOIA Request for Mayfield Place - Ferndale Place Properties
Attachments: FM Property Location Map.pdf; FM Parcel Loc Map.pdf; Columbus Fire Dept Environmental Public Request.pdf

Columbus Fire,

We are performing an environmental assessment the properties located along Ferndale Place & Mayfield Place in Bexley, OH. The properties include the following addresses:

- 921 – 925 Ferndale Place, Bexley, OH 43209
- 941 – 945 Ferndale Place, Bexley, OH 43209
- 929 Ferndale Place, Bexley, OH 43209
- 937 Ferndale Place, Bexley, OH 43209
- 947-949 Ferndale Place, Bexley, OH 43209
- 953-955 Ferndale Place, Bexley, OH 43209
- 909 Mayfield Place, Bexley, OH 43209
- 914 Mayfield Place, Bexley, OH 43209
- 924 Mayfield Place, Bexley, OH 43209
- 930 Mayfield Place, Bexley, OH 43209
- 940 Mayfield Place, Bexley, OH 43209
- 946 Mayfield Place, Bexley, OH 43209
- 952 Mayfield Place, Bexley, OH 43209

I have attached two figures showing the property location, and showing the associated parcel numbers. Additionally, I have attached a copy of the Environmental Research / Request Form.

We are reviewing regulatory databases as part of this assessment, focusing on potential releases of hazardous substances and/or petroleum, permits issued, or emergency responses. We are requesting a search of relevant files under your supervision, to determine if potential releases/issues have or may have occurred.

We understand that you may charge a nominal fee for recovery of this information, and agree to pay these charges provided that services are completed within 21 days and costs do not exceed \$20. Please call me at 614-444-8078 x. 211 or email nvallera@pandeyenvironmental.com with any questions or comments. Thank you,

Nick Vallera

Environmental Scientist

PANDEY
ENVIRONMENTAL, LLC

4100 Horizons Drive, Suite 205 | Columbus, OH 43220
(614) 444-8078 x211

nvallera@pandeyenvironmental.com | pandeyenvironmental.com

The information contained in this message (including attached documents) is proprietary and as such is privileged, confidential and protected from disclosure. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this message in error, please return it to the sender and destroy all copies you possess. Thank you.

CITY OF COLUMBUS
COLUMBUS DIVISION OF FIRE
FIRE PREVENTION BUREAU
3639 PARSONS AVENUE, Rm 148
COLUMBUS, OHIO 43207
614-645-7641, EXT. 0
FAX 614-645-6637



ENVIRONMENTAL RESEARCH / REQUEST FORM

Date 9/13/2018

Business Name PANDEY Environmental LLC
 Address 4100 Horizons Drive
 City Columbus State OH Zip 43220
 Phone Number (614) 444-8078 Fax ()
 Contact Person Nick Vallera

Address(es) 921 - 925, 941 - 945, 929, 937, 947-949, 953-955 Ferndale Place, Bexley, OH 43209
909, 914, 914, 924, 930, 940, 946 and 952 Mayfield Place, Bexley, OH 43209

Type of information Requested:

Outstanding Fire Code Violations	<input checked="" type="checkbox"/>	Fire Dept. Responses for spills, etc.	<input checked="" type="checkbox"/>
Underground Tanks	<input checked="" type="checkbox"/>	Any permits issued for said address(es)	<input checked="" type="checkbox"/>

The information is available under the Freedom of Information Act, however, there is still a charge of **\$5.00 per address, per business to process multiple address request only!** No charge for single address request.
 (This includes multiple businesses at shopping centers, malls, apartment complexes, etc.)

Make check Payable To: COLUMBUS CITY TREASURER/FIRE

(This section to be completed by Columbus Division of Fire Personnel Only)

Completed by _____ I.D. Number _____ Check Received _____

Dated Mailed _____ (or) Date picked up _____ (or) Faxed _____

The information requested will be mailed to you, faxed, or available for pickup once **we have received payment in our office**. You may fax over this request with a copy of the check to get the process started and mail in the original at the address at the top of this page. Call 614-645-7641, ext. 0 if you have any questions.

Nick Vallera

From: Nick Vallera
Sent: Thursday, September 13, 2018 9:57 AM
To: fcemhs@franklincountyohio.gov
Subject: FOIA Request for Mayfield Place - Ferndale Place Properties
Attachments: FM Parcel Loc Map.pdf; FM Property Location Map.pdf

Mr. Pannell,

We are performing an environmental assessment the properties located along Ferndale Place & Mayfield Place in Bexley, OH. The properties include the following addresses:

- 921 – 925 Ferndale Place, Bexley, OH 43209
- 941 – 945 Ferndale Place, Bexley, OH 43209
- 929 Ferndale Place, Bexley, OH 43209
- 937 Ferndale Place, Bexley, OH 43209
- 947-949 Ferndale Place, Bexley, OH 43209
- 953-955 Ferndale Place, Bexley, OH 43209
- 909 Mayfield Place, Bexley, OH 43209
- 914 Mayfield Place, Bexley, OH 43209
- 924 Mayfield Place, Bexley, OH 43209
- 930 Mayfield Place, Bexley, OH 43209
- 940 Mayfield Place, Bexley, OH 43209
- 946 Mayfield Place, Bexley, OH 43209
- 952 Mayfield Place, Bexley, OH 43209

I have attached two figures showing the property location, and showing the associated parcel numbers.

We are reviewing regulatory databases as part of this assessment, focusing on potential releases of hazardous substances and/or petroleum, permits issued, or emergency responses. We are requesting a search of relevant files under your supervision, to determine if potential releases/issues have or may have occurred.

We understand that you may charge a nominal fee for recovery of this information, and agree to pay these charges provided that services are completed within 21 days and costs do not exceed \$20. Please call me at 614-444-8078 x. 211 or email nvallera@pandeyenvironmental.com with any questions or comments. Thank you,

Nick Vallera
Environmental Scientist

PANDEY
ENVIRONMENTAL, LLC

4100 Horizons Drive, Suite 205 | Columbus, OH 43220
(614) 444-8078 x211
nvallera@pandeyenvironmental.com | pandeyenvironmental.com

The information contained in this message (including attached documents) is proprietary and as such is privileged, confidential and protected from disclosure. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this message in error, please return it to the sender and destroy all copies you possess. Thank you.

Nick Vallera

From: Nick Vallera
Sent: Wednesday, September 12, 2018 5:04 PM
To: ehrecords@columbus.gov
Subject: FOIA Request for Mayfield Place - Ferndale Place Properties
Attachments: FM Parcel Loc Map.pdf; FM Property Location Map.pdf

Columbus Public Health Department,

We are performing an environmental assessment the properties located along Ferndale Place & Mayfield Place in Bexley, OH. The properties include the following addresses:

- 921 – 925 Ferndale Place, Bexley, OH 43209
- 941 – 945 Ferndale Place, Bexley, OH 43209
- 929 Ferndale Place, Bexley, OH 43209
- 937 Ferndale Place, Bexley, OH 43209
- 947-949 Ferndale Place, Bexley, OH 43209
- 953-955 Ferndale Place, Bexley, OH 43209
- 909 Mayfield Place, Bexley, OH 43209
- 914 Mayfield Place, Bexley, OH 43209
- 924 Mayfield Place, Bexley, OH 43209
- 930 Mayfield Place, Bexley, OH 43209
- 940 Mayfield Place, Bexley, OH 43209
- 946 Mayfield Place, Bexley, OH 43209
- 952 Mayfield Place, Bexley, OH 43209

I have attached two figures showing the property location, and showing the associated parcel numbers.

We are reviewing regulatory databases as part of this assessment, focusing on potential releases of hazardous substances and/or petroleum, permits issued, or emergency responses. We are requesting a search of relevant files under your supervision, to determine if potential releases/issues have or may have occurred.

We understand that you may charge a nominal fee for recovery of this information, and agree to pay these charges provided that services are completed within 21 days and costs do not exceed \$20. Please call me at 614-444-8078 x. 211 or email nvallera@pandeyenvironmental.com with any questions or comments. Thank you,

Nick Vallera

Environmental Scientist

PANDEY
ENVIRONMENTAL, LLC

4100 Horizons Drive, Suite 205 | Columbus, OH 43220
(614) 444-8078 x211

nvallera@pandeyenvironmental.com | pandeyenvironmental.com

The information contained in this message (including attached documents) is proprietary and as such is privileged, confidential and protected from disclosure. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this message in error, please return it to the sender and destroy all copies you possess. Thank you.

Nick Vallera

From: Nick Vallera
Sent: Thursday, September 13, 2018 10:07 AM
To: Rich Boudier (richard.boudier@epa.ohio.gov)
Subject: FOIA Request for Mayfield Place - Ferndale Place Properties
Attachments: OEPA Checklist Form.pdf; FM Parcel Loc Map.pdf; FM Property Location Map.pdf

Mr. Boudier,

We are performing an environmental assessment the properties located along Ferndale Place & Mayfield Place in Bexley, OH. The properties include the following addresses:

- 921 – 925 Ferndale Place, Bexley, OH 43209
- 941 – 945 Ferndale Place, Bexley, OH 43209
- 929 Ferndale Place, Bexley, OH 43209
- 937 Ferndale Place, Bexley, OH 43209
- 947-949 Ferndale Place, Bexley, OH 43209
- 953-955 Ferndale Place, Bexley, OH 43209
- 909 Mayfield Place, Bexley, OH 43209
- 914 Mayfield Place, Bexley, OH 43209
- 924 Mayfield Place, Bexley, OH 43209
- 930 Mayfield Place, Bexley, OH 43209
- 940 Mayfield Place, Bexley, OH 43209
- 946 Mayfield Place, Bexley, OH 43209
- 952 Mayfield Place, Bexley, OH 43209

I have attached two figures showing the property location, and showing the associated parcel numbers. Additionally, attached is the OEPA Checklist Form.

We are reviewing regulatory databases as part of this assessment, focusing on potential releases of hazardous substances and/or petroleum, permits issued, or emergency responses. We are requesting a search of relevant files under your supervision, to determine if potential releases/issues have or may have occurred.

We understand that you may charge a nominal fee for recovery of this information, and agree to pay these charges provided that services are completed within 21 days and costs do not exceed \$20. Please call me at 614-444-8078 x. 211 or email nvallera@pandeyenvironmental.com with any questions or comments. Thank you,

Nick Vallera
Environmental Scientist

PANDEY
ENVIRONMENTAL, LLC

4100 Horizons Drive, Suite 205 | Columbus, OH 43220
(614) 444-8078 x211
nvallera@pandeyenvironmental.com | pandeyenvironmental.com

The information contained in this message (including attached documents) is proprietary and as such is privileged, confidential and protected from disclosure. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this message in error, please return it to the sender and destroy all copies you possess. Thank you.

Nick Vallera

From: EHRECORDS <EHRECORDS@columbus.gov>
Sent: Monday, September 17, 2018 12:22 PM
To: Nick Vallera
Subject: RE: FOIA Request for Mayfield Place - Ferndale Place Properties
Attachments: CO0030518.pdf

Mr. Vallera,

Files at the Columbus Public Health Environmental Health Division were searched for records of hazardous materials complaints, current SARA Title III information, licenses/permits associated under our authority, and any general outstanding environmental complaints or balances for the following location(s):

- 921 – 925 Ferndale Place
- 941 – 945 Ferndale Place
- 929 Ferndale Place
- 937 Ferndale Place
- 947-949 Ferndale Place
- 953-955 Ferndale Place
- 914 Mayfield Place
- 924 Mayfield Place
- 930 Mayfield Place
- 940 Mayfield Place
- 946 Mayfield Place
- 952 Mayfield Place


No records were found on file for the properties listed above.

909 Mayfield Place has one (1) complaint on file. The complaint has been included as an attachment to this email.

Thank you and let me know if I can help you any further.

NOTICE: Please send any future requests to ehrecords@columbus.gov. To better serve you, this will now be your primary contact location for environmental health records. Thank you.

ENVIRONMENTAL HEALTH RECORDS
DIVISION OF ENVIRONMENTAL HEALTH
WATER AND LAND PROTECTION
ehrecords@columbus.gov



COLUMBUS PUBLIC HEALTH
240 Parsons Ave, Columbus, OH 43215
www.publichealth.columbus.gov
[Facebook](#) / [Twitter](#) / [YouTube](#)

CONFIDENTIALITY NOTICE: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

Disclaimer: This message and any attachments are for the intended recipient's use only. It may contain confidential, proprietary or legally privileged information or otherwise be protected from disclosure by other legal rules. If you have received this e-mail in error, please notify the sender immediately by reply e-mail and destroy all copies. If you are not the intended recipient, you may not use, disclose or reproduce this message, its attachment or any part thereof, or take any action in reliance thereon. Emails are not secure and cannot be guaranteed to be error free as they can be intercepted, amended, or contain viruses. Anyone who communicates with us by email is deemed to have accepted these risks.

From: Nick Vallera [mailto:nvallera@pandeyenvironmental.com]
Sent: Wednesday, September 12, 2018 5:04 PM
To: EHRECORDS
Subject: FOIA Request for Mayfield Place - Ferndale Place Properties

Columbus Public Health Department,

We are performing an environmental assessment the properties located along Ferndale Place & Mayfield Place in Bexley, OH. The properties include the following addresses:

- 921 – 925 Ferndale Place, Bexley, OH 43209
- 941 – 945 Ferndale Place, Bexley, OH 43209
- 929 Ferndale Place, Bexley, OH 43209
- 937 Ferndale Place, Bexley, OH 43209
- 947-949 Ferndale Place, Bexley, OH 43209
- 953-955 Ferndale Place, Bexley, OH 43209
- 909 Mayfield Place, Bexley, OH 43209
- 914 Mayfield Place, Bexley, OH 43209
- 924 Mayfield Place, Bexley, OH 43209
- 930 Mayfield Place, Bexley, OH 43209
- 940 Mayfield Place, Bexley, OH 43209
- 946 Mayfield Place, Bexley, OH 43209
- 952 Mayfield Place, Bexley, OH 43209

I have attached two figures showing the property location, and showing the associated parcel numbers.

We are reviewing regulatory databases as part of this assessment, focusing on potential releases of hazardous substances and/or petroleum, permits issued, or emergency responses. We are requesting a search of relevant files under your supervision, to determine if potential releases/issues have or may have occurred.

We understand that you may charge a nominal fee for recovery of this information, and agree to pay these charges provided that services are completed within 21 days and costs do not exceed \$20. Please call me at 614-444-8078 x. 211 or email nvallera@pandeyenvironmental.com with any questions or comments. Thank you,

Nick Vallera

Environmental Scientist

PANDEY

ENVIRONMENTAL, LLC

4100 Horizons Drive, Suite 205 | Columbus, OH 43220

(614) 444-8078 x211

nvallera@pandeyenvironmental.com | pandeyenvironmental.com

The information contained in this message (including attached documents) is proprietary and as such is privileged, confidential and protected from disclosure. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this message in error, please return it to the sender and destroy all copies you possess. Thank you.

Complaint Investigation Form

COLUMBUS PUBLIC HEALTH

Run by :

Date run : 9/17/2018 11:50:34AM

COMPLAINT ID: CO0030518

PROPERTY OWNER INFORMATION

MICHAEL PEAKS

Site Address: 782 E MOUND ST
COLUMBUS, OH 43205
Phone: Hm: 614-774-3105

PROPERTY INFORMATION

Property Name not Specified
Location: SERVICEABLE, 782 E MOUND ST
Site Address:
Phone: 1st: Number Not Specified

* Differs from linked Owner/Facility record

COMPLAINT INVESTIGATION NUMBER: CO0030518

District: No District Code

CT: 39049

Service Code: _____

Action Code: _____

Result Code: _____

Reinspection Date: _____

Assigned Date: 2/22/2012

Assigned Time: 09:25:00

Character of Premises

Block: YES

Lot: NO

Complainant: JAMES BATES

Home Phone : 614-572-2029

Address: 909 MAYFIELD BLVD
COLUMBUS, OH 43205

Work Phone : Phone Not Specified

Nature of complaint:

VIRF USPS

2 DOGS 2 VICTIMS OTHER VICTIM CO0030517
CO0029922, CO0030517, CO0030518, CO0030796

PREVIOUS DOG BITE CO0029922

Received by: EE0000149 - DAVIS, DEBBIE

Assigned to: EE0000114 - HICKS, JAMES

Date Abated: _____

Inspector: _____

Fax

INVESTIGATION REPORT

Detail all progress report (s) chronologically. List dates, times, types of notices, names address and phone numbers of people involved. Describe conditions and actions taken. Attach all pertinent paperwork to this report.

Form with fields: Date, Time In, Time Out, Hrs/Min

Horizontal lines for report content

Form with fields: Date, Time In, Time Out, Hrs/Min

Horizontal lines for report content

Horizontal lines for report content

COMPLAINT ID: CO0030518

Inspector : EE0000114 - HICKS, JAMES

Block: YES

Lot: NO

Address: Address Not Specified

Date	:	_____
Time In	:	_____
Time Out	:	_____
Hrs/Min	:	_____

Date	:	_____
Time In	:	_____
Time Out	:	_____
Hrs/Min	:	_____

INSPECTION COSTS

	Date	Hours	Cost/Hr.	Subtotal
Initial Inspection	_____	_____	X \$ _____	\$ _____
1st Follow-Up Inspection	_____	_____	X \$ _____	\$ _____
1st Follow-Up (More than 1 Hr.)	_____	_____	X \$ _____	\$ _____
2nd Follow-Up Inspection	_____	_____	X \$ _____	\$ _____
2nd Follow-Up (More than 1 Hr.)	_____	_____	X \$ _____	\$ _____
3rd Follow-Up Inspection	_____	_____	X \$ _____	\$ _____
3rd Follow-Up (More than 1 Hr.)	_____	_____	X \$ _____	\$ _____
Other Costs	_____	_____	X \$ _____	\$ _____

Notes: _____

Billing Hearing Date: _____ (Hearing Disposition Stated Below)

Abatement Hearing Date: _____ (Hearing Disposition Stated Below)

APPENDIX J
SITE PHOTOGRAPHS

Site
Photographs
Mayfield-Ferndale Place



View west of one of the two apartment buildings located on the western portion of the subject property.



View south from the western boundary of the subject property. Tim Hortons is observed in the background, south of the on-site apartment building.

Site
Photographs
Mayfield-Ferndale Place



View of one of the common hallways inside of the two on-site apartment buildings.



View west of the shared parking lot between the two on-site apartment buildings. Three domestic waste dumpsters present with benches and a path leading down to Alum Creek are located in the background.

Site
Photographs
Mayfield-Ferndale Place



View east across the northern boundary of the property. Left side of the photo shows the adjacent recreational / soccer field area.



View north of the adjacent property. Foreground is newly developed recreational area and in the background is an apartment complex and Charles Street located to the north.

Site
Photographs
Mayfield-Ferndale Place



View of the newly developed asphalt parking lot installed for the recreational area. Lot is located north of the subject property.



View east of the Bexley Community Garden located north of the subject property.

Site
Photographs
Mayfield-Ferndale Place



View southwest of Mayfield Place and the two on-site apartment complexes.



View of the multi-family residences located on the eastern portion of the subject property along Ferndale Place. Note the cracking and patches in the building foundations and uneven terrain in the shared yard space.

Site
Photographs
Mayfield-Ferndale Place



View south of the shared yard space between the on-site multi-family residences.



View south along Ferndale Place of the on-site multi-family buildings and parking spaces servicing the dwellings. Note the cracked concrete and uneven terrain of the walking paths leading to the on-site buildings.

Site
Photographs
Mayfield-Ferndale Place



View south of the southeastern dwellings on the subject property.



View north of the shared yard space on the eastern portion of the subject property located between the row of on-site multi-family residences.

Site
Photographs
Mayfield-Ferndale Place



View south of Bexley Car Care and E. Livingston Avenue from the subject property.



View west of Katz Tire located across Mayfield Place from the on-site multi-family residences.

Site
Photographs
Mayfield-Ferndale Place



View south of Bexley Car Care from the subject property.



View north of Ferndale Place.

APPENDIX K
RESUMES OF KEY PROJECT PERSONNEL

Atul Pandey, P.E., C.P., M.S.

President

Mr. Pandey is the President and CEO of PANDEY Environmental, LLC. His area of expertise includes site assessment, remediation, brownfield redevelopment, and urban conservation. Mr. Pandey has more than 20 years of experience performing Phase I, II, and III site assessments, underground storage tank removals, closure, assessment, and corrective action, RCRA closures and corrective actions, Ohio EPA Voluntary Action Program No Further Action Letters, Clean Ohio Fund Site Assessments and general site assessment and remediation tasks. Clients have included municipalities, federal and state agencies, commercial and industrial realtors, bankers, insurance companies and real estate developers.

Mr. Pandey has worked for Ohio EPA, where he developed the Ohio EPA VAP Generic Leaching Guidance Document used by the Voluntary Action Program. He also worked in Ohio EPA's Southwest District Office of Division of Solid and Infectious Waste Management, located in Dayton, Ohio.

Prior to forming PANDEY Environmental, LLC in 2002, Mr. Pandey technically and administratively supervised a multi-disciplinary team of seven professionals at a private consulting firm. Projects included Phase I and II environmental site assessments, underground storage tank closures, corrective actions, risk assessments, RCRA closures and corrective actions, landfill groundwater monitoring and assessment programs, and Voluntary Action Program projects.

Mr. Pandey has also authored multiple publications.

EDUCATION:

University of Cincinnati, Ohio

Master of Science in Environmental Engineering, 1993

Thesis Title: Effect of Swelling Percentages on the Shear Strength of Compacted Clay Liners

University of Delhi, India

Bachelor of Science in Civil Engineering, 1991

Emphasis: Environmental Engineering

CERTIFICATIONS

- Registered Professional Engineer, States of Ohio and South Carolina, Environmental Engineering
- State of Ohio Voluntary Action Program, Certified Professional, Certification #CP224
- Qualified as an Environmental Professional under "All Appropriate Inquires" (AAI) Rule
- 40 hour HAZWOPER certified (29 CFR 1910.120)

CAREER HIGHLIGHTS/ACCOMPLISHMENTS

- Issued twenty-one (21) VAP NFA letters, twenty (20) of which have received Covenants Not to Sue (one NFA was recently issued and the CNS is pending Ohio EPA review).
- Prepared five (5) successful Urban Setting Designation Requests.

PANDEY Environmental, LLC

4100 Horizons Drive; Suite 205 | Columbus, OH 43220

- Authored Ohio EPA VAP Generic Leaching Guidance Document; this document is currently being used in the state of Ohio by VAP Certified Professionals as a standard to evaluate leaching of vadose zone contaminants under VAP and RCRA programs.
- Selected by the Ohio EPA in April 2005 to represent all Ohio EPA Certified Professionals (Brownfield Licensed Professionals) to the Hazardous Waste division of the Ohio EPA. This prestigious recognition was made due to extensive experience with multiple programs of the Ohio EPA including the Voluntary Action Program (Brownfields Program), and programs under the Division of Hazardous Waste and the Division of Solid Waste.

PROFESSIONAL EXPERIENCE

10/02 to present President, PANDEY Environmental, LLC

Mr. Pandey founded PANDEY Environmental, LLC to provide fast, reliable, and expert environmental site assessment services to commercial and industrial clients at a competitive price. Services provided by the consulting company include but are not limited to Phase I, II Environmental Site Assessments, Underground Storage Tank Removal, Closure, and Corrective Action, Voluntary Action Program Site Assessments, Clean Ohio Fund Application Preparation and Site Assessments, Expert Witness Services, Risk Assessment Services, Fate and Transport Modeling, and VAP Certified Professional Services.

11/98 to 9/02 Vice President/Senior Engineer, Smalley & Associates, Inc.

Duties and responsibilities included supervising a multi-disciplinary team of 7 professionals that were involved in various projects ranging from Phase I and II environmental site assessment, underground storage tank closure, corrective action, and risk assessment, RCRA closures and corrective action, landfill groundwater monitoring and assessment programs, and Voluntary Action Program projects; Also responsible for professional development of these individuals.

Duties also included managing the operations of a full service Ohio EPA VAP certified analytical laboratory and drilling crew. Additional responsibilities included business development and client interface for Ohio VAP and RCRA projects.

In this position, issued eleven (11) No Further Action letters under Voluntary Action Program to Ohio EPA for the following properties; all of these properties have successfully obtained VAP Covenants Not to Sue.

11/96 to 11/98 Environmental Engineer, Ohio EPA Voluntary Action Program

General responsibilities included assessment of No Further Action Letters prepared by Certified Professionals conducting voluntary actions at properties with hazardous substances and petroleum contamination; determining RCRA corrective action eligibility of the properties for the Voluntary Action Program, and assessing leaching of petroleum constituents and other contaminants; providing technical assistance to Certified Professionals, volunteers, and other parties interested in voluntary action; managing field audits of properties that have received Covenants Not to Sue.

At the Ohio EPA's Division of Solid and Infectious Waste Management, general responsibilities included reviewing and evaluating Permit to Install applications and detail plans for all types of solid and

infectious waste facilities making recommendations for approval or denial; directing the inspectors in conducting the solid waste compliance monitoring program; providing technical assistance to local governments, citizens, industry, and others regarding solid and infectious waste management; also spoke at public meetings on solid waste permitting issues.

1/92 to 11/96 Project Engineer, Science Applications International Corporation

Responsibilities as a project engineer included project management and team support, budget control, report preparation, negotiations with state and federal regulatory agencies, vendor and consultant oversight, and working on site remediation and compliance issues. Select project experience includes:

- Identified, screened, and evaluated remedial technologies for RCRA CMS or CERCLA RI/FS; conducted the same for four solid waste management units at Portsmouth US DOE site with soil and/or groundwater contamination; also negotiated corrective action scope with regulatory agencies and co-authored the CMS reports.
- Managed and supervised a \$500,000 contract for conducting a pilot scale treatability study of measuring enhancements to groundwater flow using an innovative technology (pneumatic fracturing); developed work plan, support plans (HSP, QAPjP, SAP), and summary report.
- Managed a \$200,000 project dealing with a field and laboratory investigation to establish adsorptive and natural attenuation characteristics at a superfund site.
- Developed a database to facilitate air emissions reporting and permitting for over 250 sources in accordance with Title V requirements of the Clean Air Act for a synthetic organic chemical manufacturer in southern Ohio; created data architecture, conducted the beta-test on the database software, and created chemical process-specific user's guides.
- Facilitated compliance with RCRA Subtitle CC regulations at a chemical manufacturer's facility; also prepared the SARA 313, fee emission, and Title V reports for the facility.
- Served as Technical Advisor to the State of Ohio, Environmental Protection Agency's modeling subgroup of the generic standards subcommittee charged with the development of generic deep soil cleanup levels across the state in accordance with the requirements of Senate Bill 221 (Brownfields); conducted all of the modeling on this project using an unsaturated soil zone leaching model (SESOL); also authored the associated technical guidance documents.
- Constructed and calibrated groundwater flow models using MAGNAS3 and FRAC3DVS codes for groundwater plumes at the US DOE site; evaluated remedial alternatives with these models.

PUBLICATIONS

Pandey, A., Hetrick, D.M., and Khan, A., Innovative Approach Proposed for Evaluating Risks due to Soil Contamination, SESOIL - A Decade, Amherst Scientific Publishers, 1996.

Pandey, A., Cherry, E., Steigerwald, V., and Pickrel, C., Groundwater Protection and Soil Remediation, Fifth Annual Business and Industry's Environmental Symposium - Conference Proceedings, Cincinnati, 1996.

Pandey, A. et al., Innovative Approach Developed for Deriving Leach-Based Soil Cleanup Values Protective of Groundwater, 12th Annual Conference on Contaminated Soils, University of Massachusetts at Amherst, 1997.

Hetrick, D. and Pandey, A., A methodology for establishing cleanup objectives in the saturated soil zone using sensitivity and uncertainty analysis for chemical fate and transport, *Journal of Soil Contamination*, 8(5):559-576, 1999

ENGINEERING & MODELING SOFTWARE

Proficient with a wide range of environmental modeling software including MODFLOW, MAGNAS3, FRAC3DVS, MT3D, SAS, SURFER, GeoEAS, HELP, SESOIL, CHEMFLO, VLEACH, RITZ, PESTAN, Summers, AT123D, EnCompass, GARDS, SIMS, HonRuler, TANKS, and STARSHIP (Title V); advanced knowledge of Microsoft EXCEL and SURFER programs.

Also taught 3-day modeling course entitled “Application of SESOIL in Ohio EPA’s Voluntary Action Program” in June, 1999 to Certified Professionals and other consultants.

Nick Vallera

Environmental Scientist

Mr. Vallera performs and manages Phase I and II investigations (ASTM & VAP), BUSTR investigations, remedial oversight, soils management oversight, project proposals, scheduling and cost estimates. He also performs Operation & Maintenance activities along with analytical data review and database management. He is proficient in field aspects of environmental site assessment and remediation where he performs multiple types of sampling, works closely with property owners and clients, determines analytical analyses, manages data, and ensures that project objectives are met. He is also proficient in the technical writing of environmental assessments, Urban Setting Designations (USDs), No Further Action Letters (NFAs), project proposals and regulatory agency reports.

EDUCATION:

The Ohio State University, Columbus, Ohio

Master of Education, Major in Secondary Science Education; 2012

The Ohio State University, Columbus, Ohio

Bachelor of Science, Major in Geology; 2011

SPECIALIZED TRAINING/ PROFESSIONAL AFFILIATIONS:

- Ohio EPA VAP Soil Classification Training
- Ohio Department of Transportation (ODOT) Soil and Rock Classification Training
- 40 Hour OSHA HAZWOPER Certified
- 10 Hour OSHA Construction Certified
- Hess UBU Training
- Miner Safety and Health Administration (MSHA) Certified
- Safeland: Oil and Gas Safety Training
- National Groundwater Association (NGWA) Member

CAREER HIGHLIGHTS/ACCOMPLISHMENTS

- Performed oversight, planning and sampling activities at the Former Van Dorn Property, a Clean Ohio (CORF) project, which included a remedial excavation, testing / analyzing of the excavated area, associated remedial reporting, follow-up testing and incorporation of all data into larger NFA letter for the property. Completed and obtained an NFA Letter for the Property.
- Completed an Urban Setting Designation (USD) request for a 5+ acre industrial property located in South Columbus, as well as completed the USD verification for two (2) industrial properties.
- Developed and prepared multiple project proposals for municipal clients which included a summary of the project understanding, scope of work to be performed, proposed sampling and safety plans, schedule of work to be performed and cost estimates.
- Performed BUSTR investigations on three (3) abandoned gas station properties. Included preparation of project proposal, cost estimates, writing sampling plan in accordance with BUSTR rules, performing field exploration, sampling, data analysis and reporting.
- Managed soil movement project involving the testing of multiple sources of backfill materials, excavation of selected soils, management of testing data and necessary technical reporting of

PANDEY Environmental, LLC

4100 Horizons Drive; Suite 205 | Columbus, OH 43220

findings. Coordinated and oversaw proper transportation of over 75,000 cubic yards of soil. Directly worked and coordinated with construction managers and site superintendents throughout project.

- Managed and oversaw the handling of two large soil oversite projects, a remedial excavation project, three (3) VAP Phase I investigations, two (2) Limited VAP Phase II investigations, and the developing of a Remedial Action Plan for a VAP project simultaneously while meeting deadlines for all of the projects to the Client's satisfaction.
- Worked with subcontractors to identify, delineate and excavate contaminated environmental media and coordinated the removal and manifesting of the media. Included management of total tonnage and daily logs of removal to ensure the project remained within proper limits / funding.
- Managed, coordinated with, and oversaw other personnel that were performing soils movement or remedial oversite projects.
- Performed emergency assessment of a property with high risk soil-gas contamination to surrounding receptors. Installed monitoring wells and nested soil-gas probes around the property as well as developed a "nearest receptor figure" to determine the risk of soil-gas contamination reaching residential receptors around a brownfield property. This included coordinating field work, performing field installation, measurements of nearest receptors, and sampling of environmental media under Ohio EPA oversight
- Participated in Ohio Brownfields Conference including networking with subcontractors, clients and government agencies as well as promoting PANDEY's services.
- Performed environmental investigation, sampling plan and reporting for a property that included historical USTs, commercial operations, asbestos containing materials and largely scattered asbestos contamination across the soils on the property. Prepared a remedial action plan and costs associated with remedial activities for the property after determining findings and conclusions for the property.
- Developed and maintained productive / professional relationships with clients (private and municipal), subcontractors and vendors (laboratories and remedial product vendors) acting as a point of contact, lead communicator and coordinator for projects throughout all stages (including proposal, investigation, analytical, reporting and remedial activities).
- Worked on multiple sites under the Ohio Voluntary Action Program (VAP). Work included Phase I and II Environmental Site Assessments, risk assessment, demonstration of background levels, contaminant transport modeling, site specific remediation, and No Further Action Letter issuances.
- Worked and managed project from development stages (requests, proposals, cost estimates, etc.) through field investigation, implementation, analysis and risk assessment reporting on EPA Grant funded project for the Former Mud Run Gun Club in Cuyahoga Falls, Ohio
- Performed soil management oversight, reporting, USD verifying, Phase I Updates and continuous O&M sampling investigations for Ohio VAP Jaeger / Union Tools property in Columbus, Ohio
- Provided oversight for the delineation, soil and groundwater sampling, QA/QC sampling, delivery, and assessment during an emergency crude oil release of 30,000+ gallons.
- Participated in the design, and managing databases for laboratory data received during field sampling events.

- Completed field investigation, data mitigation, GIS figure generation and technical writing of Phase II report, conclusions and recommendation letter for 18 acre property in Chillicothe, Ohio.
- Performed geotechnical drilling and analysis for engineering projects involving the construction of shale/gas oil pads in eastern Ohio.
- Collected data for Clean Ohio project for an idle steel mill plant in Yorkville, Ohio. Included logging and sampling over 140 boreholes, installing, and sampling multiple wells, delineating identified areas and collecting soil-gas and air samples during a multi-month period.
- Provided assistance to asbestos abatement oversight on a project in Chillicothe, Ohio.
- Completed Area Wide Assessments to identify brownfields in a community that produced multiple Phase I and Phase II environmental site assessments.
- Participated in or completed multiple Phase II environmental site assessments following ASTM and/or VAP guidelines.
- Provided oversight of geotechnical installations of dams and barriers to isolate product during an emergency oil spill
- Performed on site monitoring well sampling at South Bend, Indiana site which required the collection of samples at 73 monitoring wells across the city.
- Managed laboratory data and QA/QC collection of all data from South Bend, Indiana city-wide project tracking a TCE plume.
- Participated in Phase I, Phase II, and data collection / organization activities for submission into the Clean Ohio Revitalization Fund program for multiple projects.
- Performed explosive gas monitoring at a city landfill.
- Proficient in the use of the following field equipment: Soil vapor pin installation, SUMMA canister soil gas and air sampling, peristaltic pump, bladder pump, inertia pump, flow through sonde active groundwater parameter monitoring, various groundwater parameter sampling equipment (i.e. turbidimeter, conductivity/temperature/pH meter), Photo Ionization Detector (PID), Multi-gas meter, bailer groundwater sampling, Laser Level for monitoring well and groundwater elevations.

PROFESSIONAL EXPERIENCE

06/15 to present

Environmental Scientist, PANDEY Environmental, LLC

Duties include conducting ASTM E1527 and VAP compliant Phase I and Phase II Property assessments, Risk Assessment Reporting, preparing Cost Estimates and Proposals, staying in contact with Clients, managing lab data and database, environmental sampling, and supervising subcontractors utilized for site investigation and remediation activities.

Specific field activities include soil boring, monitoring well, and gas extraction well installations, soil excavations, demolition oversight, skimming oil from groundwater, vapor barrier installations, active and passive gas extraction systems (hazardous gas, hydrogen sulfide and methane), gas monitoring sensor installations and maintenance, underground storage tank removals, in-site groundwater remedial injections, and soil gas sampling.

Other duties include implementing operation & maintenance plans, preparation of figures and maps using ArcGIS, and preparation of plans and reports.

08/13 to 06/15

Hydrogeologist I, Hull & Associates

Performed field work activities on a diversity of projects including: BUSTR, VAP, ASTM, Clean Ohio, shale/oil gas pads and ODOT. Taking detailed notes in the field and bringing information into the office to complete technical report writing and summary reports for environmental assessments and conclusions. Performed routine oversight and monitoring regularly at multiple job sites. Performed field work that involved: Groundwater sampling, soil sampling, air sampling, soil-gas sampling, sediment sampling, waste characterization, wetland delineation, sub-base sampling, rock coring, soil logging, slug testing, Passive Diffusive Bag sampling, product level monitoring and explosive gas monitoring. Writing Phase I and II reports, interviewing clients and performing site reconnaissance.

05/12 to 07/13

Geoscience & Astronomy Teacher, Evanston Township High

Performed all duties of a full time teacher. Responsible for developing and teaching senior level science courses specifically in the areas of geology and astronomy. Managed 5 preps of classes and students. Managed student behavior, grading, tracking and database management of student grades. Participated in school team events and extracurricular activities / hosting clubs for students after school.

ENGINEERING & MODELING SOFTWARE

Knowledge of Microsoft Office (including Word, Outlook, Access, Excel, PowerPoint) and Microsoft Access database management. GIS (ESRI ArcMap), Trimble GPS Geoexplorer Units, GeoGraphics boring log generating software and topographic map generation software. Experience with Seasonal Soil compartment model (SESOIL) for water, sediment, and pollutant transport.