By: Mr.Masser

An Ordinance to authorize a variance to allow a 6 foot high black aluminum wrought iron style fence to be constructed in the front yard setback area along Clifton Avenue at 90 North Columbia Avenue (Part of Lot 4 and Lot 10 Block 12 Bullitt Park Amended Subdivision), premises owned by Tom and Lee Ann Hadley.

Whereas, Tom and Lee Ann Hadley have applied for a variance to allow the construction of a 6 foot high black aluminum wrought iron style fence in the front yard setback of the property owned by them at 90 North Columbia Avenue, and,

Whereas the fence is compatible with other properties in the neighborhood as identified in the Bexley Neighborhood stabilization Plan, and,

Whereas, the height of the proposed fence will not exceed 6 feet when measured from the average existing grade of where the fence is to be constructed, and,

Whereas, the fence is part of an overall landscape plan that is attached to and made a part of this Ordinance, and would be constructed on the inside of existing landscaping which will lessen the impact of the fence, and,

Whereas, the fence will not create a visibility of safety concern for vehicular and or pedestrian movement, and,

Whereas, it is the unusual configuration of lots in this area that causes inconsistency in the location of required front yards and therefore the need for this variance. NOW, THEREFORE,

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF BEXLEY, OHIO:

Section 1. That the application of Tom and Lee Ann Hadley dated November 9, 2001, for a variance to authorize and allow the construction of a 6 foot high black aluminum wrought iron style fence in the front yard setback as shown on a landscape plan dated October 10, 2001 for the premises at 90 North Columbia Avenue (Part of Lot 4 and Lot 10, Block 12 Bullitt Park Amended Subdivision), complies with the requirements of Ordinance No. 78-90 and is granted and the location of the fence, as proposed, is approved.

Section 2. That this Ordinance shall take effect and be in force from and after the earliest period allowed by law.

Passed:

President of Council

Attest: Nichard a. Levin Clerk of Council

11/27/01 First Mading
12/11/01 Dland Meading
12/01/01 Shird Meading
Passed

Approved:

David H. Madison

Ath. Marin

APPLICATION NUMBER 31
FILING FEE: \$ 25.00

CITY OF BEXLEY, OHIO

APPLICATION TO APPEAR BEFORE BEXLEY CITY COUNCIL

1.		This application is submitted for: (please check)
		() Rezoning () Lot Split () Plat Approval (Variance
2.		APPLICATION SUBMITTED FOR PROPERTY LOCATED:
3.		NAME OF APPLICANT: Urban Environments, Inc.
		ADDRESS: 3001 Innis Pd. Columbus, OH 43224
		TELEPHONE NUMBER 614-478-2085
4.		NAME OF OWNER: Tom & Lee Ann Hadley
		ADDRESS: 90 H. Columbia
		TELEPHONE NUMBER: 614-253-4944
5.		Narrative description of project (attached additional sheets, if necessary.) <u>Installation</u> of b' high black aluminum fencing.
		Female will be a like out of the
	(Fence will begin at house, extend approx. 60' toward. Clifton Ave, turn 90° and run approx. 150' along Clifton Ave
j.		IF THIS APPLICATION INVOLVES A VARIANCE, PLEASE EXPLAIN WHY THE
		VARIANCE IS NECESSARY. (Attach additional sheets, if necessary.)
		Front yard fence
		J
	,	APPLICANT: Maria Vanduco DATE 11/09/01

(NOTE: If the applicant is not the owner, a letter from the owner stating his or her approval of the application must be submitted with the application.)

November 9, 2001

Dorothy Pritchard City of Bexley 2242 E. Main Street Columbus, OH 43209

Ms. Pritchard;

We, Tom and Lee Ann Hadley, have reviewed the enclosed application to appear before Bexley City Council and approve the application.

Sincerety,

Tom and Lee Ann Hadley

Myers Surveying Company, Inc.

2740 East Main Street, Columbus 43209 (Bexley), Ohio 614-235-8677 FAX: 614-235-4559

A Mortgage Location Survey prepared for and certified to: Benchmark Title Agency and/or Huntington Mortgage Company

Legal Description: Situated in Ohio, County of Franklin, City of Bexley, Being Part of Lot 4 and Lot 10 Block 12 Bullit Park

Amended, Plat Book 5 Page 138

Applicant: Hadley

Posted Address: 90 N. Columbia Ave, Bexley, Ohio

F.E.M.A. Flood Zone Designation: Flood Zone "X" as per F.I.R.M. 390168 0255G


Apparent Encroachments: 1) None



40' 20' 0' 40'

Scale: 1" =

Date: 2 - 2 - 01



N. COLUMBIA AVE. 80'



We hereby certify that the foregoing Mortgage Location survey was prepared from actual field measurements in accordance with Chapter 4733-38 Ohio Administrative Code, and is not a boundary survey pursuant to Chapter 4733-37 of said code. THE INFORMATION SHOWN HEREON IS NOT TO BE UTILIZED FOR THE INSTALLATION OF BUILDINGS, FENCES, LANDSCAPING OR OTHER PERMANENT IMPROVEMENTS.

Myers Surveying Co., Inc.

Professional Surgerer

Myers Order No. 8-02/01/01 | Rec. 53

Field

DWG W-

Ltr. ve O Yck. H.

FENCE CUT SHEETS - HADLEY PESIDENCE 90 N. COLUMBIA AVE.

	RESIDENTIAL	AERO	COMMERCIAL
PICKET	5/8" x 5/8" x .050 wall thickness	. 1" x 5/8" x .050 wall thickness	1" x 1" x .065 wall thickness
RAIL	1" x 1" x .055 top wall thickness .080" side wall	1 1/2" x 1 1/8" x .060 top wall .070" side wall	1 5/8" x 1 5/8" x .070 top wall .100" side wall
POST	2" x 2" x .060 wall thickness	2 1/2" x 2 1/2" x .060 wall thickness .100 power corner	2 ½" x 2 ½" x .075 wall thickness
GATE POST	2" x 2" x .125 wall thickness	2 1/2" x 2 1/2" x .060 wall thickness .100 power corner	4" x 4" x .125 wall thickness 6" x 6" x .188 wall thickness
SPACING	3 13/16" between pickets 1 39/64" (styles Hialeah & Innsbruck)	3 31/32" between pickets	3 31/32" between pickets
INSTALLED CENTERS	72 3/4" on center 2" posts	100 13/16"on center (2 1/2"posts) 71" on center 2 rail Elba (2 1/2"posts)	71" on center 2 ½ " posts
HEIGHTS	36", 42", 48", 54", 60", 72"	48", 54", 60", 72"	48", 60", 72", 96"
COLORS	white, black, bronze, hunter green*	white, black, bronze, hunter green*	white, black, bronze, hunter green*
HORIZONTAL RAILS	3 on 36", 42", 48", 54", 60", 4 on 72"	2 on 48" Guardian Elba 3 on 48", 54", 60", 4 on 72"	3 on 48", 60", 72" 4 on 96"
ALLOY	6063-T5 on pickets 6061-T6 on posts and rails	6063-T5 on pickets 6061-T6 on posts and rails	6063-T5 on pickets 6061-T6 on posts and rails
STRENGTHS	over 350 lbs.	over 350 lbs.	over 1,100 lbs.
,	*Special Order Only		

ACCESSORIES

	RESIDENTIAL	AERO	COMMERCIAL
PICKET	Royal Triad Finial	Royal Triad Finial	Royal Triad Finial Finial
POST	Standard Ball Cap	Standard Ball Cap	Standard Cap Royal Finial Cap
SCROLLS	Butterfly Scroll Scroll	Butterfly Scroll Scroll Circle (Installed)	Butterfly Scroll Circle (Installed)

All specifications are subject to change without notice.



8600 River Road, Delair, New Jersey 08110 Phone: 1-800-235-0185 ● Fax: 856-663-1297

www.delairgroup.com

SELECTING A FENCE STYLE



Madrid









N/A











Tahoe Laurel




WHITE RESIDENTIAL BARCELONA



BLACK RESIDENTIAL INNSBRUCK



BLACK AERO GUARDIAN DORIA



HUNTER GREEN COMMERCIAL MADRID

SELECTING A FENCE STYLE

With so many styles from which to choose, the easy part is selecting Delgard: the hard part is choosing from all the beautiful options. To customize your fence, add decorative accessories such as finials, ball caps, scrolls or circles. Use the images on the following pages as well as the photos throughout the brochure to determine which combination works best for you. Mix and match...who knew choosing fencing could be so much fun?



BLACK RESIDENTIAL AVALON



BRONZE RESIDENTIAL GUARDIAN DORIA




Black Residential Barcelona with Triad Finials



HUNTER GREEN COMMERCIAL STRATFORD





Maps and databases were supplied by the Franklin Co. Auditor's Office. MetaMAP, Inc. is in no way responsible or liable for the maps or databases. Any inquiries should be directed to the Franklin Co. Auditor's Office (614) 462—7272.


MapVUE


0 193 387 580 773 Scale in Feet



10:50 NOV 6, 2001







N. COLUMBIA AVE. 80'



We hereby certify that the foregoing Mortgage Location survey was prepared from actual field measurements in accordance with Chapter 4733-38 Ohio Administrative Code, and is not a boundary survey pursuant to Chapter 4733-37 of said code. THE INFORMATION SHOWN HEREON IS NOT TO BE UTILIZED FOR THE INSTALLATION OF BUILDINGS, FENCES, LANDSCAPING OR OTHER PERMANENT IMPROVEMENTS.

Myers Surveying Co., Inc.

Myers Order No. 8-02/01/01 | Rec . 55

Field

DWG W-